JOURNAL OF
POLYMER SCIENCE

Combined Author Index to Volume 40

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 40, 2002. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abad, M. J. See Barral, L., 284P
Abdelaal, M. Y.
—; Synthesis of Novel Ladder Polymers of Poly(3,4-dihydro-2*H*-pyran-2-methanol), 3909C
Abdel-Hay, F. I. See Kenawy, E.-R., 2384C
Abe, J. See Yamada, Y., 399C
Abe, N. See Tsubokawa, N., 1868C
Abraham, G. A. See de Queiroz, A. A. A., 714P
Acar, A. E. See Shemper, B. S., 334C
Acharya, A.
—; Goswami, A.; Pujari, P. K.; Sabharwal, S.; Manohar, S. B.: Positron Annihilation Studies of Poly (*N*-isopropyl acrylamide) Gel in Mixed Solvents, 1028C
Acosta Ortiz, R. See Crivello, J. V., 2298C
Adamus, G. See Ceccorulli, G., 1390P; Montaudo, M. S., 2442C
Agnely, M. See Plessis, C., 2878C
Ahmedzade, M. See Erol, I., 1756C
Ahn, S.-K. See Kim, Y.-H., 4288C
Ahn, W. Y.
—; Bae, Y. C.: Effect of Compression on the Solid Polymer Electrolytes: The Modified Lattice-Fluid Model, 706P
Aida, T. See Machida, S., 210P
Akashi, M. See Serizawa, T., 3542C, 4228C
Akcelrud, L. See Kloss, J., 4117C
Akelah, A. See Rehab, A., 2513C
Akpalu, Y. A.
—; Lin, Y.: Multivariable Structural Characterization of Semicrystalline Polymer Blends by Small-Angle Light Scattering, 2714P
Alam, M. A. See Dlubek, G., 65P, 434P
Alamo, R. G. See Chatterjee, J., 878P
Al-Azemi, T. F.
—; Bisht, K. S.: One-Step Synthesis of Polycarbonates Bearing Pendant Carboxyl Groups by Lipase-Catalyzed Ring-Opening Polymerization, 1267C
Albertin, L. See Vana, P., 4032C
Albertsson, A.-C. See Brunius, C. F., 3652C; Ryner, M., 2049C
Alberty, K. A.
—; Chen, R.; Hogen-Esch, T. E.: New Bifunctional Initiator for Use in Anionic Polymerizations, 2108C
Alcoutlabi, M.
—; Briatico-Vangosa, F.; McKenna, G. B.: Effect of Chemical Activity Jumps on the Viscoelastic Behavior of an Epoxy Resin: Physical Aging Response in Carbon Dioxide Pressure Jumps, 2050P
Alemán, C. See Zanuy, D., 2037P
Alexandrov, V. M. See Bazhenov, S. L., 10P
Alferiev, I. S.
—; Novel Elastomeric Polyurethanes with Pendant Epoxy Groups as Highly Reactive Auxiliary Groups for Further Derivatizations, 4377C
Ali, S. A.
—; Al-Muallem, H. A.; Wazeer, M. I. M.: Synthesis of a New Amino Acid/Sulfur Dioxide Copolymer and Its Use in Aqueous Two-Phase Polymer Systems, 2464C
Alkan, S. See Çirpan, A., 4131C
Allen, N. S. See Catalina, F., 3312C
Al-Muallem, H. A. See Ali, S. A., 2464C
Alonso, A. See Peinado, C., 4236C
Alvarez, C. See Denchev, Z., 2570P
Alvarez, D. See Ilundain, P., 4245C
Amalvy, J. I.
—; Unzué, M. J.; Schoonbrood, H. A. S.; Asua, J. M.: Reactive Surfactants in Heterophase Polymerization: Colloidal Properties, Film-Water Absorption, and Surfactant Exudation, 2994C
Ameduri, B.
—; Billard, T.; Langlois, B.: Telomerization of Vinylidene Fluoride with Alkyl (or Aryl) Trifluoromethanethiosulfonates, 4538C
Ameduri, B. See Guiot, J., 3634C; Lebreton, P., 3743C
An, Y. See Zhang, Z., 1957P
An, Y. U. See Chang, J.-H., 670P
Anada, Y.
—; Direct Current Conductivity and Ion Motions in Poly(vinyl chloride)-Poly-1,4-*cis* Butadiene Blends by

Electrical Relaxation Method, 226P

Ananchenko, G. S.
—; Souaille, M.; Fischer, H.; Mercier, C. L.; Tordo, P.: Decomposition of Model Alkoxyamines in Simple and Polymerizing Systems. II. Diastereomeric *N*-(2-Methylpropyl)-*N*-(1-diethylphosphono-2,2-dimethylpropyl)-aminoxyl-Based Compounds, 3264C

Anders, S. H.
—; Eberle, R.; Peetz, L.; Krüger, J.-K.; Göschel, U.; Pietralla, M.: Anisotropic Properties of Poly(ethylene terephthalate) by Brillouin Spectroscopy: Anisotropic Properties of Oriented Bulk and Nanostructured Poly(ethylene terephthalate) Determined by Brillouin Spectroscopy and Birefringence Experiments, 1201P

Ando, T. See Fuji, Y., 2055C

Andre, S.
—; Guida-Pietrasanta, F.; Rousseau, A.; Boutevin, B.; Caporiccio, G.: New Fluorinated Thermoplastic Elastomers. I. The Synthesis and Thermal Characteristics of α,ω-Dihydrosilane Hybrid Fluorinated Polysiloxane Precursors, 4485C

Androsch, R.
—; Stribeck, N.; Lüpke, T.; Funari, S. S.: Investigation of the Deformation of Homogeneous Poly(ethylene-*co*-1-octene) by Wide- and Small-Angle X-ray Scattering Using Synchrotron Radiation, 1919P
—; Wunderlich, B.; Lüpke, T.; Wutzler, A.: Influence of Deformation on Irreversible and Reversible Crystallization of Poly(ethylene-*co*-1-octene), 1223P

Annis, B. K. See Kisliuk, A., 2431P

Anseth, K. S. See Luo, N., 1885C

Antonucci, V.
—; Giordano, M.; Nicolais, L.: Effect of the Segmental Mobility Restriction on the Thermoset Chemical Kinetics, 3757C

Anžlovar, A.
—; Žigon, M.: Semi-Interpenetrating Polymer Networks Based on Polyurethane and Polymethacrylate Functional Prepolymers: Morphology and Mechanical Properties in Dependence of the Concentration of Functional Groups, 115P

Aoai, T. See Lee, J., 1858C

Aoki, T. See Shinohara, K.-I., 1689C

Aota, H. See Matsumoto, A., 317C

Aramendia, E.
—; Barandiaran, M. J.; Grade, J.; Blease, T.; Asua, J. M.: Polymerization of High-Solids-Content Acrylic Latexes Using a Nonionic Polymerizable Surfactant, 1552C

Ares, A. See Barral, L., 284P

Areso, S. See García-Martínez, J. M., 1371P; Marco, C., 1307P

Arimura, H. See Ouchi, T., 1218C, 1426C

Arnold, M. See Dlubek, G., 434P

Arranz-Andrés, J.
—; Benavente, R.; Peña, B.; Pérez, E.; Cerrada, M. L.: Toughening of a Propylene-*b*-(ethylene-*co*-propylene) Copolymer by a Plastomer, 1869P

Artzi, N.
—; Nir, Y.; Narkis, M.; Siegmann, A.: Melt Blending of Ethylene–Vinyl Alcohol Copolymer/Clay Nanocomposites: Effect of the Clay Type and Processing Conditions, 1741P

Arzamendi, G. See Plessis, C., 2878C

Asensio, J. A.
—; Borrós, S.; Gómez-Romero, P.: Proton-Conducting Polymers Based on Benzimidazoles and Sulfonated Benzimidazoles, 3703C

Asua, J. M. See Amalvy, J. I., 2994C; Aramendia, E., 1552C; Ilundain, P., 4245C; Plessis, C., 2878C

Atkins, E. See Ehrenstein, M., 2685P

Auten, K. L.
—; Petrović, Z. S.: Synthesis, Structural Characterization, and Properties of Polyurethane Elastomers Containing Various Degrees of Unsaturation in the Chain Extenders, 1316P

Avci, D.
—; Mathias, L. J.: Synthesis and Polymerization of Phosphorus-Containing Acrylates, 3221C

Azzam, R. A. See Madkour, T. M., 2526C

Bae, Y. C. See Ahn, W. Y., 706P; Hong, Y. P., 2333P; Jung, H. J., 1405C

Baek, K.-Y.
—; Kamigaito, M.; Sawamoto, M.: Star Poly(methyl methacrylate) with End-Functionalized Arm Chains by Ruthenium-Catalyzed Living Radical Polymerization, 1972C
—; Kamigaito, M.; Sawamoto, M.: Star-Shaped Polymers by Ru(II)-Catalyzed Living Radical Polymerization. II. Effective Reaction Conditions and Characterization by Multi-Angle Laser Light Scattering/Size Exclusion Chromatography and Small-Angle X-Ray Scattering, 2245C
—; Kamigaito, M.; Sawamoto, M.: Synthesis of End-Functionalized Poly(methyl methacrylate) by Ruthenium-Catalyzed Living Radical Polymerization with Functionalized Initiators, 1937C
—; Kamigaito, M.; Sawamoto, M.: Synthesis of Star-Shaped Copolymers with Methyl Methacrylate and *n*-Butyl Methacrylate by Metal-Catalyzed Living Radical Polymerization: Block and Random Copolymer Arms and Microgel Cores, 633C
—; See Fuji, Y., 2055C; Onishi, I., 2033C

Baek, S.
—; Ree, J. J.; Ree, M.: Synthesis and Characterization of Conducting Poly(aniline-*co*-*o*-aminophenethyl alcohol)s, 983C
—; See Kim, J. J., 1173C

Baer, E. See Chang, A., 142P; Hu, Y. S., 2489P; Liu, R. Y. F., 862P

Bafna, A. See Mirabella, F. M., 1637P
Bagwell, M. D. See Eichstadt, A. E., 1503P
Bai, S. J.
—; Wu, C. C.; Tu, L. W.; Lee, K. H.: Luminescence of Monolayer Thin Films of the Fully Conjugated Rigid-Rod Polymer Poly(*p*-phenylenebenzobisthiazole), 1760P
Bai, Y. See Yao, F., 642C
Baigude, H.
—; Katsuraya, K.; Okuyama, K.; Yachi, Y.; Sato, S.; Uryu, T.: Synthesis of Dicarboxylate Oligosaccharide Multilayer Terminal Functionality upon Poly(lysine) Dendrimer Scaffolding, 3622C
Bailly, C. See Fustin, C. A., 1952C
Baird, M. C. See Kumar, K. R., 3302C
Bajorek, A.
—; Ciepluch, M.; Pączkowski, J.: Fluorescence Probes Based on 9-Acridyl Derivatives of Aromatic Amines for Monitoring Free-Radical Polymerization, 3481C
Bakeev, N. F. See Bazhenov, S. L., 10P
Balagurusamy, V. S. K. See Percec, V., 3509C
Balik, C. M. See Thongruang, W., 1013P
Balik, M. See Bullions, T. A., 992P
Balogh, D. T. See Pilla, V., 1949P
Bamford, D. See Dlubek, G., 65P, 434P
Banerjee, S.
—; Madhra, M. K.; Salunke, A. K.; Maier, G.: Synthesis and Properties of Fluorinated Polyimides. 1. Derived from Novel 4,4″-Bis(amino-phenoxy)-3,3″-trifluoromethyl Terphenyl, 1016C
—; See Salunke, A. K., 55C
Bang, H. J. See Lee, J. K., 317P
Bankey, N. See Bernal, D. P., 1456C
Bansil, R.
—; Nie, H.; Koňák, Č.; Helmstedt, M.; Lal, J.: Structure and Dynamics of Solutions of a Polystyrene-Polybutadiene Pentablock Copolymer in a Styrene-Selective Solvent, 2807P
Bao, Z. See Rogers, J. A., 3327C
Barandiaran, M. J. See Aramendia, E., 1552C; Ilundain, P., 4245C
Barbucci, A. See Delucchi, M., 52P
Barchiesi, E. See Tonelli, C., 4266C
Barmatov, E. B.
—; Effect of the Tail-Group Length and Degree of Polymerization on the Order Parameter of Side-Chain Liquid-Crystalline Polymethacrylates Containing Phenylbenzoate Mesogenic Groups, 2044C
Barner-Kowollik, C.
—; Vana, P.; Davis, T. P.: Laser-Induced Decomposition of 2,2-Dimethoxy-2-phenylacetophenone and Benzoin in Methyl Methacrylate Homopolymerization Studied via Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry, 675C
—; Vana, P.; Quinn, J. F.; Davis, T. P.: Long-Lived Intermediates in Reversible Addition–Fragmentation Chain-Transfer (RAFT) Polymerization Generated by γ Radiation, 1058C
—; See Barner, L., 1064C; Vana, P., 4032C
Barner, L.
—; Barner-Kowollik, C.; Davis, T. P.: Free-Radical Copolymerization of Styrene and *m*-Isopropenyl-α,α′-dimethylbenzyl Isocyanate Studied by ^{1}H NMR Kinetic Experiments, 1064C
—; Zwaneveld, N.; Perera, S.; Pham, Y.; Davis, T. P.: Reversible Addition—Fragmentation Chain-Transfer Graft Polymerization of Styrene: Solid Phases for Organic and Peptide Synthesis, 4180C
—; See Quinn, J. F., 19C; Vana, P., 4032C
Barral, L.
—; Cano, J.; Díez, F. J.; López, J.; Ramírez, C.; Abad, M. J.; Ares, A.: Analysis of Blends of Poly(styrene-*co*-acrylonitrile) with an Epoxy/Aromatic Amine Resin Using Scanning Thermal Microscopy, 284P
Baselga, J. See Peinado, C., 4236C
Bassi, M. See Delucchi, M., 52P
Bassi, S. See Mani, R., 3232C
Bates, F. S. See Chen, Y. Y., 466P
Bauer, B. J. See Lee, H.-J., 2170P
Bauer, J.
—; Hüsing, N.; Kickelbick, G.: Preparation of Functionalized Block Copolymers Based on a Polysiloxane Backbone by Anionic Ring-Opening Polymerization, 1539C
Baugh, L. S.
—; Sissano, J. A.: Polymerization of Methyl Methacrylate and Other Polar Monomers with Alkylaluminum Initiators Bearing Bidentate and Tridentate *N*- and *O*-Donor Ligands, 1633C
Bazhenov, S. L.
—; Volynskii, A. L.; Alexandrov, V. M.; Bakeev, N. F.: Two Mechanisms of the Fragmentation of Thin Coatings on Rubber Substrates, 10P
Bazile, M., Jr.
—; Nichols, A.; Pojman, J. A.; Volpert, V.: Effect of Orientation on Thermoset Frontal Polymerization, 3504C
Bebelman, S. See Fustin, C. A., 1952C
Bébin, P.
—; Prud'homme, R. E.: X-Ray Photoelectron Spectroscopy Study of Oxygen-Containing Polymer Poly(vinyl methyl ether), Poly(vinyl methyl ketone), and Poly(methyl methacrylate)| Surfaces Metalized by Vacuum-Deposited Nickel, 82P
Bednarek, M. See Chen, Y., 1991C
Behera, G. C. See Jayakannan, M., 4463C
Bellmann, C. See Meyer, T., 3144C
Benavente, R. See Arranz-Andrés, J., 1869P
Bender, J. T. See Knauss, D. M., 3046C
Benkoski, J. J.
—; Fredrickson, G. H.; Kramer, E. J.: Model for the Fracture

Energy of Glassy Polymer–Polymer Interfaces, 2377P

Bensebaa, F. See Bicak, N., 748C

Bera, T. K. See Percec, V., 3509C

Berchtold, B.
—; Lozan, V.; Lassahn, P.-G.; Janiak, C.: Nickel(II) and Palladium(II) Complexes with α-Dioxime Ligands as Catalysts for the Vinyl Polymerization of Norbornene in Combination with Methylaluminoxane, Tris(pentafluorophenyl)borane, or Triethylaluminum Cocatalyst Systems, 3604C

Bernal, D. P.
—; Bankey, N.; Cockayne, R. C.; Fossum, E.: Fluoride-Terminated Hyperbranched Poly(arylene ether phosphine oxide)s via Nucleophilic Aromatic Substitution, 1456C

Bershtein, V. A.
—; Egorova, L. M.; Yakushev, P. N.; Pissis, P.; Sysel, P.; Brozova, L.: Molecular Dynamics in Nanostructured Polyimide–Silica Hybrid Materials and Their Thermal Stability, 1056P

Bertolotti, S. See Valderas, C., 2888C

Bhagawan, S. S. See Varghese, H., 1556P

Bhattacharya, M. See John, J., 2003C; Mani, R., 3232C

Bhowmick, A. K. See Pramanik, M., 2065P

Bhowmik, P. K.
—; Han, H.; Cebe, J. J.; Burchett, R. A.: Thermotropic Liquid-Crystalline Polyesters of 4,4′-Biphenol and Phenyl-Substituted 4,4′-Biphenols with 4,4′-Oxybisbenzoic Acid, 141C
—; Han, H.; Cebe, J. J.; Burchett, R. A.; Sarker, A. M.: Main-Chain Viologen Polymers with Organic Counterions Exhibiting Thermotropic Liquid-Crystalline and Fluorescent Properties, 659C
—; Han, H.; Nedeltchev, I. K.: Main-Chain Viologen Polymers with Triflimide Counterion Exhibiting Lyotropic Liquid-Crystalline Properties in Polar Organic Solvents, 2015C

Bibaut-Renauld, C.
—; Burget, D.; Fouassier, J. P.; Varelas, C. G.; Thomatos, J.; Tsagaropoulos, G.; Ryrfors, L. O.; Karlsson, O. J.: Use of α-Diketones as Visible Photoinitiators for the Photocrosslinking of Waterborne Latex Paints, 3171C

Bicak, N.
—; Sungur, Ş.; Tan, N.; Bensebaa, F.; Deslandes, Y.: Metalization of Polymer Beads via Polymer-Supported Hydrazines as Reducing Agents, 748C
—; See Sonmez, H. B., 3068C

Biedroń, T.
—; Kubisa, P.: Atom Transfer Radical Polymerization of Acrylates in an Ionic Liquid: Synthesis of Block Copolymers, 2799C

Biela, T.
—; Duda, A.; Penczek, S.; Rode, K.; Pasch, H.: Well-Defined Star Polylactides and Their Behavior in Two-Dimensional Chromatography, 2884C

Biesemans, M. See Vanhaecht, B., 1962C

Billard, T. See Ameduri, B., 4538C

Bilodeau, F. See Guiver, M. D., 4193C

Biltresse, S.
—; Descamps, D.; Henneuse-Boxus, C.; Marchand-Brynaert, J.: Effect of the Chemical Nature and Length of Spacer Arms on the Covalent Grafting of Fluorinated Molecular Probes at the Surface of Poly(ethylene terephthalate) Membrane, 770C

Birckner, E. See Egbe, D. A. M., 2670C

Biresaw, G.
—; Carriere, C. J.: Interfacial Tension of Poly(lactic acid)/Polystyrene Blends, 2248P

Bisht, H. S.
—; Ray, S. S.; Pandey, D.; Sharma, C. D.; Chatterjee, A. K.: Copolymerization of Dodecyl-4-vinyl Benzoate and Dodecyl Acrylate by Conventional, Atom Transfer, and Nitroxide-Mediated Free-Radical Polymerization, 1818C

Bisht, K. S. See Al-Azemi, T. F., 1267C

Blease, T. See Aramendia, E., 1552C

Blomberg, S.
—; Ostberg, S.; Harth, E.; Bosman, A. W.; Van Horn, B.; Hawker, C. J.: Production of Crosslinked, Hollow Nanoparticles by Surface-Initiated Living Free-Radical Polymerization, 1309C

Bochmann, M. See Song, F., 1484C

Bódis, J. See Song, J., 1005C

Bolton, D. H.
—; Wooley, K. L.: Hyperbranched Aryl Polycarbonates Derived from A_2B Monomers versus AB_2 Monomers, 823C

Bomal, Y. See Labour, T., 31P

Bonet, J.
—; Callau, L.; Reina, J. A.; Galià, M.; Cádiz, V.: Synthesis and Crosslinking of Polyethers That Have Mesogenic Cores and Propargyl Groups, 3883C

Bongiovanni, R. See Sangermano, M., 2583C

Bornemann, S. See Dlubek, G., 434P

Borrós, S. See Asensio, J. A., 3703C

Bosch, P. See Mateo, J. L., 120C

Bosman, A. W. See Blomberg, S., 1309C

Bou, J. J. See Kint, D. P. R., 76C, 2276C

Bourban, P.-E. See Luisier, A., 3406C

Boutevin, B. See Andre, S., 4485C; Guiot, J., 3634C; Lebreton, P., 3743C

Bowman, C. N. See Luo, N., 1885C

Brar, A. S.
—; Kumar, R.: One- and Two-Dimensional NMR Characterization of *N*-Vinyl-2-pyrrolidone/Methyl Acrylate Copolymers, 2225C
—; Kumar, R.: One- and Two-Dimensional NMR Characterization of *N*-Vinyl-2-pyrrolidone/Methyl Acrylate Copolymers, 2717C
—; Kumar, R.: One- and Two-Dimensional NMR Characterization of *N*-Vinyl-2-pyrrolidone/Methyl Acrylate Copolymers, 2225C

Briatico-Vangosa, F. See Alcoutlabi, M., 2050P

Brill, D. J. See Sauer, B. B., 1727P
Brisson, J. See Gestoso, P., 1601P
Brogly, M. See Elzein, T., 1464P
Brookhart, M. See Hong, S. C., 2736C
Brown, N.
—; Rabinowitz, S.: Components of Microstrain in Polyethylene, 2693P
Broza, G. See Denchev, Z., 2570P
Brozova, L. See Bershtein, V. A., 1056P
Brucato, V. See La Carrubba, V., 153P
Brüll, R. See Graef, S. M., 128C
Brunius, C. F.
—; Edlund, U.; Albertsson, A.-C.: Synthesis and *In Vitro* Degradation of Poly(*N*-vinyl-2-pyrrolidone)-Based Graft Copolymers for Biomedical Applications, 3652C
Bruno, V.
—; Castaldo, A.; Centore, R.; Sirigu, A.; Sarcinelli, F.; Casalboni, M.; Pizzoferrato, R.: Second Harmonic Generation in Polymers Containing a New Azo Chromophore Based on Phenylnitrobenzoxazole, 1468C
Bui, V. T. See Xu, R., 1425P
Buchhammer, H.-M. See Mahltig, B., 338P
Buchowicz, W. See Percec, V., 3212C
Bu, H. See Gao, X., 2387P
Bullions, T. A.
—; Wei, M.; Porbeni, F. E.; Gerber, M. J.; Peet, J.; Balik, M.; White, J. L.; Tonelli, A. E.: Reorganization of the Structures, Morphologies, and Conformations of Bulk Polymers via Coalescence from Polymer–Cyclodextrin Inclusion Compounds, 992P
Bunker, S. P.
—; Wool, R. P.: Synthesis and Characterization of Monomers and Polymers for Adhesives from Methyl Oleate, 451C
Bunyard, W. C. See Gross, S. M., 171C
Burchett, R. A. See Bhowmik, P. K., 141C, 659C
Burget, D. See Bibaut-Renauld, C., 3171C
Cádiz, V. See Bonet, J., 3883C
Cai, W. D.
—; Ramesh, N.; Tihminlioglu, F.; Danner, R. P.; Duda, J. L.; de Haan, A.: Phase Equilibrium and Diffusion of Solvents in Polybutadiene: A Capillary-Column Inverse Gas Chromatography Study, 1046P
Cai, X. See Zhang, F., 813P
Callau, L.
—; Mantecón, A.; Reina, J. A.: Crosslinking of Vinyl-Terminated Biphenyl and Naphthalene Side-Chain Liquid-Crystalline Poly(epichlorohydrin) Derivatives, 2237C
—; Reina, J. A.; Mantecón, A.: Synthesis and Crosslinking of Vinyl-Terminated Biphenyl and Naphthalene Liquid-Crystalline Poly(epichlorohydrin) Derivatives: Effect of Nonmesogenic Nonvinylic Units on the Mesogenic Properties, 3893C
—; See Bonet, J., 3883C
Calvo, M. See Mateo, J. L., 120C
Candau, S. J. See Knaebel, A., 1985P
Cangemi, L. See Elkoun, S., 1754P; Quatravaux, T., 2516P
Cano, J. See Barral, L., 284P
Cao, W. See Li, Q., 222C
Capel, M. See Dai, P. S., 1644P
Caporiccio, G. See Andre, S., 4485C
Cardona, F.
—; George, G. A.; Hill, D. J. T.; Perera, S.: Spectroscopic Study of the Penetration Depth of Grafted Polystyrene onto Poly(tetrafluoroethylene-*co*-perfluoropropylvinylether) Substrates. 1. Effect of Grafting Conditions, 3191C
Carriere, C. J. See Biresaw, G., 2248P; Wang, C., 2324P
Carrozzella, T. See Gauthier, M., 511C, 2303P
Caruso, U.
—; De Maria, A.; Panunzi, B.; Roviello, A.: Poly(4-vinylpyridine) as the Host Ligand of Metal-Containing Chromophores for Second-Order Nonlinear Optical Active Materials, 2987C
Casalboni, M. See Bruno, V., 1468C
Casalini, R.
—; Roland, C. M.: Electromechanical Properties of Poly(vinylidene fluoride-trifluoroethylene) Networks, 1975P
Castaldo, A. See Bruno, V., 1468C
Castelein, G. See Elzein, T., 1464P
Castillo-Ortega, M. M. See Rubio, L. L., 2130P
Castro, J. See Former, C., 3335C
Catalina, F.
—; Peinado, C.; Allen, N. S.; Corrales, T.: Chemiluminescence of Polyethylene: The Comparative Antioxidant Effectiveness of Phenolic Stabilizers in Low-Density Polyethylene, 3312C
—; See Peinado, C., 4236C
Catunda, T. See Pilla, V., 1949P
Çaykara, T.
—; Özyürek, C.; Kantoğlu, Ö.; Güven, O.: Influence of Gel Composition on the Solubility Parameter of Poly(2-hydroxyethyl methacrylate-itaconic acid) Hydrogels, 1995P
Cazacu, M. See Dragan, S., 3570C
Cebe, J. J. See Bhowmik, P. K., 141C, 659C
Cebe, P. See Dai, P. S., 1644P
Ceccorulli, G.
—; Scandola, M.; Adamus, G.: Compatibilizing Effect of a Graft Copolymer on Bacterial Poly(3-hydroxybutyrate)/Poly(methyl methacrylate) Blends, 1390P
Centore, R. See Bruno, V., 1468C
Cerisola, G. See Delucchi, M., 52P
Cerrada, M. L. See Arranz-Andrés, J., 1869P
Chae, K. H.
—; Jang, H. J.: Photochemical Modification of Polymer Surface by the Pendant Photobase Generator Containing Oxime-Urethane Groups and Its Application to an Image-Recording Material, 1200C
Chaffey, C. E. See Doroudiani, S., 723P
Chalari, I.
—; Hadjichristidis, N.: Synthesis of Well-Defined Second-Generation Dendritic Polymers of Isoprene (I) and

Styrene (S): $(S_2I)_3$, $(SI'I)_3$, $(I'I'I)_3$, and $(I'_2I)_4$, 1519C
Chan, S.-K. See Sun, H., 2164P
Chang, A.
—; Cheung, Y. W.; Hiltner, A.; Baer, E.: Relationship of Deformation Behavior to Thermal Transitions of Ethylene/Styrene and Ethylene/Octene Copolymers, 142P
Chang, F.-C. See Chen, H.-W., 1342P; Kuo, S.-W., 1661P, 2313P
Chang, J.-H.
—; An, Y. U.: Nanocomposites of Polyurethane with Various Organoclays: Thermomechanical Properties, Morphology, and Gas Permeability(asterik), 670P
Chang, J. Y. See Jeong, M. J., 4493C
Chang, T. C. See Liu, Y. L., 2329C
Chapel, J. P. See Hazot, P., 1808C
Chaplin, R. P. See Quinn, J. F., 2956C
Char, K. See Jeon, S., 2883P
Charleux, B. See Farcet, C., 4410C
Charoenchaidet, S.
—; Chavadej, S.; Gulari, E.: Methylaluminoxane-Free Ethylene Polymerization with *in situ* Activated Zirconocene Triisobutylaluminum Catalysts and Silica-Supported Stabilized Borate Cocatalysts, 3240C
Chatterjee, A. K. See Bisht, H. S., 1818C
Chatterjee, J.
—; Alamo, R. G.: Phase Behavior of Low Molecular Weight Polyethylenes from Homogeneous and Heterogeneous Solutions, 878P
Chavadej, S. See Charoenchaidet, S., 3240C
Chaykivskyy, O. See Horák, D., 1625C
Chen, C.
—; Fei, B.; Peng, S.; Wu, H.; Zhuang, Y.; Chen, X.; Dong, L.; Feng, Z.: Synthesis and Characterization of Poly(β-hydroxybutyrate) and Poly(ϵ-caprolactone) Copolyester by Transesterification, 1893P
—; See Liu, B., 3392C
Chen, C.-C.
—; Liang, W.-J.; Kuo, P.-L.: Solid Polymer Electrolytes III: Preparation, Characterization, and Ionic Conductivity of New Gelled Polymer Electrolytes Based on Segmented, Perfluoropolyether-Modified Polyurethane, 486C
Chen, C.-F. See Jiang, J., 1167C; Zhao, Y.-L., 3360C
Chen, C.-Y. See Hu, Y.-H., 3692C
Chen, D. See Zhang, Q., 2531P
Chen, G. See Cheng, Z., 3823C
Chen, G.-Q. See Tian, G., 649P
Chen, H.
—; Yin, J.: Synthesis and Characterization of Hyperbranched Polyimides with Good Organosolubility and Thermal Properties Based on a New Triamine and Conventional Dianhydrides, 3804C
Chen, H.-H. See Ye, Z.-Y., 3112C
Chen, H.-L. See Lee, W., 519P
Chen, H.-W.
—; Chiu, C.-Y.; Chang, F.-C.: Conductivity Enhancement Mechanism of the Poly(ethylene oxide)/Modified-Clay/$LiClO_4$ Systems, 1342P
Chen, I.-W. See Liaw, D.-J., 2556C
Chen, J.
—; Maekawa, Y.; Yoshida, M.; Tsubokawa, N.: Thermoresponsive Conductivity of Poly(*N*-isopropylacrylamide)/Potassium Chloride Gel Electrolytes, 134P
—; See Li, Q., 222C; Tsubokawa, N., 1868C
Chen, Q. See Zhang, Q., 2199P
Chen, R. See Alberty, K. A., 2108C
Chen, R.-S. See Yang, C.-P., 429C, 707C, 1092C
Chen, S.-A. See Shieh, Y.-T., 638P
Chen, S.-H. See Hwang, S.-W., 2215C
Chen, W. See Moffitt, M., 2842P; Tronc, F., 4098C
Chen, W. C.
—; Sauer, J. A.; Hara, M.: Molecular Composites Made of Ionic Poly(*p*-phenylene terephthalamide) and Poly(4-vinylpyridine): Relaxation Behavior, 1110P
—; See Lee, L.-H., 1560C
Chen, W.-H. See Liaw, D.-J., 2556C
Chen, X. See Chen, C., 1893P
Chen, X.-P.
—; Padias, A. B.; Hall, H. K., Jr.: Atom Transfer Radical Homo- and Block Copolymerization of Methyl 1-Bicyclobutanecarboxylate, 1929C
Chen, Y.
—; Bednarek, M.; Kubisa, P.; Penczek, S.: Synthesis of Multihydroxyl Branched Polyethers by Cationic Copolymerization of 3,3-Bis(hydroxymethyl)oxetane and 3-Ethyl-3-(hydroxymethyl)oxetane, 1991C
—; Huang, Y.-Y.; Wu, T.-Y.: Synthesis and Characterization of Luminescent Polyethers with 2,5-Distyrylthiophene and Aromatic Oxadiazole Chromophores, 2927C
—; See Hwang, S.-W., 2215C; Tsai, C.-J., 293C; Wu, T.-Y., 3847C, 4452C, 4570C
Chen, Y. Y.
—; Lodge, T. P.; Bates, F. S.: Influence of Long-Chain Branching on the Miscibility of Poly(ethylene-*r*-ethylethylene) Blends with Different Microstructures, 466P
Cheng, K.-C.
—; Don, T.-M.; Rwei, S.-P.; Li, Y.-C.; Duann, Y.-F.: Monte Carlo Simulation of Diepoxides and Monoepoxides Cured with Amines, 1857P
Cheng, L.
—; Jian, X. G.; Mao, S. Z.: Aromatic Polyamides Derived from Unsymmetrical Diamines Containing the Phthalazinone Moiety, 3489C
Cheng, Y.-W. See Wang, C., 1626P
Cheng, Z.
—; Zhu, X.; Chen, G.; Xu, W.; Lu, J.: Reverse Atom Transfer Radical Solution Polymerization of Methyl Methacrylate under Pulsed Microwave Irradiation, 3823C
Chen-Yang, Y. W. See Liu, H. J., 3873C

Chern, C.-S.
—; Lee, C.: Effect of the Structure of Amphiphilic Poly(ethylene glycol)-Containing Graft Copolymers on Styrene Emulsion Polymerization, 1608C
Chesta, C. A. See Gómez, M. L., 901C
Cheung, Y. W. See Chang, A., 142P
Chiellini, E. See Gorrasi, G., 1118P
Childs, R. F.
—; Weng, J.; Kim, M.; Dickson, J. M.: Formation of Pore-Filled Microfiltration Membranes Using a Combination of Modified Interfacial Polymerization and Grafting, 242C
Chin, W.-K. See Wang, W.-J., 1690P
Chiu, C.-Y. See Chen, H.-W., 1342P
Chiu, F.-C.
—; Fu, Q.; Peng, Y.; Shih, H.-H.: Crystallization Kinetics and Melting Behavior of Metallocene Short-Chain Branched Polyethylene Fractions, 325P
Cho, I.-W. See Pack, J. W., 544C
Cho, W.-J. See Kim, J.-W., 19P
Choe, C. R. See Choi, J., 4367C
Choi, H. K. See Moon, E. J., 1288P
Choi, H.-S.
—; Noh, S.-T.: Preparation and Characterization of *N*-Methyl-Substituted Polyurethane, 4077C
Choi, J.
—; Kwak, S.-Y.; Kang, S.; Lee, S.-S.; Park, M.; Lim, S.; Kim, J.; Choe, C. R.; Hong, S. I.: Synthesis of Highly Crosslinked Monodisperse Polymer Particles: Effect of Reaction Parameters on the Size and Size Distribution, 4367C
Choi, K.-J. See Ding, B., 1261P
Choi, M. H. See Wang, K. H., 1454P
Choi, S. H.
—; Hwang, I.-W.; Kim, S. H.; Park, Y. T.; Kim, Y.-R.: Excited-State Energy Dynamics of Conjugated Polycarbogermane Oligomers: Introduction Effects of Germanium Atom into π-Conjugated Molecular System, 1298P
Choi, S. W. See Wang, K. H., 1454P
Chou, C.-H.
—; Reddy, D. S.; Shu, C.-F.: Synthesis and Characterization of Spirobifluorene-Based Polyimides, 3615C
Chu, C.-C. See Lang, M., 1127C
Chuah, H. H.
—; Intrinsic Birefringence of Poly(trimethylene terephthalate), 1513P
Chung, I. J. See Wang, K. H., 1454P
Chung, T. C. See Lu, Y., 3416C
Chung, T.-S. See Liu, Y., 4563C
Cianga, I.
—; Hepuzer, Y.; Serhatli, E.; Yagci, Y.: Synthesis of Block Copolymers by the Transformation of Cationic Polymerization into Reversible Atom Transfer Radical Polymerization, 2199C
Cianga, L.
—; Yagci, Y.: Synthesis and Characterization of Thiophene-Substituted *N*-Phenyl Maleimide Polymers by Photoinduced Radical Polymerization, 995C
Cieplak, P.
—; Megiel, E.; Kaim, A.: Penultimate Unit Effects in the Free-Radical Copolymerization of Styrene with Acrylonitrile according to Theoretical Thermochemistry, 3592C
Ciepluch, M. See Bajorek, A., 3481C
Ciolino, A.
—; Vuano, B. M.; Pieroni, O.; Villar, M. A.; Vallés, E. M.: Novel Synthesis of Cyclic Methylvinylsiloxanes by the Reaction of Methylvinyl Diethoxysilane with Phosphorous Pentachloride, 3182C
Ciolino, A. E.
—; Failla, M. D.; Vallés, E. M.: Melt Grafting of *N*-Carbamyl Maleamic Acid onto Linear Low-Density Polyethylene, 3950C
Çirpan, A.
—; Alkan, S.; Toppare, L.; Hepuzer, Y.; Yağci, Y.: Conducting Graft Copolymers of Poly(3-methylthienyl methacrylate) with Pyrrole and Thiophene, 4131C
Cockayne, R. C. See Bernal, D. P., 1456C
Cohen, Y. See Nguyen, V., 26C; Tsabba, Y., 1087P
Colby, R. H. See Lizotte, J. R., 583C
Collard, D. M. See Vargas, M., 3256C
Collar, E. P. See García-Martínez, J. M., 1371P; Marco, C., 1307P
Collins, W. E. See Lu, W., 245P
Compañ, V. See García, N., 1154P
Composto, R. J. See Walters, R. M., 2833P
Connor, E. F.
—; Younkin, T. R.; Henderson, J. I.; Hwang, S.; Grubbs, R. H.; Roberts, W. P.; Litzau, J. J.: Linear Functionalized Polyethylene Prepared with Highly Active Neutral Ni(II) Complexes, 2842C
—; Myers, M., 844C
Conte, A. See Marques, M. F. V., 2979C
Corpart, J.-M. See Lebreton, P., 3743C
Corrales, T. See Catalina, F., 3312C; Peinado, C., 4236C
Cortizo, M. S. See Grigera, T. S., 290P; Irurzun, I. M., 1071P
Coşkun, M.
—; İlter, Z.: Copolymerization of (2-Phenyl-1,3-dioxolane-4-yl)methyl Methacrylate with Alkyl Methacrylates: Reactivity Ratios and Copolymer Characterization, 1184C
—; See Coşkun, M. F., 650C
Coşkun, M. F.
—; Demirelli, K.; Güzel, D.; Coşkun, M.: Free-Radical Copolymerization of 3-Phthalimido-2-hydroxypropyl Methacrylate with Styrene: The Determination of Monomer Reactivity Ratios and Thermal Analysis Studies, 650C
Cot, D. See Lebreton, P., 3743C
Coughlin, E. B. See Zheng, L., 885C
Craun, G. P. See Oh, J. K., 1594C, 3001C
Creton, C. See Hui, C. Y., 545P; Roos, A., 2395P
Crivello, J. V.
—; Acosta Ortiz, R.: Benzyl Alcohols as Accelerators in

the Photoinitiated Cationic Polymerization of Epoxide Monomers, 2298C
—; Ma, J.; Jiang, F.: Synthesis and Photoactivity of Novel 5-Arylthianthrenium Salt Cationic Photoinitiators, 3465C
Cruz, G. J. See Morales, J., 1850P; Rubio, L. L., 2130P
Cuculo, J. A. See Hattori, K., 601C
Cuervo-Rodriguez, R.
—; Fernández-Monreal, C.; Madruga, E. L.: Kinetic Study of the Stable Free-Radical Copolymerization of Styrene with Butyl Methacrylate, 2750C
Cui, Y. See Hong, L., 344C
Cunningham, M. F.
—; Tortosa, K.; Lin, M.; Keoshkerian, B.; Georges, M. K.: Influence of Camphorsulfonic Acid in Nitroxide-Mediated Styrene Miniemulsion Polymerization, 2828C

Da Cunha, L. See Ilundain, P., 4245C
D'Agnillo, L.
—; Soares, J. B. P.; Penlidis, A.: Round-Robin Experiment in High-Temperature Gel Permeation Chromatography, 905P
Dai, P. S.
—; Cebe, P.; Capel, M.: Thermal Analysis and X-Ray Scattering Study of Metallocene Isotactic Polypropylene Prepared by Partial Melting, 1644P
Dai, Y. See Guiver, M. D., 4193C
Dalby, C. See Kaur, S., 3027C
Danner, R. P. See Cai, W. D., 1046P
Davies, G. R. See Tsujita, Y., 831P
Davis, C. H.
—; Mathias, L. J.; Gilman, J. W.; Schiraldi, D. A.; Shields, J. R.; Trulove, P.; Sutto, T. E.; Delong, H. C.: Effects of Melt-Processing Conditions on the Quality of Poly(ethylene terephthalate) Montmorillonite Clay Nanocomposites, 2661P
Davis, T. P. See Barner, L., 1064C, 4180C; Barner-Kowollik, C., 675C, 1058C; Harrisson, S., 4421C; Quinn, J. F., 19C, 2956C; Roberts, G. E., 782C; Stenzel, M. H., 4498C; Vana, P., 4032C
Day, M. See Ding, J., 4205C
De, B. B. See Percec, V., 3509C
De, P.
—; Sathyanarayana, D. N.: Oxidative Copolymerization of Indene with *p-tert*-Butylstyrene: Synthesis, Characterization, Thermal Analysis, and Reactivity Ratios, 9C
—; Sathyanarayana, D. N.: Reactivity Ratios for the Terpolymerization of Methyl Methacrylate, Vinyl Acetate, and Molecular Oxygen, 564C
—; Sathyanarayana, D. N.: Synthesis and Characterization of Copolyperoxides of Indene with Styrene, α-Methylstyrene, and α-Phenylstyrene, 2004P
de Abajo, J. See García, C., 2601C; Ferrero, E., 3711C
Deák, G. See Kéki, S., 3974C
Debelak, K. A. See Lu, W., 245P
de Haan, A. See Cai, W. D., 1046P
de Ilarduya, A. M. See Kint, D. P. R., 76C; 2759P
de la Campa, J. G. See Ferrero, E., 3711C; García, C., 2601C
Delair, T. See Hazot, P., 1808C
De La Peña, J. L. See García, F., 3987C
Delong, H. C. See Davis, C. H., 2661P
Delucchi, M.
—; Turri, S.; Barbucci, A.; Bassi, M.; Novelli, S.; Cerisola, G.: Fluoropolyether Coatings: Relationships of Electrochemical Impedance Spectroscopy Measurements, Barrier Properties, and Polymer Structure, 52P
De Maria, A. See Caruso, U., 2987C
Deming, T. J. See Krikorian, V., 2579P
Demirelli, K. See Coşkun, M. F., 650C
Denchev, Z.
—; Ezquerra, T. A.; Nogales, A.; Šics, I.; Alvarez, C.; Broza, G.; Schulte, K.: Relaxation Behavior of Poly(ethylene terephthalate)/Poly(ethylene naphthalene 2,6-dicarboxylate) Blends Prepared by Cryogenic Blending, 2570P
Deng, L. See Yao, F., 642C
De Paoli, M. A. See Maia, D. R. J., 657P
de Queiroz, A. A. A.
—; França, E. J.; Abraham, G. A.; Román, J. S.: Ring-Opening Polymerization of ϵ-Caprolactone by Iodine Charge-Transfer Complex, 714P
Desai, G. S. See Storey, R. F., 3434C
Descamps, D. See Biltresse, S., 770C
DeSimone, J. M. See Gross, S. M., 171C; Kennedy, K. A., 602P
Deslandes, Y. See Bicak, N., 748C
De Souza, G. P. See Kloss, J., 4117C
Detrembleur, C. See Lou, X., 2286C
Devaux, J. See Groote, Ph. D., 2208P
Dhamodharan, R. See Raja, S., 731C
Díaz-Calleja, R. See García, N., 1154P
Dibattista, J.
—; Schmidt, B. M.; Padias, A. B.; Hall, H. K., Jr.: Substituent Effects on the Polycondensation of Quinones with Aromatic Amines to Form Poly(quinone imine)s, 43C
Dickson, J. M. See Childs, R. F., 242C
Díez, F. J. See Barral, L., 284P
Di Meo, A. See Tonelli, C., 4266C
Ding, B.
—; Kim, H.-Y.; Lee, S.-C.; Shao, C.-L.; Lee, D.-R.; Park, S.-J.; Kwag, G.-B.; Choi, K.-J.: Preparation and Characterization of a Nanoscale Poly(vinyl alcohol) Fiber Aggregate Produced by an Electrospinning Method, 1261P
Ding, J.
—; Liu, F.; Li, M.; Day, M.; Zhou, M.: Fluorinated Poly(arylene ether ketone)s Bearing Pentafluorostyrene Moieties Prepared by a Modified Polycondensation, 4205C
Ding, L. See Zheng, M., 235C

Ding, Y. See Kisliuk, A., 2431P
Dixit, P. S. See Jeon, H. S., 2653P
Dlubek, G.
—; Bamford, D.; Rodriguez-Gonzalez, A.; Bornemann, S.; Stejny, J.; Schade, B.; Alam, M. A.; Arnold, M.: Free Volume, Glass Transition, and Degree of Branching in Metallocene-Based Propylene/α-Olefin Copolymers: Positron Lifetime, Density, and Differential Scanning Calorimetric Studies, 434P
—; Stejny, J.; Lüpke, Th.; Bamford, D.; Petters, K.; Hübner, Ch.; Alam, M. A.; Hill, M. J.: Free-Volume Variation in Polyethylenes of Different Crystallinities: Positron Lifetime, Density, and X-Ray Studies, 65P
Dobrzynski, P.
—; Synthesis of Biodegradable Copolymers with Low-Toxicity Zirconium Compounds. II. Copolymerization of Glycolide with ϵ-Caprolactone Initiated by Zirconium(IV) Acetylacetonate and Zirconium(IV) Chloride, 1379C
—; Synthesis of Biodegradable Copolymers with Low-Toxicity Zirconium Compounds. III. Synthesis and Chain-Microstructure Analysis of Terpolymer Obtained from L-Lactide, Glycolide, and ϵ-Caprolactone Initiated by Zirconium(IV) Acetylacetonate, 3129C
Doerr, A. See Kaur, S., 3027C
Don, T.-M. See Cheng, K.-C., 1857P
Dong, A.
—; Hou, G.; Feng, M.; Li, A.: Properties of Amphoteric Polyurethane Waterborne Dispersions. III. Isoelectric Points and Precipitation, 2440P
—; Hou, G.; Wang, Y.; Sun, D.: Properties of Amphoteric Polyurethane Waterborne Dispersions. I. Dependence on pH Value in Salt-Free Media, 972P
Dong, C.-M.
—; Qiu, K.-Y.; Gu, Z.-W.; Feng, X.-D.: Synthesis of Star-Shaped Poly(D,L-Lactic Acid-*alt*-Glycolic Acid)-*b*-Poly(L-Lactic acid) with the Poly(D,L-Lactic Acid-*alt*-Glycolic Acid) Macroinitiator and Stannous Octoate Catalyst, 409C
Dong, L. See Chen, C., 1893P
Dong, W.
—; Masuda, T.: Novel Neodymium (III) Isopropoxide-methylaluminoxane Catalyst for Isoprene Polymerization, 1838C
Doolan, K. R.
—; Nuclear Magnetic Relaxation in Polyolefin Resins, 572P
Doroudiani, S.
—; Chaffey, C. E.; Kortschot, M. T.: Sorption and Diffusion of Carbon Dioxide in Wood-Fiber/Polystyrene Composites, 723P
Douglas, J. F. See Gu, X., 2825P
Dragan, S.
—; Cazacu, M.; Toth, A.: Ionic Organic/Inorganic Materials. I. Novel Cationic Siloxane Copolymers Containing Quarternary Ammonium Salt Groups in the Backbone, 3570C
Drewitt, M. J. See Kumar, K. R., 3302C
Du, L. C. See Meng, Y. Z., 3579C
Du, Q. See Li, X., 365P
Duan, H. See Ning, F., 1253C
Duan, X. See Shenton, M. J., 95C
Duann, Y.-F. See Cheng, K.-C., 1857P
Dubey, V.
—; Gupta, A. K.; Maiti, S. N.: Mechanism of the Diffusion of Sulfur Mustard, a Chemical Warfare Agent, in Butyl and Nitrile Rubbers, 1821P
Duda, A. See Biela, T., 2884C
Duda, J. L. See Cai, W. D., 1046P
Dunson, D. L. See Eichstadt, A. E., 1503P
Dyer, D. J. See Paul, R., 3284C

Ebara, K.
—; Shibasaki, Y.; Ueda, M.: New Synthetic Route for Photosensitive Poly(benzoxazole), 3399C
Eberle, R. See Anders, S. H., 1201P
Eckersley, S. T. See Tronc, F., 2609C, 4098C
Ediger, M. D. See Thurau, C. T., 2463P
Edlund, U. See Brunius, C. F., 3652C
Egbe, D. A. M.
—; Birckner, E.; Klemm, E.: Highly Luminescent Diyne (—C≡C—C≡C—) Containing Hybrid Polyphenyleneethynylene/Poly(*p*-phenylenevinylene) Polymer: Synthesis and Characterization, 2670C
Egorova, L. M. See Bershtein, V. A., 1056P
Ehrenstein, M.
—; Sikorski, P.; Atkins, E.; Smith, P.: Structures of X 34-Nylons in Chain-Folded Lamellae and Gel-Spun Fibers, 2685P
Eichstadt, A. E.
—; Ward, T. C.; Bagwell, M. D.; Farr, I. V.; Dunson, D. L.; McGrath, J. E.: Structure-Property Relationships for a Series of Amorphous Partially Aliphatic Polyimides, 1503P
Ekizoglou, N.
—; Hadjichristidis, N.: Synthesis of Model Linear Tetrablock Quaterpolymers and Pentablock Quintopolymers of Ethylene Oxide, 2166C
Elaïssari, A. See Hazot, P., 1808C; Min, K., 892C; Ni, P.-H., 624C
El-Gamal, M. M. See Rehab, A., 2513C
El-Ghayoury, A.
—; Schenning, A. P. H. J.; Meijer, E. W.: Synthesis of π-Conjugated Oligomer that Can Form Metallo Polymers, 4020C
Elkoun, S.
—; G'Sell, C.; Cangemi, L.; Meimon, Y.: Characterization of Volume Strain of Poly(vinylidene fluoride) under Creep Test, 1754P
—; See Quatravaux, T., 2516P
Ellison, C. J.
—; Torkelson, J. M.: Sensing the Glass Transition in Thin and Ultrathin Polymer Films via Fluorescence Probes and Labels, 2745P
El-Newehy, M. H. See Kenawy, E.-R., 2384C
El-Shanshoury, A. E.-R. R. See Kenawy, E.-R., 2384C
Elzein, T.
—; Brogly, M.; Castelein, G.; Schultz, J.: Structure, Orientation, and Conformation of Adsorbed Polyamides, 1464P

Emami, S. H.
—; Salovey, R.; Hogen-Esch, T. E.: Peroxide-Mediated Crosslinking of Poly(ethylene oxide), 3021C
Emrick, T. See Parrish, B., 1983C
Encinas, M. V. See Valderas, C., 2888C
Endo, T.
—; Shibasaki, Y.; Sanda, F.: Controlled Ring-Opening Polymerization of Cyclic Carbonates and Lactones by an Activated Monomer Mechanism, 2190C
—; See Koizumi, T., 2487C; Moriya, O., 286C; Nemoto, N., 1698C; Nishida, S., 1151C; Sanda, F., 2782C; Sudo, A., 1912C, 3103C, 3455C; Suzuki, K., 971C; Takahashi, E., 1037C
Erdogan, T. See Tunca, U., 2025C
Erford, K. See Gross, S. M., 171C
Erol, I.
—; Soykan, C.; Ahmedzade, M.: Monomer Reactivity Ratios of the 2-(3-Mesityl-3-methylcyclobutyl)-2-hydroxyethyl Methacrylate and Styrene System from ^{1}H NMR, 1756C
Erwin, B. M. See Lizotte, J. R., 583C
Espeso, J. See Tiemblo, P., 964P
Espeso, J. F. See Ferrero, E., 3711C
Evans, R. A. See Harrisson, S., 4421C
Ezquerra, T. A. See Denchev, Z., 2570P

Failla, M. D. See Ciolino, A. E., 3950C
Falling, S. N. See Yoo, Y., 2789C
Fan, L. See Qian, Z. G., 3012C
Fan, Y.
—; Kobayashi, M.; Kise, H.: Synthesis and Biodegradation of Poly(ester amide)s Containing Amino Acid Residues: The Effect of the Stereoisomeric Composition of L- and D-Phenylalanines on the Enzymatic Degradation of the Polymers, 385C
Fang, X.
—; Simone, C. D.; Vaccaro, E.; Huang, S. J.; Scola, D. A.: Ring-Opening Polymerization of ϵ-Caprolactam and ϵ-Caprolactone via Microwave Irradiation, 2264C
Fang, X.-P. See Zou, J.-F., 954P
Fang, Z.
—; Kennedy, J. P.: Novel Block Ionomers. I. Synthesis and Characterization of Polyisobutylene-Based Block Anionomers, 3662C
—; Kennedy, J. P.: Novel Block Ionomers II. Synthesis and Characterization of Polyisobutylene-Based Block Cationomers, 3679C
Farcet, C.
—; Nicolas, J.; Charleux, B.: Kinetic Study of the Nitroxide-Mediated Controlled Free-Radical Polymerization of *n*-Butyl Acrylate in Aqueous Miniemulsions, 4410C
Faria, R. M. See Pilla, V., 1949P
Farmer, S. C.
—; Patten, T. E.: (Thiocarbonyl-α-thio)carboxylic Acid Derivatives as Transfer Agents in Reversible Addition–Fragmentation Chain-Transfer Polymerizations, 555C
Farr, I. V. See Eichstadt, A. E., 1503P
Farris, R. J. See Zheng, L., 885C
Farwaha, R. See Oh, J. K., 1594C, 3001C
Fechner, B. See Kricheldorf, H. R., 1047C
Fei, B. See Chen, C., 1893P
Feit, B.-A.
—; Halak, B.: Living Cationic Polymerization Route to Poly(oligooxyethylene carbonate) Vinyl Ethers, 2171C
Feldstein, M. M. See Roos, A., 2395P
Fellows, C. M. See Former, C., 3335C; Lee, D.-Y., 809C
Feng, J. See Paul, R., 3284C; Zhou, Y., 2478C
Feng, L.-F. See Ye, Z.-Y., 3112C
Feng, L.-X. See Ye, Z.-Y., 3112C
Feng, M. See Dong, A., 2440P
Feng, X.-D. See Dong, C.-M., 409C
Feng, Z. See Chen, C., 1893P; Tong, X., 1706C
Fernández-Monreal, C. See Cuervo-Rodriguez, R., 2750C; Sánchez-Chaves, M., 1192C
Ferrero, E.
—; Espeso, J. F.; de la Campa, J. G.; de Abajo, J.; Lozano, A. E.: Synthesis and Characterization of Aromatic Polyamides Containing Alkylphthalimido Pendent Groups, 3711C
Fetters, L. J. See Krishnamoorti, R., 1768P
Figini, R. V. See Grigera, T. S., 290P; Irurzun, I. M., 1071P
Finelli, L.
—; Siracusa, V.; Lotti, N.; Munari, A.; Gazzano, M.: Melting Behavior, Crystallization Kinetics, and Crystal Structure of Poly(2-hydroxyethoxybenzoate), 1354P
Fischer, H. See Ananchenko, G. S., 3264C
Fisher, E. R. See Wavhal, D. S., 2473P
Forcada, J. See Gibanel, S., 2819C
Former, C.
—; Castro, J.; Fellows, C. M.; Tanner, R. I.; Gilbert, R. G.: Effect of Branching and Molecular Weight on the Viscoelastic Properties of Poly(butyl acrylate), 3335C
Fossum, E. See Bernal, D. P., 1456C
Foster, M. D. See Kisliuk, A., 2431P; Martter, T. D., 1704P
Fouassier, J. P. See Bibaut-Renauld, C., 3171C
França, É. J. See de Queiroz, A. A. A., 714P
Franco, L.
—; Puiggalí, J.: Spherulites from Polyamides with a Structure Characterized By Three Hydrogen-Bond Directions, 1719P
—; See Herrera, R., 4141C
Frank, C. W. See Götz, H., 3379C
Fraser, C. L. See Smith, A. P., 4250C
Fréchet, J. M. J. See Tomalia, D. A., 2719C; Yu, C., 755C
Fredrickson, G. H. See Benkoski, J. J., 2377P
Freeman, B. D. See Nagai, K., 2228P
Frenzel, U.
—; Nuyken, O.: Ruthenium-Based Metathesis Initiators: Development and Use in Ring-Opening Metathesis Polymerization, 2895C

Fried, E.
—; Todres, R. E.: Normal-Stress Differences and the Detection of Disclinations in Nematic Elastomers, 2098P
Fritsch, D. See Kricheldorf, H. R., 2967C
Fu, S.-K. See Ni, P.-H., 624C, 3734C
Fu, Q. See Chiu, F.-C., 325P; Wang, Y., 2086P; Zhang, F., 813P, 822P
Fuji, Y.
—; Watanabe, K.; Baek, K.-Y.; Ando, T.; Kamigaito, M.; Sawamoto, M.: Controlled Radical Polymerization of 2-Hydroxyethyl Methacrylate with a Hydrophilic Ruthenium Complex and the Synthesis of Amphiphilic Random and Block Copolymers with Methyl Methacrylate, 2055C
Fujii, T. See Tashiro, K., 495P
Fujiki, K. See Tsubokawa, N., 1868C
Fujita, K. See Nomura, M., 1275C
Fukushima, M. See Moriya, O., 286C
Funari, S. S. See Androsch, R., 1919P
Fung, K. L. See Xie, X. L., 1214P
Furukawa, H. See He, J., 2501C
Furukawa, T.
—; Mukasa, Y.; Suzuki, T.; Kano, K.: Microphase Separation and Ion-Conduction Mechanisms in Polypropylene Oxide/Lithium Perchlorate ($LiClO_4$) Complexes, 613P
Furukawa, Y.
—; Kotera, M.: Synthesis of Fluorosilicone Having Highly Fluorinated Alkyl Side Chains Based on the Hydrosilylation of Fluorinated Olefins with Polyhydromethylsiloxane, 3120C
Furuya, K. See Hirano, T., 4513C
Furuya, M. See Suzuki, J., 1135P
Fustin, C. A.
—; Sclavons, M.; Verhelst, V.; Vermylen, V.; Bebelman, S.; Merlin, P.; Bailly, C.: Reactive Blending of Functional Polysiloxanes with Poly(butylene terephthalate): Clarification of Reaction Mechanisms and Kinetics from a Model Compound Study, 1952C

Gal, Y.-S. See Jin, S.-H., 958C
Galià, M. See Bonet, J., 3883C
Galland, G. B. See Simanke, A. G., 471C
Galli, G. See Gorrasi, G., 1118P
Galvin, M. E. See Krikorian, V., 2579P
Ganina, L. V. See Mikhailov, Y. M., 1383P
Gao, C.
—; Tang, W.; Yan, D.: Synthesis and Characterization of Water-Soluble Hyperbranched Poly(ester amine)s from Diacrylates and Diamines, 2340C
Gao, S. See Zhang, L., 1521P
Gao, X.
—; Liu, R.; Jin, M.; Bu, H.: Crystallization and Morphology of Poly(ethylene-2,6-naphthalene dicarboxylate) in the Presence of Nucleating Agents, 2387P
Gao, Y.
—; Jian, X.; Xuan, Y.; Xiang, S.; Liang, P.; Guiver, M. D.: Synthesis and Characterization of Soluble Copoly(ether ketone)s Containing Double Bonds, 3449C
García, C.
—; Lozano, Á. E.; De La Campa, J. G.; De Abajo, J.: Synthesis and Characterization of Halogen-Containing Poly(ether ketone ketone)s, 2601C
García, F.
—; García, J. M.; Rubio, F.; De La Peña, J. L.; Guzmán, J.; Riande, E.: Reaction Kinetics and Gel Effect on the Polymerization of 2-Ethoxyethyl Methacrylate and 2(2-Ethoxyethoxy) Ethyl Methacrylate, 3987C
García, J. M. See García, F., 3987C
García-Martínez, J. M.
—; Laguna, O.; Areso, S.; Collar, E. P.: Polypropylene/Talc Composites Modified by a Succinyl-Fluorescein Grafted Atactic Polypropylene: A Thermal and Mechanical Study under Dynamic Conditions, 1371P
—; See Marco, C., 1307P

García, N.
—; Compañ, V.; Díaz-Calleja, R.; Guzmán, J.; Riande, E.: Comparative Study of the Mechanical Relaxation Behavior of Polymethacrylates Containing Different Bulky Side Groups, 1154P
Gauthier, C. See Labour, T., 31P
Gauthier, M.
—; Carrozzella, T.; Penlidis, A.: Sulfobetaine Zwitterionomers Based on *n*-Butyl Acrylate and 2-Ethoxyethyl Acrylate: Monomer Synthesis and Copolymerization Behavior, 511C
—; Carrozzella, T.; Snell, G.: Sulfobetaine Zwitterionomers Based on *n*-Butyl Acrylate and 2-Ethoxyethyl Acrylate: Physical Properties, 2303P
Gawdzik, B.
—; Maciejewska, M.: Emulsion Polymerization of Divinyl Monomers Stabilized by Sodium Dodecyl Sulfate and Bis(2-ethylhexyl)sulfosuccinate Sodium Salt, 3967C
—; Maciejewska, M.: Influence of Diluent Composition on the Porous Structure of Methacrylate Copolymers, 3079C
Gazzano, M. See Finelli, L., 1354P
Ge, M. See Xu, W., 408P
Geng, Y. See Zhang, Q., 2531P
Gent, A. N. See Isayeva, I. S., 2075C
George, G. A. See Cardona, F., 3191C
Georges, M. K. See Cunningham, M. F., 2828C
Gerber, M. J. See Bullions, T. A., 992P
Gestoso, P.
—; Brisson, J.: Simulation of Orientation of Uniaxially Stretched Poly(vinyl phenol) by Molecular Dynamics, 1601P
Gibanel, S.
—; Heroguez, V.; Forcada, J.: Emulsion Polymerization of Styrene Using Polystyrene-*block*-poly(ethylene oxide) Macromonomers as Stabilizers, 2819C
Gilbert, R. G. See Former, C., 3335C; Lee, D.-Y., 809C
Gilman, J. W. See Davis, C. H., 2661P

Giordano, M. See Antonucci, V., 3757C
Gizeli, E. See Melzak, K. A., 1490P
Glauser, T. See Myers, M., 844C
Glodde, M. See Percec, V., 3509C
Godard, P. See Groote, Ph. D., 2208P
Gogolewski, S. See Gorna, K., 156C, 729C
Goh, H. W.
—; Goh, S. H.; Xu, G. Q.: Hydrogen Bonding and Hydrophobic Interactions between 60]Fullerenated Poly(2-hydroxyethyl methacrylate) and Poly(1-vinylimidazole) or Poly(4-vinylpyridine), 4316C
—; Goh, S. H.; Xu, G. Q.: Synthesis and Miscibility Studies of 60]Fullerenated Poly(2-hydroxyethyl methacrylate), 1157C
Goh, S. H. See Goh, H. W., 1157C, 4316C; Li, X.-D., 1125P
Goh, Y.
—; Iijima, T.; Tomoi, M.: Novel Quaternary Ammonium Borates as Latent Catalysts for Epoxy–Phenolic Resins, 2689C
—; Iijima, T.; Tomoi, M.: Thermal Latency of Novel Chelating Borate Catalysts as Latent Catalysts for Epoxy–Phenolic Resins, 2702C
Gohy, J.-F. See Mahltig, B., 338P
Gómez, M. L.
—; Palacios, R. E.; Previtali, C. M.; Montejano, H. A.; Chesta, C. A.: Tetraalkylammonium Salt as Photoinitiator of Vinyl Polymerization in Organic and Aqueous Media: A Mechanistic and Laser Flash Photolysis Study, 901C
Gómez-Romero, P. See Asensio, J. A., 3703C
Gondo, Y. See Koizumi, T., 2487C
Gorga, R. E.
—; Jablonski, E. L.; Thiyagarajan, P.; Seifert, S.; Narasimhan, B.: Quantifying Phase Behavior in Partially Miscible Polystyrene/Poly(styrene-*co*-4-bromostyrene) Blends, 255P
—; Narasimhan, B.: Relating Fracture Energy to Entanglements at Partially Miscible Polymer Interfaces, 2292P
Gorna, K.
—; Polowinski, S.; Gogolewski, S.: Erratum. Synthesis and Characterization of Biodegradable Poly(ϵ-caprolactone urethane(s). I. Effects of the Polyol Molecular Weight, Catalyst, and Chain Extender on the Molecular and Physical Characteristics, 729C
—; Polowinski, S.; Gogolewski, S.: Synthesis and Characterization of Biodegradable Poly(ϵ-caprolactone urethane)s. I. Effect of the Polyol Molecular Weight, Catalyst, and Chain Extender on the Molecular and Physical Characteristics, 156C
Gorrasi, G.
—; Tortora, M.; Vittoria, V.; Galli, G.; Chiellini, E.: Transport and Mechanical Properties of Blends of Poly(ϵ-caprolactone) and a Modified Montmorillonite-Poly(ϵ-caprolactone) Nanocomposite, 1118P
Göschel, U. See Anders, S. H., 1201P
Goswami, A. See Acharya, A., 1028C
Goto, K. See Tamai, S., 423C
Gotoh, Y. See Uddin, A. J., 2449P
Gottfried, A. C. See Hong, S. C., 2736C
Götz, H.
—; Harth, E.; Schiller, S. M.; Frank, C. W.; Knoll, W.; Hawker, C. J.: Synthesis of Lipo-Glycopolymer Amphiphiles by Nitroxide-Mediated Living Free-Radical Polymerization, 3379C
Gou, L. See Miller, G. A., 793C
Grade, J. See Aramendia, E., 1552C
Graef, S. M.
—; Wahner, U. M.; Van Reenen, A. J.; Brüll, R.; Sanderson, R. D.; Pasch, H.: Copolymerization of Propylene with Higher α-Olefins in the Presence of the Syndiospecific Catalyst *i*-Pr(Cp)(9-Flu)$ZrCl_2$/MAO, 128C
Graessley, W. W. See Krishnamoorti, R., 1768P
Granick, S. See Jeon, S., 2883P
Gridnev, A. A.
—; Kinetics of Alpha-Methylstyrene Oligomerization by Catalytic Chain Transfer, 1366C
Grigera, T. S.
—; Irurzun, I. M.; Cortizo, M. S.; Figini, R. V.; Marx-Figini, M.: Unified Analysis of Thermodynamic and Rheological Properties of High Polymer Solutions. I. Binary Systems, 290P
—; See Irurzun, I. M., 1071P
Groeninckx, G. See Varghese, H., 1556P
Groote, Ph. D.
—; Devaux, J.; Godard, P.: Effect of Benzenesulfonamide Plasticizers on the Glass-Transition Temperature of Semicrystalline Polydodecamide, 2208P
Gross, S. M.
—; Bunyard, W. C.; Erford, K.; Roberts, G. W.; Kiserow, D. J.; DeSimone, J. M.: Determination of the Equilibrium Constant for the Reaction between Bisphenol A and Diphenyl Carbonate, 171C
Grubb, D. T. See Murthy, N. S., 691P
Grubbs, R. H. See Connor, E. F., 2842C
G'Sell, C. See Elkoun, S., 1754P; Quatravaux, T., 2516P
Gu, X.
—; Raghavan, D.; Douglas, J. F.; Karim, A.: Hole-Growth Instability in the Dewetting of Evaporating Polymer Solution Films, 2825P
Gu, X.-P. See Ye, Z.-Y., 3112C
Gu, Z.-W. See Dong, C.-M., 409C
Guida-Pietrasanta, F. See Andre, S., 4485C
Guiot, J.
—; Ameduri, B.; Boutevin, B.: Synthesis and Polymerization of Fluorinated Monomers Bearing a Reactive Lateral Group. XII. Copolymerization of Vinylidene Fluoride with 2,3,3-Trifluoroprop-2-enol, 3634C
Guiver, M. D.
—; Robertson, G. P.; Dai, Y.; Bilodeau, F.; Kang, Y. S.; Lee, K. J.; Iho, J. Y.; Won, J.:

Structural Characterization and Gas-Transport Properties of Brominated Matrimid Polyimide, 4193C
—; See Gao, Y., 3449C
Gulari, E. See Charoenchaidet, S., 3240C
Gulmine, J. V. See Kloss, J., 4117C
Guo, G. See Li, H., 3161C
Guo, S. See Li, Z., 1804P
Guo, Z. See Zhang, H., 4398C
Gupta, A. K. See Dubey, V., 1821P
Gürel, E. E. See Zheng, M., 235C
Güven, O. See Çaykara, T., 1995P
Güzel, D. See Coşkun, M. F., 650C
Guzmán, J. See García, N., 1154P; García, F., 3987C; Maciel, A., 303P; Tiemblo, P., 964P

Ha, C.-S. See Kim, J.-W., 19P
Habaue, S. See Suito, Y., 2496C
Haddleton, D. M. See Martter, T. D., 1704P; Narrainen, A. P., 439C
Hadjichristidis, N. See Chalari, I., 1519C; Ekizoglou, N., 2166C; Krishnamoorti, R., 1768P; Pantazis, D., 1476C; Tsoukatos, T., 2575C
Halak, B. See Feit, B.-A., 2171C
Hall, C. See Kumar, K. R., 3302C
Hall, H. K., Jr. See Chen, X.-P., 1929C; Dibattista, J., 43C
Hamada, A. See Ouchi, T., 1218C, 1426C
Hamasaki, S.
—; Sawauchi, C.; Kamigaito, M.; Sawamoto, M.: Ruthenium-Catalyzed Fast Living Radical Polymerization of Methyl Methacrylate: The R—Cl/Ru(Ind)Cl(PPh_3)$_2$/*n*-Bu_2NH Initiating System, 617C
Hamilton, P. See Ravi, N., 2677P
Han, H. See Bhowmik, P. K., 141C, 659C, 2015C; Lee, C., 2190P
Han, S. E.
—; Hwang, I. S.: Modeling of the Optical Anisotropy of a Dye Polarizer, 1363P
Han, Y.-K. See Lee, S.-H., 2545C
Hara, M. See Chen, W. C., 1110P
Harden, A. See Sangermano, M., 2583C
Harrisson, S.
—; Davis, T. P.; Evans, R. A.; Rizzardo, E.: Substituent Effects on the Chain-Transfer Behavior of 7-Methylene-2-methyl-1,5-dithiacyclooctane in the Presence of Disulfides and Thiols, 4421C
Harth, E. See Blomberg, S., 1309C; Götz, H., 3379C
Hasegawa, K. See Kanbara, T., 2637C
Hashimoto, K. See Yamanaka, C., 4158C
Hashimoto, T.
—; Ishizuka, K.; Umehara, A.; Kodaira, T.: Synthesis of Polyacetals with Various Main-Chain Structures by the Self-Polyaddition of Vinyl Ethers with a Hydroxyl Function, 4053C
—; Ohashi, M.; Kodaira, T.: Effect of Central Spacer Chain Structure on Cationic Cyclopolymerization Tendency of Divinyl Ethers, 4002C
Hašová, V. See Horák, Z., 2612P
Hatada, K.
—; Kitayama, T.; Nishiura, T.; Shibuya, W.: Relation between the Reactivities of Vinyl Monomers in Ionic Polymerizations and Their ^{1}H NMR Spectra, 2134C
Hattori, K.
—; Cuculo, J. A.; Hudson, S. M.: New Solvents for Cellulose: Hydrazine/Thiocyanate Salt System, 601C
Hawker, C. J. See Blomberg, S., 1309C; Götz, H., 3379C
Hay, A. S. See Meng, Y. Z., 1441C, 3579C; Shaikh, A.-A. G., 496C
Hayakawa, K. See Imai, T., 3443C
Hayakawa, T.
—; Horiuchi, S.; Shimizu, H.; Kawazoe, T.; Ohtsu, M.: Synthesis and Characterization of Polystyrene-*b*-poly(1,2-isoprene-*ran*-3,4-isoprene) Block Copolymers with Azobenzene Side Groups, 2406C
Hayashi, R. See Higashi, F., 4556C; Kanbara, T., 2637C
Hazot, P.
—; Chapel, J. P.; Pichot, C.; Elaissari, A.; Delair, T.: Preparation of Poly(*N*-ethyl methacrylamide) Particles via and Emulsion/Precipitation Process: The Role of the Crosslinker, 1808C
He, F. See Liao, L. Q., 1749C; Wang, X.-L., 70C
He, J.
—; Machida, S.; Kishi, H.; Horie, K.; Furukawa, H.; Yokota, R.: Preparation of Novel, High-Modulus, Swollen- or Jungle-Gym-Type Polyimide Gels End-Crosslinked with 1,3,5-Tris(4-aminophenyl)benzene, 2501C
He, M. H. See Liu, J. G., 110C, 1572C; Qian, Z. G., 3012C
He, P. See Xu, W., 408P
He, T.
—; Zou, Y.-F.; Pan, G.-Y.: Synthesis of Comb-Shaped Poly(methyl methacrylate)-*b*-Poly(polytetrahydrofuran acrylate) under ^{60}Co γ-Ray Irradiation, 3367C
—; See Zhang, F., 813P, 822P
He, Y. See Li, J., 2736P
Hedrick, J. L. See Myers, M., 844C
Heilmann, S. M. See Lewandowski, K., 3037C
Heiney, P. A. See Percec, V., 3509C
Hellweg, T. See Meyer, T., 3144C
Helmstedt, M. See Bansil, R., 2807P
Henderson, J. I. See Connor, E. F., 2842C
Henneuse-Boxus, C. See Biltresse, S., 770C
Hepuzer, Y. See Cianga, I., 2199C; Çirpan, A., 4131C
Heroguez, V. See Gibanel, S., 2819C
Herrera, R.
—; Franco, L.; Rodríguez-Galán, A.; Puiggalí, J.: Characterization and Degradation Behavior of Poly(butylene adipate-*co*-terephthalate)s, 4141C
Herrero, M. See Tiemblo, P., 964P
Hesse, S. See Meyer, T., 3144C
Heuts, J. P. A. See Roberts, G. E., 782C
Hewitt, J. M. See Yamaguchi, N., 2855C
Higashi, F.
—; Hayashi, R.; Ohno, H.: Attempt to Investigate the Temperature Effect on Polycondensation from the Solution Copolyesterification

of Preformed Oligomers and Bisphenols with Tosyl Chloride/Dimethylformamide/Pyridine, 4556C
—; Komatsu, M.; Takizawa, J.: Preparation of the Thermotropic Copoly(amide ester) of *p*-Aminobenzoic Acid and *m*-Hydroxybenzoic Acid with Diphenyl Chlorophosphate/Pyridine, 1775C
—; Sugishita, K.: Investigation of Polycondensation through the Copolycondensation of Preformed Oligomers and Bisphenols by a Two-Stage Solution Reaction with Tosyl Chloride, Dimethylformamide, and Pyridine, 4024C
Higashimura, T. See Kanaoka, S., 2449C
Higo, Y. See Ishiyama, C., 1P, 460P
Hill, D. J. T. See Cardona, F., 3191C
Hill, M. J. See Dlubek, G., 65P
Hillmyer, M. A.
—; Lodge, T. P.: Highlight. Synthesis and Self-Assembly of Fluorinated Block Copolymers, 1C
—; See Schmidt, S. C., 2364P
Hiltner, A. See Chang, A., 142P; Hu, Y. S., 2489P; Liu, R. Y. F., 862P
Hirabayashi, T. See Takasu, A., 4477C
Hirahara, K. See Takano, A., 1582P
Hirano, T.
—; Furuya, K.; Seno, M.; Sato, T.: ^{13}C NMR and Electron Spin Resonance Analyses of the Radical Polymerization of Diisopropyl Itaconate, 4513C
—; Takeyoshi, R.; Seno, M.; Sato, T.: Chain-Transfer Reaction in the Radical Polymerization of Di-*n*-butyl Itaconate at High Temperatures, 2415C
—; See Sato, T., 573C, 2772C
Hirao, K. See Katayama, S., 537P, 2800P
Hiraoka, S. See Niimi, L., 1236C
Hizal, G. See Tunca, U., 2025C
Hlavatá, D. See Horák, Z., 2612P
Hogen-Esch, T. E. See Alberty, K. A., 2108C; Emami, S. H., 3021C; Tillman, E. S., 1081C
Holmberg, S.
—; Holmlund, P.; Wilén, C.-E.; Kallio, T.; Sundholm, G.; Sundholm, F.: Synthesis of Proton-Conducting Membranes by the Utilization of Preirradiation Grafting and Atom Transfer Radical Polymerization Techniques, 591C
Holmlund, P. See Holmberg, S., 591C
Holzinger, D.
—; Kickelbick, G.: Modified Cubic Spherosilicates as Macroinitiators for the Synthesis of Inorganic–Organic Starlike Polymers, 3858C
Homrighausen, C. L.
—; Keller, T. M.: High-Temperature Elastomers from Silarylene-Siloxane-Diacetylene Linear Polymers, 88C
—; Keller, T. M.: Synthesis of Hydroxy-Terminated, Oligomeric Poly(silarylene disiloxane)s via Rhodium-Catalyzed Dehydrogenative Coupling and Their Use in the Aminosilane—Disilanol Polymerization Reaction, 1334C
Hong, L.
—; Cui, Y.; Wang, X.; Tang, X.: Synthesis of a Novel One-Pot Approach of Hyperbranched Polyurethanes and Their Properties, 344C
Hong, S. C.
—; Jia, S.; Teodorescu, M.; Kowalewski, T.; Matyjaszewski, K.; Gottfried, A. C.; Brookhart, M.: Polyolefin Graft Copolymers via Living Polymerization Techniques: Preparation of Poly(*n*-butyl acrylate)-*graft*-Polyethylene through the Combination of Pd-Mediated Living Olefin Polymerization and Atom Transfer Radical Polymerization, 2736C
Hong, S. I. See Choi, J., 4367C
Hong, Y. P.
—; Bae, Y. C.: Phase Behaviors of Partially Ionized Hydrogels in Aqueous Salt Solutions: Applicability of the Modified Double-Lattice Model, 2333P
Horák, D.
—; Chaykivskyy, O.: Poly(2-Hydroxyethyl Methacrylate-*co*-*N,O*-Dimethacryloylhydroxylamine) Particles by Dispersion Polymerization, 1625C
Horák, Z.
—; Hlavatá, D.; Hromádková, J.; Kotek, J.; Hašová, V.; Mikešová, J.; Pleska, A.: Effect of Selected Structural Parameters of Styrene—Butadiene Block Copolymers on Their Compatibilization Efficiency in Polystyrene/Polybutadiene Blends, 2612P
Horie, K. See He, J., 2501C; Machida, S., 210P
Horii, F. See Kuwabara, K., 1142P
Horii, H. See Suzuki, K., 971C
Horiike, M. See Katayama, S., 537P, 2800P
Horiuchi, S. See Hayakawa, T., 2406C
Horkay, F. See Ravi, N., 2677P
Hou, G. See Dong, A., 972P, 2440P
Hoye, T. R. See Lu, Q.-W., 2310C
Hoyle, C. E. See White, L. A., 694C
Hromádková, J. See Horák, Z., 2612P
Hsiao, S.-H.
—; Huang, T.-L.: Synthesis and Properties of Aromatic Polyamides Based on a Benzonorbornane Bis(ether carboxylic acid), 947C
—; Huang, T.-L.: Synthesis and Properties of Poly(ether imide)s Based on a Benzonorbornane Bis(ether anhydride), 1712C
—; See Liou, G.-S., 459C, 524C, 1781C, 2564C, 2810C, 3815C
Hsieh, Y.-L. See Liu, H., 2119P
Hsiue, G.-H. See Wang, C.-H., 1112C
Hsu, C.-Y. See Liaw, D.-J., 2066C
Hsu, K. Y. See Liu, Y. L., 2329C
Hsu, M.-F. See Yang, C.-P., 524C
Hsu, P.-N. See Liaw, D.-J., 2066C
Hsu, S.-F. See Wu, T.-M., 736P
Hsu, Y.-C. See Wang, C., 1626P
Hu, C. P. See Hua, F. J., 1876C
Hu, J. See Min, K., 892C
Hu, W. See Liu, B., 3392C
Hu, X.
—; Li, X.: Reactions and Structural Changes during Thermal Annealing in a Semicrystalline, Aromatic

Diacetylene-Containing Polyester, 2354P
Hu, Y. See Liu, Z., 1122C; Lu, Y., 3416C
Hu, Y.-H.
—; Chen, C.-Y.: Polymerization of Methyl Methacrylate by 2-Pyrrolidinone and *n*-Dodecyl Mercaptan, 3692C
Hu, Y. S.
—; Liu, R. Y. F.; Rogunova, M.; Schiraldi, D. A.; Nazarenko, S.; Hiltner, A.; Baer, E.: Oxygen-Barrier Properties of Cold-Crystallized and Melt-Crystallized Poly(ethylene terephthalate-*co*-4,4′-bibenzoate), 2489P
Hu, Z. See Zhang, F., 813P
Hua, F. J.
—; Liu, B.; Hu, C. P.; Yang, Y. L.: Synthesis of Well-Defined Multigraft Copolymers by a Two-Step Living Radical Polymerization with Nitroxyl-Functionalized Poly(methyl methacrylate), 1876C
Huang, B. See Liu, C., 1892C; Tong, X., 1706C
Huang, C.-F. See Kuo, S.-W., 2313P
Huang, H. See Zhang, F., 813P
Huang, J. See Lu, G., 4404C; Zhang, H., 4398C
Huang, S. J. See Fang, X., 2264C
Huang, T.-L. See Hsiao, S.-H., 947C, 1712C
Huang, W.
—; Yan, D.; Lu, Q.; Tao, P.: Preparation of Aromatic Polyimides Highly Soluble in Conventional Solvents, 229C
Huang, Y. See Zhou, X., 1334P
Huang, Y.-J.
—; Qi, G.-R.; Wang, Y.-H.: Controlled Ring-Opening Polymerization of Propylene Oxide Catalyzed by Double Metal-Cyanide Complex, 1142C
Huang, Y.-Y. See Chen, Y., 2927C
Hübner, Ch. See Dlubek, G., 65P
Hudson, S. M. See Hattori, K., 601C
Hui, C. Y.
—; Lin, Y. Y.; Creton, C.: Bonding of a Viscoelastic Periodic Rough Surface to a Rigid Layer, 545P
—; See Lin, Y. Y., 2277P; Lin, Y.-Y., 772P
Hüsing, N. See Bauer, J., 1539C
Hutchison, J. B. See Luo, N., 1885C
Hwang, I. S. See Han, S. E., 1363P
Hwang, I.-W. See Choi, S. H., 1298P
Hwang, J. See Kisliuk, A., 2431P
Hwang, J. J. See Liu, H. J., 3873C
Hwang, S. See Connor, E. F., 2842C
Hwang, S.-W.
—; Chen, S.-H.; Chen, Y.: Synthesis and Characterization of New Poly(aryl ether)s with Isolated Fluorophores, 2215C
Hyon, S.-H. See Sawai, D., 95P

Ichiryu, Y. See Matsumoto, A., 317C
Ihara, E.
—; Tanaka, S.; Inoue, K.: Anionic Polymerization of Methyl Methacrylate Initiated with Molybdenum and Tungsten Chloride/Organolithium/Triisobutylaluminum Systems, 4302C
Iho, J. Y. See Guiver, M. D., 4193C
Iijima, T. See Goh, Y., 2689C, 2702C
Iinuma, M. See Suzuki, J., 1135P
Iinuma, R. See Sudo, A., 3455C
Iitaka, Y. See Sudo, A., 1912C
Ikeda, N. See Kanaoka, S., 2449C
Ikeda, T. See Nath, D. C. D., 3086C
Ikeda, Y.
—; Preparation and Properties of Graded Styrene-Butadiene Rubber Vulcarizates, 358P
—;See Inagaki, N., 2871P
İlter, Z. See Coşkun, M., 1184C
Ilundain, P.
—; Alvarez, D.; Da Cunha, L.; Salazar, R.; Barandiaran, M. J.; Asua, J. M.: Knowledge-Based Choice of the Initiator Type for Monomer Removal by Postpolymerization, 4245C
Im, S. S. See Park, J. W., 1931P
Imai, T.
—; Hayakawa, K.; Satoh, T.; Kaga, H.; Kakuchi, T.: Enantiomer-Selective Polymerization of (*RS*)-(Phenoxymethyl)thiirane with Diethylzinc/L-Amino Acid, 3443C
—; See Satoh, T., 965C
Imai, Y.
—; Itoya, K.; Kanamaru, M.; Kakimoto, M.: Synthesis and Properties of New Hydroxyl-Pendant Aromatic Polyimides Derived from Trimethylsilylated 4,4′-Diamino-3,3′-dihydroxybiphenyl and Aromatic Tetracarboxylic Dianhydrides, 1790C
—; Maeda, Y.; Takeuchi, H.; Park, K.-H.; Kakimoto, M.-A.; Kurosaki, T.: Synthesis and Properties of New Aromatic Poly(ether benzoxazole)s from 2,2′-Bis(4-amino-3-hydroxyphenoxy)biphenyl and Aromatic Dicarboxylic Acid Chlorides, 2656C
—; Shiratori, M.; Inoue, T.; Kakimoto, M.-A.: Synthesis and Properties of New Aromatic Polysquaramide by Solid-State Thermal Polycondensation of Salt Monomer Composed of Squaric Acid and Bis(4-aminophenyl) Ether, 2648C
—; See Liou, G.-S., 2810C, 3815C; Takeuchi, H., 2729C
Imamura, T. See Sawai, D., 95P
Inagaki, N.
—; Narushima, K.; Lim, S. K.; Park, Y. W.; Ikeda, Y.: Surface Modification of Ethylene-*co*-Tetrafluoroethylene Films by Remote Plasmas, 2871P
Inglefield, P. T. See Wang, Y., 1965P
Inomata, K.
—; Sasaki, Y.; Nose, T.: Packing Manner of Graft Copolymers with Rigid-Rod Main Chains and Amorphous–Crystalline Diblock Copolymers as Side Chains, 1904P
Inoue, A. See Murase, S., 479P
Inoue, K. See Ihara, E., 4302C; Takeichi, T., 3497C
Inoue, T. See Imai, Y., 2648C; Osaki, K., 1038P
Inoue, Y. See Li, J., 2736P
Iribarren Laco, J. I.
—; Structural Polymorphism in Poly(dodecamethylen-di-*O*-methyl-L-tartaramide), 2523P
Irurzun, I. M.
—; Grigera, T. S.; Cortizo, M. S.; Figini, R. V.; Marx-Figini, M.:

Unified Analysis of Thermodynamic and Rheological Properties of High Polymer Solutions. II. Ternary Systems, 1071P
—; See Grigera, T. S., 290P
Isayeva, I. S.
—; Gent, A. N.; Kennedy, J. P.: Synthesis and Burst Strength of Water-Swollen Immunoisolatory Tubules, 2075C
Ishida, H. See Sato, T., 573C
Ishida, M. See Liou, G.-S., 2810C, 3815C
Ishii, F.
—; Ohga, T.; Tsutsumi, A.; Ohigashi, H.: High-Resolution Solid-State NMR Study of the Domain Structure and Molecular Motion in Drawn Films of a Vinylidene Fluoride and Trifluoroethylene Copolymer with 73 mol % Vinylidene Fluoride, 1026P
Ishikawa, H. See Yasuda, M., 874C
Ishimi, K. See Yasuda, M., 874C
Ishiyama, C.
—; Higo, Y.: Effects of Humidity on Young's Modulus in Poly(methyl methacrylate), 460P
—; Sakuma, T.; Shimojo, M.; Higo, Y.: Effects of Humidity on Environmental Stress Cracking Behavior in Poly(methyl methacrylate), 1P
Ishizone, T.
—; Ito, M.: Synthesis of Well-Defined Poly(*N*-isopropylacrylamide) by the Anionic Polymerization of *N*-Methoxymethyl-*N*-isopropylacrylamide, 4328C
Ishizuka, K. See Hashimoto, T., 4053C
Isobe, Y. See Suito, Y., 2496C
Isono, Y. See Takano, A., 1582P
Ito, M. See Ishizone, T., 4328C
Ito, N.
—; Tonosaki, S.; Kudo, H.; Kameyama, A.; Nishikubo, T.: Synthesis and Characterization of Fluoropolymers by the Polyaddition of Bis(epoxide)s with Dicarboxylic Acids and Diols, 1395C
Itoh, T.
—; Yang, M.-H.: Temperature Dependence of the Fluorescence Quantum Yields of Diphenylsiloxane-Based Copolymers in Dilute Solutions, 854P
Itoya, K. See Imai, Y., 1790C
Iwase, Y.
—; Kondo, K.; Kamada, K.; Ohta, K.: 1,4-Addition Polymerization of 1,4-Bis(4-benzylpyridinium)butadiyne Triflate in a Dipolar Aprotic Solvent, 3534C
Iwata, T. See Matsumoto, A., 317C
Iyoda, T. See Yamada, Y., 399C

Jablonski, E. L. See Gorga, R. E., 255P
Jacob, K. See Li, H., 1796C
Jäger, C. See Meyer, T., 3144C
Jagur-Grodzinski, J.
—; Functional Polymers by Living Anionic Polymerization, 2116C
Jang, H. J. See Chae, K. H., 1200C
Jang, M. C. See Wang, K. H., 1454P
Jang, M.-K. See Nah, J.-W., 3796C
Janiak, C. See Berchtold, B., 3604C
Janssen, R. A. J. See Jayakannan, M., 251C, 2360C
Jayakannan, M.
—; Van Dongen, J. L. J.; Behera, G. C.; Ramakrishnan, S.: SEC-MALDI-TOF Mass Spectral Characterization of a Hyperbranched Polyether Prepared via Melt Transetherification, 4463C
—; Van Hal, P. A.; Janssen, R. A. J.: Synthesis and Structure-Property Relationship of New Donor–Acceptor-Type Conjugated Monomers and Polymers on the Basis of Thiophene and Benzothiadiazole, 251C
—; Van Hal, P. A.; Janssen, R. A. J.: Synthesis, Optical, and Electrochemical Properties of Novel Copolymers on the Basis of Benzothiadiazole and Electron-Rich Arene Units, 2360C
Jaycox, G. D. See Vogl, O., 923C
Jedliński, Z.
—; Single-Electron and Two-Electron Transfer in the Anionic Polymerization of Vinyl Monomers and the Ring-Opening Polymerization of Lactones, 2158C
—; See Kurcok, P., 2184C
Jędrzejewska, B.
—; Kabatc, J.; Pietrzak, M.; Pączkowski, J.: Styrylpyridinium Borate Salts as Dye Photoinitiators of Free-Radical Polymerization, 1433C
Jegal, J. See Kim, I.-C., 2151P
Jeon, H. S.
—; Dixit, P. S.; Yim, H.; Kent, M. S.; Shin, K.; Satija, S.: Interfacial Structure and Properties in Polystyrene/Epoxy Bilayer Films, 2653P
—; See Yim, H., 1709P
Jeon, S.
—; Granick, S.; Kwon, K.-W.; Char, K.: Microviscosity in Poly(ethylene oxide)-Polypropylene Oxide-Poly(ethylene oxide) Block Copolymers Probed by Fluorescence Depolarization Kinetics, 2883P
Jeong, M. J.
—; Kim, B. J.; Chang, J. Y.: Synthesis and Characterization of Soluble Main-Chain Hydrazone Polymers, 4493C
Jérôme, R. See Lou, X., 2286C; Mahltig, B., 338P
Ji, B. C. See Yeum, J. H., 1103C
Jia, S. See Hong, S. C., 2736C
Jia, Z. See Lu, G., 4404C
Jian, X. See Gao, Y., 3449C
Jian, X. G. See Cheng, L., 3489C
Jiang, D.-L. See Machida, S., 210P
Jiang, F. See Crivello, J. V., 3465C
Jiang, J.
—; Liu, H.-W.; Zhao, Y.-L.; Chen, C.-F.; Xi, F.: Synthesis of Dendronized, Chiral Conjugated Polymers with Appendant Fréchet-Type Dendrons, 1167C
—; See Zhao, Y.-L., 3360C
Jiang, M. See Ning, F., 1253C
Jiang, S. See Ye, Z.-Y., 3112C
Jiang, Z. See Liu, B., 3392C
Jiang, Z. R. See Lin, C. H., 4084C
Jiang, Z.-T. See Zhang, L.-X., 105P
Jin, J.-E. See Jin, S.-H., 958C
Jin, M. See Gao, X., 2387P
Jin, S.-H.
—; Jin, J.-E.; Moon, S.-B.; Lee, H.-J.; Gal, Y.-S.; Kim, H.-D.;

Kim, S.-H.; Kim, S.-H.; Koh, K.: Synthesis and Electrical Properties of Polyacetylene Derivatives, 958C
Jin, X. See Teng, H., 2107P
Jin, Y. See Liu, B., 3392C
Jing, X. See Liu, Z., 1122C; Wang, Y., 605P; Zhang, Q., 2531P; Zhu, K., 1321C
Jog, J. P. See Priya, L., 1682P
John, J.
—; Mani, R.; Bhattacharya, M.: Evaluation of Compatibility and Properties of Biodegradable Polyester Blends, 2003C
Johnson, A. F. See Song, F., 1484C
Johnson, L. K. See Yoo, Y., 2789C
Johnson, S. A. See Lewandowski, K., 3037C
Johnson, T. See Varghese, H., 1556P
Jokela, K.
—; Serimaa, R.; Torkkeli, M.; Sundholm, F.; Kallio, T.; Sundholm, G.: Effect of the Initial Matrix Material on the Structure of Radiation-Grafted Ion-Exchange Membranes: Wide-Angle and Small-Angle X-Ray Scattering Studies, 1539P
Jones, A. A. See Wang, Y., 1965P
Jonsson, S. See White, L. A., 694C
Joseph, S.
—; Thomas, S.: Modeling of Tensile Moduli in Polystyrene/Polybutadiene Blends, 755P
—; See Varghese, H., 1556P
Jou, J.-D. See Nguyen, V., 26C
Jung, H. J.
—; Bae, Y. C.: New Silanization Coating for DNA Fragment Analysis by Capillary Electrophoresis, 1405C
Jung, J. C. See Kim, Y. S., 1764C

Kabatc, J. See Jędrzejewska, B., 1433C
Kadoi, O. See Takano, A., 1582P
Kaga, H. See Imai, T., 3443C
Kagaya, S. See Kanbara, T., 2637C
Kaim, A. See Cieplak, P., 3592C
Kakimoto, K. See Nemoto, N., 1698C
Kakimoto, M. See Imai, Y., 1790C; Liou, G.-S., 2810C, 3815C;
Kakimoto, M.-A. See Imai, Y., 2648C, 2656C; Takeuchi, H., 2729C
Kakuchi, T. See Imai, T., 3443C; Satoh, T., 965C
Kalay, C. R. See Kalay, G., 1828P
Kalay, G.
—; Kalay, C. R.: Interlocking Shish-Kebab Morphology in Polybutene-1, 1828P
Kallio, T. See Holmberg, S., 591C; Jokela, K., 1539P
Kalosakas, G. See Rasmussen, K. Ø., 1777P
Kamachi, M.
—; Highlight. Search for Highly Resolved Electron Spin Resonance Spectra of the Transient Radical in Radical Polymerization, 269C
Kamada, J. See Tamai, S., 423C
Kamada, K. See Iwase, Y., 3534C
Kameyama, A. See Ito, N., 1395C; Minegishi, S., 3835C; Nishikubo, T., 1293C
Kamigaito, M. See Baek, K.-Y., 633C, 1937C, 1972C, 2245C; Fuji, Y., 2055C; Hamasaki, S., 617C; Onishi, I., 2033C
Kamitakahara, H. See Karakawa, M., 4167C
Kanamaru, M. See Imai, Y., 1790C
Kanamoto, T. See Sawai, D., 95P
Kanaoka, S.
—; Ikeda, N.; Tanaka, A.; Yamaoka, H.; Higashimura, T.: Cationic Copolymerization of Indene with Styrene Derivatives: Synthesis of Random Copolymers of Indene with High Molecular Weight, 2449C
Kanbara, T.
—; Takase, S.; Hayashi, R.; Kagaya, S.; Hasegawa, K.; Yamamoto, T.: Preparation of Poly(arylenediphosphine)s by Palladium-Catalyzed Polycondensation: Formation of Polymer Transition-Metal Complexes and Catalytic Reactions, 2637C
Kandpal, L. D. See Nandan, B., 1407P; Saxena, R., 3959C
Kanechika, M. See Nagata, M., 4523C
Kaneko, T. See Serizawa, T., 3542C, 4228C; Shinohara, K.-I., 1689C
Kang, D.-W. See Min, H.-S., 1496P
Kang, J. See Li, X., 365P
Kang, S. See Choi, J., 4367C
Kang, T.-S. See Lee, J.-Y., 379C
Kang, Y. S. See Guiver, M. D., 4193C; Kim, J. H., 1813P
Kanki, K.
—; Misumi, Y.; Masuda, T.: Polymerization of Phenylacetylene by Iridium Catalysts, 1075C
Kannan, P. See Senthil, S., 2256C
Kannan, R. M. See Parthasarthy, G., 2539P
Kano, K. See Furukawa, T., 613P
Kantoğlu, Ö. See Çaykara, T., 1995P
Karakawa, M.
—; Mikawa, Y.; Kamitakahara, H.; Nakatsubo, F.: Preparations of Regioselectively Methylated Cellulose Acetates and Their ^{1}H and ^{13}C NMR Spectroscopic Analyses, 4167C
Karasz, E. See Zheng, M., 235C
Karim, A. See Gu, X., 2825P
Karim, S. M. A.
—; Nomura, R.; Masuda, T.: Synthesis and Properties of Polyacetylenes with Salicylideneaniline Groups, 2458C
Kariyo, S. See Tashiro, K., 495P
Karlsson, O. J. See Bibaut-Renauld, C., 3171C
Kasi, R. M. See Zheng, L., 885C
Katayama, N. See Uddin, A. J., 2449P
Katayama, S.
—; Horiike, M.; Hirao, K.; Tsutsumi, N.: Structure Induced by Irradiation of Femtosecond Laser Pulse in Dyed Polymeric Materials, 2800P
—; Horiike, M.; Hirao, K.; Tsutsumi, N.: Structures Induced by Irradiation of Femto-Second Laser Pulse in Polymeric Materials, 537P
Katogi, S.
—; Yusa, M.: Photobase Generation from Amineimide Derivatives and Their Use for Curing an Epoxide/Thiol System, 4045C

Katsuraya, K. See Baigude, H., 3622C
Kaur, S.
—; Doerr, A.; Thompson, A.; Dalby, C.: Synthesis and Characterization of a Fluorinated Polyanhydride, 3027C
Kawaguchi, A. See Kurimoto, R., 2421P
Kawaguchi, T.
—; Sanda, F.; Masuda, T.: Polymerization of Vinyl Ethers with Transition-Metal Catalysts: An Examination of the Stereoregularity of the Formed Polymers, 3938C
—; See Tashiro, K., 495P
Kawahara, S. See Takano, A., 1582P
Kawai, T. See Yamada, Y., 399C
Kawamura, T.
—; Urayama, K.; Kohjiya, S.: Multiaxial Deformations of End-Linked Poly(dimethylsiloxane) Networks. III. Effect of Entanglement Density on Strain-Energy Density Function, 2780P
Kawauchi, S. See Yamazawa, K., 1400P
Kawazoe, T. See Hayakawa, T., 2406C
Kedem, M.
—; Margel, S.: Synthesis and Characterization of Micrometer-Sized Particles of Narrow Size Distribution with Chloromethyl Functionality on the Basis of Single-Step Swelling of Uniform Polystyrene Template Microspheres, 1342C
Kéki, S.
—; Nagy, M.; Deák, G.; Lévai, A.; Zsuga, M.: Dimethyldioxirane as a New and Effective Oxidation Agent for the Epoxidation of α,ω-Di(isobutenyl)polyisobutylene: A Convenient Synthesis of α,ω-Di(2-methyl-3-hydroxypropyl)-polyisobutylene, 3974C
Keller, T. M. See Homrighausen, C. L., 88C, 1334C
Kenawy, E.-R.
—; Abdel-Hay, F. I.; El-Shanshoury, A. E.-R. R.; El-Newehy, M. H.: Biologically Active Polymers. V. Synthesis and Antimicrobial Activity of Modified Poly(glycidyl methacrylate-*co*-2-hydroxyethyl methacrylate) Derivatives with Quaternary Ammonium and Phosphonium Salts, 2384C
Kennedy, J. P. See Fang, Z., 36662C, 3679C; Isayeva, I. S., 2075C; Kurian, P., 1209C, 1285C, 3093C; Pi, Z., 3644C
Kennedy, K. A.
—; Desimone, J. M.; Roberts, G. W.: Rapid Communication. A Commentary on "Carbon Dioxide–Poly(vinylidene fluoride) Interactions at High Pressure", 602P
Kent, M. S. See Jeon, H. S., 2653P; Yim, H., 1709P
Keoshkerian, B. See Cunningham, M. F., 2828C
Kessler, M. R.
—; White, S. R.: Cure Kinetics of the Ring-Opening Metathesis Polymerization of Dicyclopentadiene, 2373C
Khomko, E. See Mashlyakovskiy, L., 3771C
Kickelbick, G. See Bauer, J., 1539C; Holzinger, D., 3858C
Kihara, Y. See Nomura, M., 1275C
Kim, B. C. See Lim, K. Y., 2552P
Kim, B. J. See Jeong, M. J., 4493C
Kim, C.
—; Kim, H.: Synthesis and Characterization of End-Functionalized Carbosiloxane Dendrimers, 326C
—; Kwark, K.: Dehydrocoupling and Diels—Alder Reactions on Siloxane Polymers, 4013C
—; Kwark, K.: Staff-Type Dendrimer: End Functionalization of the Dendronized Siloxane Polymer $Me_3SiO—(MeSiHO)_n—SiMe_3$, 976C
Kim, C. K. See Kim, J. H., 1813P; Moon, E. J., 1288P
Kim, D.-W. See Min, H.-S., 1496P
Kim, H. See Kim, C., 326C
Kim, H. C. See Kim, J. J., 1173C
Kim, H.-D. See Jin, S.-H., 958C
Kim, H.-J. See Son, W.-K., 4281C
Kim, H. S. See Kim, Y.-H., 4288C
Kim, H.-Y. See Ding, B., 1261P; Lee, K. H., 2259P
Kim, I.-C.
—; Jegal, J.; Lee, K.-H.: Effect of Aqueous and Organic Solutions on the Performance of Polyamide Thin-Film-Composite Nanofiltration Membranes, 2151P
Kim, J. See Choi, J., 4367C
Kim, J. H.
—; Min, B. R.; Kim, C. K.; Won, J.; Kang, Y. S.: Ionic Interaction Behavior and Facilitated Olefin Transport in Poly(*N*-vinyl pyrrolidone): Silver Triflate Electrolytes; Effect of Molecular Weight, 1813P
—; Park, J. H.; Kwon, C. H.; Lyoo, W. S.: Kinetics of the Polycondensation and Copolycondensation of Bis(3-hydroxypropyl) Terephthalate and Bis(4-hydroxybutyl) Terephthalate, 2435C
—; See Yeum, J. H., 1103C
Kim, J. J.
—; Kim, K.-S.; Baek, S.; Kim, H. C.; Ree, M.: Synthesis and Properties of Photoluminescent Polymers Bearing Electron-Facilitating Oxadiazole Derivative Side Groups, 1173C
—; See Myung, B. Y., 4217C
Kim, J. K. See Park, M. S., 1673P
Kim, J. L. See Lee, T. S., 1831C
Kim, J.-W.
—; Cho, W.-J.; Ha, C.-S.: Morphology, Crystalline Structure, and Properties of Poly(vinylidene fluoride)/Silica Hybrid Composites, 19P
Kim, K.-S. See Kim, J. J., 1173C
Kim, M. See Childs, R. F., 242C
Kim, M. J. See Moon, E. J., 1288P
Kim, M.-N. See Park, E.-S., 2561P
Kim, S. H. See Pack, J. W., 544C; Choi, S. H., 1298P
Kim, S.-H. See Jin, S.-H., 958C; Lee, S.-H., 2545C; Son, W.-K., 4281C
Kim, S. S. See Yeum, J. H., 1103C
Kim, W.-G. See Son, W.-K., 4281C
Kim, Y.-H.
—; Ahn, S.-K.; Kim, H. S.; Kwon, S.-K.: Synthesis and Characterization of New Organosoluble and Gas-

Permeable Polyimides from Bulky Substituted Pyromellitic Dianhydrides, 4288C
—; See Lee, S.-H., 2545C; Pack, J. W., 544C
Kim, Y.-R. See Choi, S. H., 1298P
Kim, Y. S.
—; Jung, J. C.: Synthesis and Properties of Polyimides Derived from 9,10-Dialkyloxy-1,2,3,4,5,6,7,8-octahydro-2,3,6,7-anthracene-tetracarboxylic 2,3:6,7-Dianhydrides, 1764C
Kimura, N. See Murase, S., 479P
Kinoshita, T. See Rani, D. A., 530P; Tsujita, Y., 831P
Kint, D. P. R.
—; De Ilarduya, A. M.; Bou, J. J.; Muñoz-Guerra, S.: Poly(ethylene terephthalate) Copolymers Containing 5-Nitroisophthalic Units. III. Methanolytic Degradation, 76C
—; de Ilarduya, A. M.; Muñoz-Guerra, S.: Poly(ethylene terephthalate) Copolymers Containing Nitroterephthalic Units. II. Crystallization and Conformational Studies, 2759P
—; Martinez de Ilarduya, A.; Bou, J. J.; Muñoz-Guerra, S.: Poly(ethylene terephthalate) Copolymers Containing Nitroterephthalic Units. III. Methanolytic Degradation, 2276C
Kise, H. See Fan, Y., 385C
Kiserow, D. J. See Gross, S. M., 171C
Kishi, H. See He, J., 2501C
Kislenko, V. N.
—; Oliynyk, L. P.: Complex Formation of Polyethyleneimine with Copper(II), Nickel(II), and Cobalt(II) Ions, 914C
Kisliuk, A.
—; Ding, Y.; Hwang, J.; Lee, J. S.; Annis, B. K.; Foster, M. D.; Sokolov, A. P.: Influence of Molecular Architecture on Fast and Segmental Dynamics and the Glass Transition in Polybutadiene, 2431P
—; Novikov, V. N.; Sokolov, A. P.: Constant Loss in Brillouin Spectra of Polymers, 201P
—; See Kurian, P., 1285C
Kissin, Y. V.
—; Rishina, L. A.: Hydrogen Effects in Propylene Polymerization Reactions with Titanium-Based Ziegler—Natta Catalysts. I. Chemical Mechanism of Catalyst Activation, 1353C
—; Rishina, L. A.; Vizen, E. I.: Hydrogen Effects in Propylene Polymerization Reactions with Titanium-Based Ziegler–Natta Catalysts. II. Mechanism of the Chain-Transfer Reaction, 1899C
Kitagawa, T.
—; Tashiro, K.; Yabuki, K.: Stress Distribution in Poly-*p*-phenylenebenzobisoxazole (PBO) Fiber As Viewed from Vibrational Spectroscopic Measurement under Tension. I. Stress-Induced Frequency Shifts of Raman Bands and Molecular Deformation Mechanism, 1269P
—; Tashiro, K.; Yabuki, K.: Stress Distribution in Poly-*p*-phenylenebenzobisoxazole (PBO) Fiber Estimated from Vibrational Spectroscopic Measurement under Tension. II. Analysis of Inhomogeneous Stress Distribution in PBO Fiber, 1281P
Kitayama, T. See Hatada, K., 2134C
Kivilahti, J. K. See Turunen, M. P. K., 2137P
Klemm, E. See Egbe, D. A. M., 2670C
Kloss, J.
—; Munaro, M.; De Souza, G. P.; Gulmine, J. V.; Wang, S. H.; Zawadzki, S.; Akcelrud, L.: Poly(ester urethane)s with Polycaprolactone Soft Segments: A Morphological Study, 4117C
Klumperman, B. See Snijder, A., 2350C
Knaebel, A.
—; Skouri, R.; Munch, J. P.; Candau, S. J.: Structural and Rheological Properties of Hydrophobically Modified Alkali-Soluble Emulsion Solutions, 1985P
Knauss, D. M.
—; Bender, J. T.: Phthalide as an Activating Group for the Synthesis of Poly(aryl ether phthalide)s by Nucleophilic Aromatic Substitution, 3046C
Knoll, W. See Götz, H., 3379C
Kobayashi, M. See Fan, Y., 385C; Yasuda, M., 874C
Kobayashi, S.
—; Uyama, H.: Polymerization of Cyclic Imino Ethers: From Its Discovery to the Present State of the Art, 192C
Kodaira, T. See Hashimoto, T., 4002C, 4053C
Kodani, T. See Sakai, H., 939P, 948P
Koecher, S. D. See Lewandowski, K., 3037C
Koh, K. See Jin, S.-H., 958C
Kohiki, S. See Tomita, R., 2917C
Kohjiya, S. See Kawamura, T., 2780P
Koizumi, T.
—; Sakamoto, J.; Gondo, Y.; Endo, T.: Pd(0)-Catalyzed Polyaddition of Bifunctional Vinyloxiranes with 1,3-Dicarbonyl Compounds: The Synthesis of Polymers Containing Hydroxy and Carbonyl Groups, 2487C
Kokko, E.
—; Wang, W.-J.; Seppälä, J. V.; Zhu, S.: Structural Analysis of Polyethene Prepared with *rac*-Dimethylsilylbis(indenyl)-zirconium Dichloride/Methyl-aluminoxane in a High-Temperature, Continuously Stirred Tank Reactor, 3292C
Komatsu, M. See Higashi, F., 1775C
Koňák, Č. See Bansil, R., 2807P
Kondo, K. See Iwase, Y., 3534C
Kondo, S. See Lee, J., 1858C
Koning, C. E. See Vanhaecht, B., 1962C
Koo, C. M. See Wang, K. H., 1454P
Kornfield, J. A. See Moffitt, M., 2842P
Kortschot, M. T. See Doroudiani, S., 723P
Kotani, Y. See Onishi, I., 2033C
Kotek, J. See Horák, Z., 2612P
Kotera, M. See Furukawa, Y., 3120C
Kowalczuk, M. See Montaudo, M. S., 2442C
Kowalewski, T. See Hong, S. C., 2736C; Savin, D. A., 2667P
Kraft, A. See Taden, A., 4333C
Kramer, E. J. See Benkoski, J. J., 2377P
Krepski, L. R. See Lewandowski, K., 3037C

Kricheldorf, H. R.
—; Fechner, B.: Polylactones. LVIII. Star-Shaped Polylactones with Functional End Groups via Ring-Expansion Polymerization with a Spiroinitiator, 1047C
—; Petermann, O.: New Polymer Syntheses. CXI. Aliphatic Polyesters by the Ring-Opening Polycondensation of Glutaric Anhydride with Ethylene or Trimethylene Carbonate, 4356C
—; Vakhtangishvili, L.; Fritsch, D.: Synthesis and Functionalization of Poly(ether sulfone)s Based on 1,1,1-Tris(4-hydroxyphenyl)-ethane, 2967C
Kriegel, R. M. See Vargas, M., 3256C
Krikorian, V.
—; Kurian, M.; Galvin, M. E.; Nowak, A. P.; Deming, T. J.; Pochan, D. J.: Polypeptide-Based Nanocomposite: Structure and Properties of Poly(L-lysine)/Na^+-Montmorillonite, 2579P
Krishnamoorti, R.
—; Graessley, W. W.; Zirkel, A.; Richter, D.; Hadjichristidis, N.; Fetters, L. J.; Lohse, D. J.: Melt-State Polymer Chain Dimensions as a Function of Temperature, 1768P
—; See Mitchell, C. A., 1434P
Kros, A.
—; Nolte, R. J. M.; Sommerdijk, N. A. J. M.: Poly(3,4-ethylenedioxythiophene)-Based Copolymers for Biosensor Applications, 738C
Krüger, J.-K. See Anders, S. H., 1201P
Kubisa, P. See Biedroń, T., 2799C; Chen, Y., 1991C
Kudo, H. See Ito, N., 1395C; Minegishi, S., 3835C; Nishikubo, T., 1293C; Sanda, F., 2782C
Kudo, K.
—; Nonokawa, D.; Li, J.; Shiraishi, S.: Synthesis of Optically Active Alicyclic Polyimides from a Chiral, Nonracemic Dianhydride, 4038C
Kumagai, Y. See Takagi, Y., 2663C
Kumar, K. R.
—; Hall, C.; Penciu, A.; Drewitt, M. J.; McInenly, P. J.; Baird, M. C.: Isobutene Polymerization Initiated by CP(insert asterik)$TiMe_2]^+$ in the Presence of a Series of Novel, Weakly Coordinating Counteranions, 3302C
Kumar, R. See Brar, A. S., 2225C, 2717C
Kunisada, H. See Takagi, K., 3927C
Kunugi, S. See Yoshida, E., 3063C
Kuo, C.-L. See Liang, W.-J., 1226C
Kuo, P.-L. See Chen, C.-C., 486C; Liang, W.-J., 1226C; Ni, S.-C., 1795P
Kuo, S.-W.
—; Chang, F.-C.: Effect of Inert Diluent Segment on the Miscibility Behavior of Poly(vinylphenol) with Poly(acetoxystyrene) Blends, 1661P
—; Xu, H.; Huang, C.-F.; Chang, F.-C.: Significant Glass-Transition-Temperature Increase through Hydrogen-Bonded Copolymers, 2313P
Kurcok, P.
—; Śmiga, M.; Jedliński, Z.: β-Butyrolactone Polymerization Initiated with Tetrabutylammonium Carboxylates: A Novel Approach to Biomimetic Polyester Synthesis, 2184C
Kurian, M. See Krikorian, V., 2579P
Kurian, P.
—; Kennedy, J. P.: Novel Tricomponent Membranes Containing Poly(ethylene glycol)/Poly(pentamethyl-cyclopentasiloxane)/Poly-(dimethylsiloxane) Domains, 3093C
—; Kennedy, J. P.: Novel Tricontinuous Hydrophilic—Lipophilic—Oxyphilic Membranes: Synthesis and Characterization, 1209C
—; Kennedy, J. P.; Kisluik, A.; Sokolov, A.: Poly(penta-methylcyclopentasiloxane). I. Synthesis and Characterization, 1285C
Kurimoto, R.
—; Kawaguchi, A.: Morphological Study on Diffusion-Limited Aggregates of Poly(ethylene oxide) on Alkali Halides, 2421P
Kurmaz, S. V. See Mikhailov, Y. M., 1383P
Kuroki, T. See Tamai, S., 423C
Kurosaki, T. See Imai, Y., 2656C
Kuwabara, K.
—; Horii, F.: Solid-State NMR Analyses of the Crystalline–Noncrystalline Structure and Its Thermal Changes for Ethylene Ionomers, 1142P
Kwag, G.-B. See Ding, B., 1261P
Kwak, G.
—; Masuda, T.: Preparation and Emission Properties of Various Poly(dimethyl-silylenearylenevinylene)s: Effects of Geometric Structures and π Units on Their Emission Properties, 535C
—; See Nagai, K., 2228P
Kwak, S.-Y. See Choi, J., 4367C
Kwark, K. See Kim, C., 976C, 4013C
Kwon, C. H. See Kim, J. H., 2435C
Kwon, K.-W. See Jeon, S., 2883P
Kwon, S.-K. See Kim, Y.-H., 4288C

La, Y. M. See Lee, K. H., 2259P
Labour, T.
—; Vigier, G.; Séguéla, R.; Gauthier, C.; Orange, G.; Bomal, Y.: Influence of the β-Crystalline Phase on the Mechanical Properties of Unfilled and Calcium Carbonate-filled Polypropylene: Ductile Cracking and Impact Behavior, 31P
La Carrubba, V.
—; Brucato, V.; Piccarolo, S.: Phenomenological Approach to Compare the Crystallization Kinetics of Isotactic Polypropylene and Polyamide-6 under Pressure, 153P
Laguna, O. See García-Martínez, J. M., 1371P
Laintz, K. E. See Salazar, M. R., 181P
Lal, J. See Bansil, R., 2807P
Lang, M.
—; Wong, R. P.; Chu, C.-C.: Synthesis and Structural Analysis of Functionalized Poly(ε-caprolactone)-Based Three-Arm Star Polymers, 1127C

Langlois, B. See Ameduri, B., 4538C
Larson, W. K. See Lewandowski, K., 3037C
Laska, J.
—; Widlarz, J.; Woźny, E.: Precipitation Polymerization of Aniline in the Presence of Water-Soluble Organic Acids, 3562C
Lassahn, P.-G. See Berchtold, B., 3604C
Laun, H. M. See Vinckier, I., 679P
Laurila, T. See Turunen, M. P. K., 2137P
Lebreton, P.
—; Ameduri, B.; Boutevin, B.; Cot, D.; Corpart, J.-M.: Radical Telomerization of 1,3-Butadiene with Perfluoroalkyl Iodides in the Presence of Potassium Carbonate, 3743C
Lecomte, P. See Lou, X., 2286C
Lee, C.
—; Shul, Y.; Han, H.: Dielectric Properties of Oxydianiline-Based Polyimide Thin Films According to the Water Uptake, 2190P
—; See Chern, C.-S., 1608C
Lee, C. J. See Yeum, J. H., 1103C
Lee, D.-R. See Ding, B., 1261P
Lee, D. R. See Lee, K. H., 2259P
Lee, D.-Y.
—; Subramaniam, N.; Fellows, C. M.; Gilbert, R. G.: Structure–Property Relationships in Modified Natural Rubber Latexes Grafted with Methyl Methacrylate and Vinyl *neo*-Decanoate, 809C
—; See Min, H.-S., 1496P
Lee, H.-J.
—; Soles, C. L.; Liu, D.-W.; Bauer, B. J.; Wu, W.-L.: Pore Size Distributions in Low-*k* Dielectric Thin Films from X-ray Porosimetry, 2170P
—; See Jin, S.-H., 958C
Lee, I.
—; Wool, R. P.: Thermodynamic Analysis of Polymer-Solid Adhesion: Sticker and Receptor Group Effects, 2343P
Lee, J.
—; Aoai, T.; Kondo, S.; Miyagawa, N.; Takahara, S.; Yamaoka, T.: Negative-Working Photoresist of Methacrylate Polymers Based on the Transesterification of the 2-Hydroxyethyl Group in the Presence of an Acid, 1858C
Lee, J. K.
—; Bang, H. J.; Lee, K. H.: Lamellar-Level Morphology Induced by Combined Crystallization and Liquid–Liquid Demixing in a Poly(ethylene terephthalate)/Poly(ethylene-2,6-naphthalate) Blend, 317P
Lee, J.-K. See Lee, T. S., 1831C
Lee, J. S. See Kisliuk, A., 2431P
Lee, J. Y. See Yeum, J. H., 1103C
Lee, J.-Y.
—; Kang, T.-S.; Park, E.-J.: Synthesis of Novel Poly(meth)acrylates Containing Tetracyanocyclopropyl Groups as Piezoelectric Chromophores and Their Properties, 379C
—; Park, E.-J.: Synthesis and Properties of Novel Polyurethanes Containing 3,4-Dioxybenzylidenecyanoacetate Group as a Nonlinear Optical Chromophore, 1742C
Lee, K. H.
—; Kim, H. Y.; La, Y. M.; Lee, D. R.; Sung, N. H.: Influence of a Mixing Solvent with Tetrahydrofuran and *N,N*-Dimethylformamide on Electrospun Poly(vinyl chloride) Nonwoven Mats, 2259P
—; See Bai, S. J., 1760P; Lee, J. K., 317P
Lee, K.-H. See Kim, I.-C., 2151P
Lee, K. J. See Guiver, M. D., 4193C
Lee, L.-H.
—; Chen, W.-C.; Liu, W.-C.: Structural Control of Oligomeric Methyl Silsesquioxane Precursors and Their Thin-Film Properties, 1560C
Lee, M.-S.
—; Park, W. H.: Compatibility and Thermal Properties of Poly(3-hydroxybutyrate)/Poly(glycidyl methacrylate) Blends, 351C
—; See Shieh, Y.-T., 638P
Lee, S.-C.
—; Woo, E. M.: Binary versus Ternary Interactions in a Completely Miscible Three-Polymer Blend System: Poly(ϵ-caprolactone) with Two Different Methacrylic Polymers, 747P
—; See Ding, B., 1261P
Lee, S.-D. See Ogawa, T., 416C
Lee, S.-H.
—; Kim, S.-H.; Han, Y.-K.; Kim, Y. H.: Synthesis and Characterization of Poly(ethylene oxide)/Polylactide/Poly(ethylene oxide) Triblock Copolymer, 2545C
Lee, S.-S. See Choi, J., 4367C; Yeum, J. H., 1103C
Lee, T. S.
—; Yang, C.; Kim, J. L.; Lee, J.-K.; Park, W. H.; Won, Y.: Synthesis of Polyquinoline Ether and Its Optical Sensor Property in the Presence of Metal Cations, 1831C
Lee, W.
—; Chen, H.-L.; Lin, T.-L.: Correlation between Crystallization Kinetics and Microdomain Morphology in Block Copolymer Blends Exhibiting Confined Crystallization, 519P
Lee, W.-H. See Ouyang, H., 1444P
Lee, Y.-D. See Tsai, R.-S., 2626C
Lee, Y.-K. See Oishi, T., 1726C
Leiza, J. R. See Plessis, C., 2878C
Leng, W. See Zhou, Y., 2478C
Lenhart, W. C. See Yamaguchi, N., 2855C
Leonard, J. See Xu, R., 1425P
Leriche, C. See Mani, R., 3232C
Lévai, A. See Kéki, S., 3974C
Lewandowski, K.
—; Krepski, L. R.; Mickus, D. E.; Roberts, R. R.; Heilmann, S. M.; Larson, W. K.; Purgett, M. D.; Koecher, S. D.; Johnson, S. A.; McGurran, D. J.; Rueb, C. J.; Pathre, S. V.; Thakur, K. A. M.: Synthesis and Properties of Waterborne Self-Crosslinkable Sulfo-urethane Silanol Dispersions, 3037C
Li, A. See Dong, A., 2440P
Li, H.
—; Liu, C.; Guo, G.; Zhou, X.; Zhang, J.; Shen, D.; Zhang, Z.; Xie, P.; Yu, S.; Zhang, R.: Self-Assembling Directed Synthesis of a Novel Terephthalamide-Bridged Ladderlike Polysiloxane, 3161C

—; Wang, L.; Jacob, K.; Wong, C. P.: Syntheses and Characterizations of Thermally Degradable Epoxy Resins. III, 1796C

Li, J.
—; He, Y.; Inoue, Y.: Spontaneous Thinning/Thickening Deformation Observed for Plastic Blend Films and Some Factors Affecting Film Deformation, 2736P
—; See Kudo, K., 4038C; Wang, Y., 605P

Li, J. C. M. See Zhang, S. L., 585P, 1530P

Li, M. See Ding, J., 4205C

Li, M. X.
—; Zhuo, R. X.; Qu, F. Q.: Synthesis and Characterization of Novel Biodegradable Poly(ester amide) with Ether Linkage in the Backbone Chain, 4550C

Li, P.
—; Qiu, K.-Y.: Living Radical Polymerization of Methyl Methacrylate Catalyzed by Cuprous *N,N*-Diethyldithiocarbamate, 2093C

Li, Q.
—; Ouyang, J.; Chen, J.; Zhao, X.; Cao, W.: Photosensitive, Self-Assembled Ultrathin Films Based on Diazoresin and Phosphate-Containing Polyanions, 222C
—; See Wang, Y., 2086P

Li, R. K. Y. See Xie, X. L., 1214P

Li, S. See Yang, Z., 4297C

Li, X.
—; Du, Q.; Kang, J.; Tu, D.: Influence of Microstructure on Space Charges of Polypropylene, 365P
—; See Hu, X., 2354P

Li, X.-D.
—; Goh, S. H.: Specific Interactions and Phase Behavior of Ternary Poly(2-vinylpyridine)/Poly(*N*-vinyl-2-pyrrolidone)/Bisphenol A Blends, 1125P

Li, X.-F.
—; Li, Y.-S.: Vinylic Polymerization of Norbornene by Neutral Nickel(II)-Based Catalysts, 2680C

Li, Y.
—; Zhang, G.; Yan, D.; Zhou, E.: Morphology and Structure of Nylon-2,14 Single Crystals from Dilute Solution, 1913P

Li, Y.-C. See Cheng, K.-C., 1857P

Li, Y.-S. See Li, X.-F., 2680C

Li, Z.
—; Guo, S.; Song, W.; Yan, Y.: Effect of the Interfacial Interaction on the Phase Structure and Rheological Behavior of Polypropylene/Ethylene–Octene Copolymer/$BaSO_4$ Ternary Composites, 1804P

Li, Z. X. See Liu, J. G., 1572C, 1583C; Qian, Z. G., 3012C

Liang, P. See Gao, Y., 3449C

Liang, W.-J.
—; Kuo, C.-L.; Lin, C.-L.; Kuo, P.-L.: Solid Polymer Electrolytes. IV. Preparation and Characterization of Novel Crosslinked Epoxy-Siloxane Polymer Complexes as Polymer Electrolytes, 1226C
—; See Chen, C.-C., 486C

Liao, L. Q.
—; Liu, L. J.; Zhang, C.; He, F.; Zhuo, R. X.; Wan, K.: Microwave-Assisted Ring-Opening Polymerization of ϵ-Caprolactone, 1749C

Liaw, D.-J.
—; Chen, I.-W.; Chen, W.-H.; Lin, S.-L.: Synthesis and Characterization of New Highly Organosoluble Poly(ether imide)s Based on 3,3′,5,5′-Tetramethyl-2,2-bis 4-(4-dicarboxyphenoxy)-phenyl}propane Dianhydride, 2556C
—; Hsu, C.-Y.; Hsu, P.-N.; Lin, S.-L.: Synthesis and Characterization of New Highly Organosoluble Poly(etherimide)s Derived from 1,1-Bis{4- 4-(3,4-dicarboxyphenoxy)phenyl}-4-phenylcyclohexane} Dianhydride, 2066C

Lim, K. Y.
—; Kim, B. C.; Yoon, K. J.: Effect of Structural Characteristic on Physical Properties of Copolyesters from Poly(ethylene terephthalate) Oligomer and Polycaprolactone, 2552P

Lim, S. See Choi, J., 4367C

Lim, S. K. See Inagaki, N., 2871P

Lima, M. F. S.
—; Vasconcellos, M. A. Z.; Samios, D.: Crystallinity Changes in Plastically Deformed Isotactic Polypropylene Evaluated by X-Ray Diffraction and Differential Scanning Calorimetry Methods, 896P

Lin, C. H.
—; Jiang, Z. R.; Wang, C. S.: Low Dielectric Thermoset. II. Synthesis and Properties of Novel 2,6-Dimethyl Phenol—Dipentene Epoxy, 4084C

Lin, C.-L. See Liang, W.-J., 1226C

Lin, M. See Cunningham, M. F., 2828C

Lin, S.-L. See Liaw, D.-J., 2066C, 2556C

Lin, T.-L. See Lee, W., 519P; Ouyang, H., 1444P; Wang, C., 1626P

Lin, W. See Zhang, Q., 2199P

Lin, Y. See Akpalu, Y. A., 2714P

Lin, Y.-S.
—; Yasuda, H. K.: Surface Modification on Thermoplastic Olefins by Low-Temperature Cascade Arc Discharge-Air Plasmas for Enhanced Adhesion with Primer, 623P

Lin, Y. Y.
—; Hui, C. Y.; Wang, Y. C.: Modeling the Failure of an Adhesive Layer in a Peel Test, 2277P
—; See Hui, C. Y., 545P

Lin, Y.-Y.
—; Hui, C. Y.: Mechanics of Contact and Adhesion between Viscoelastic Spheres: An Analysis of Hysteresis during Loading and Unloading, 772P

Liou, G.-S.
—; Hsiao, S.-H.: Polyterephthalamides with Naphthoxy-Pendent Groups, 1781C
—; Hsiao, S.-H.: Synthesis and Properties of Aromatic Poly(ester amide)s with Pendant Phosphorus Groups, 459C
—; Hsiao, S.-H.: Synthesis and Properties of New Soluble Aromatic Polyamides and Polyimides on the Basis of *N,N′*-Bis(3-aminobenzoyl)-*N,N′*-diphenyl-1,4-phenylenediamine, 2564C

—; Hsiao, S.-H.; Ishida, M.; Kakimoto, M.; Imai, Y.: Synthesis and Characterization of Novel Soluble Triphenylamine-Containing Aromatic Polyamides Based on *N,N'*-Bis(4-aminophenyl)-*N,N'*-diphenyl-1,4-phenylenediamine, 2810C
—; Hsiao, S.-H.; Ishida, M.; Kakimoto, M.; Imai, Y.: Synthesis and Properties of New Aromatic Poly(amine-imide)s Derived from *N,N'*-Bis(4-aminophenyl)-*N,N'*-diphenyl-1,4-phenylenediamine, 3815C
Lipponen, S.
—; Seppälä, J.: Functionalization of Polyethylene with Silane Comonomers, 1303C
Liska, R.
—; Photoinitiators with Functional Groups. V. New Water-Soluble Photoinitiators Containing Carbohydrate Residues and Copolymerizable Derivatives Thereof, 1504C
Litvinenko, G. See Verheyden, H., 2148C
Litzau, J. J. See Connor, E. F., 2842C
Liu, B.
—; Wang, G.; Hu, W.; Jin, Y.; Chen, C.; Jiang, Z.; Zhang, W.; Wu, Z.; Wei, Y.: Poly(aryl ether ketone)s with (3-Methyl)phenyl and (3-Trifluoromethyl)phenyl Side Groups, 3392C
—; See Hua, F. J., 1876C
Liu, C.
—; Tang, T.; Zhao, Z.; Huang, B.: Preparation of Functionalized Montmorillonites and Their Application in Supported Zirconocene Catalysts for Ethylene Polymerization, 1892C
—; See Li, H., 3161C
Liu, D.-W. See Lee, H.-J., 2170P
Liu, F. See Ding, J., 4205C
Liu, G. See Wang, X.-L., 70C
Liu, H.
—; Hsieh, Y.-L.: Ultrafine Fibrous Cellulose Membranes from Electrospinning of Cellulose Acetate, 2119P
Liu, H. J.
—; Hwang, J. J.; Chen-Yang, Y. W.: Effects of Organophilic Clay on the Solvent-Maintaining Capability, Dimensional Stability, and Electrochemical Properties of Gel Poly(vinylidene fluoride) Nanocomposite Electrolytes, 3873C
Liu, H.-W. See Jiang, J., 1167C
Liu, J. See Zhang, F., 813P, 822P; Zhou, Y., 2478C
Liu, J. G.
—; He, M. H.; Li, Z. X.; Qian, Z. G.; Wang, F. S.; Yang, S. Y.: Synthesis and Characterization of Organosoluble Polyimides with Trifluoromethyl-Substituted Benzene in the Side Chain, 1572C
—; He, M. H.; Zhou, H. W.; Qian, Z. G.; Wang, F. S.; Yang, S. Y.: Organosoluble and Transparent Polyimides Derived from Alicyclic Dianhydride and Aromatic Diamines, 110C
—; Li, Z. X.; Wu, J. T.; Zhou, H. W.; Wang, F. S.; Yang, S. Y.: New Liquid-Crystal Alignment Agents Based on Fluorinated Polyimides with Trifluoromethyl-Substituted Benzene or Diphenylether in the Side Chain, 1583C
—; See Qian, Z. G., 3012C
Liu, L. J. See Liao, L. Q., 1749C
Liu, L.-J. See Wang, X.-L., 70C
Liu, R. See Gao, X., 2387P; Tronc, F., 2609C
Liu, R. Y. F.
—; Schiraldi, D. A.; Hiltner, A.; Baer, E.: Oxygen-Barrier Properties of Cold-Drawn Polyesters, 862P
—; See Hu, Y. S., 2489P
Liu, W. See Vaia, R. A., 1590P
Liu, W.-C. See Lee, L.-H., 1560C
Liu, X. See Zhou, Y., 2478C
Liu, Y.
—; Chung, T.-S.: Facile Synthesis of Hyperbranched Polyimides from A_2 + BB'_2 Monomers, 4563C
Liu, Y. L.
—; Epoxy Resins from Novel Monomers with a Bis-(9,10-dihydro-9-oxa-10-oxide-10-phosphaphenanthrene-10-yl-) Substituent, 359C
—; Wu, C. S.; Hsu, K. Y.; Chang, T. C.: Flame-Retardant Epoxy Resins from *o*-Cresol Novolac Epoxy Cured with a Phosphorus-Containing Aralkyl Novolac, 2329C
Liu, Z.
—; Zhang, Y.; Hu, Y.; Su, G.; Ma, D.; Wang, L.; Jing, X.; Wang, F.: Novel Bipolar Light-Emitting Copolymer Containing Triazole and Triphenylamine Moieties, 1122C
Lizotte, J. R.
—; Erwin, B. M.; Colby, R. H.; Long, T. E.: Investigations of Thermal Polymerization in the Stable Free-Radical Polymerization of 2-Vinylnaphthalene, 583C
—; See Yoo, Y., 2789C
Lodge, T. P. See Chen, Y. Y., 466P; Hillmyer, M. A., 1C
Lohse, D. J. See Krishnamoorti, R., 1768P
Londono, D. J. See Sauer, B. B., 1727P
Long, T. E. See Lizotte, J. R., 583C; Yoo, Y., 2789C
Longo, P.
—; Siani, E.; Pragliola, S.; Monaco, G.: Copolymerization of Ethene and Propene in the Presence of C_S Symmetric Group 4 Metallocenes and Methylaluminoxane, 3249C
López, J. See Barral, L., 284P
Lott, C. See Lu, W., 245P
Lotti, N. See Finelli, L., 1354P
Lotz, B. See Mathieu, C., 2504P
Lou, X.
—; Detrembleur, C.; Lecomte, P.; Jérôme, R.: Controlled Synthesis and Chemical Modification of Unsaturated Aliphatic (Co)polyesters Based on 6,7-Dihydro-2(3*H*)-oxepinone, 2286C
Lozano, A. E. See Ferrero, E., 3711C; García, C., 2601C
Lozan, V. See Berchtold, B., 3604C
Lu, G.
—; Jia, Z.; Yi, W.; Huang, J.: Synthesis of a Novel Block Copolymer Poly(ethylene oxide)-*block*-poly(4-vinyl-pyridine) by Combination of Anionic Ring-Opening and Controllable Free-Radical Polymerization, 4404C
Lu, J.
—; Sue, H.-J.: Morphology and Mechanical Properties of Blown Films of a Low-Density Polyethylene/Linear Low-Density Polyethylene Blend, 507P
—; See Cheng, Z., 3823C

Lu, Q. See Huang, W., 229C
Lu, Q.-W.
—; Hoye, T. R.; Macosko, C. W.: Reactivity of Common Functional Groups with Urethanes: Models for Reactive Compatibilization of Thermoplastic Polyurethane Blends, 2310C
Lu, W.
—; Debelak, K. A.; Witt, A. R.; Yang, C.; Collins, W. E.; Lott, C.: Structural Features of Crystallized Poly(ethylene terephthalate) Polymers, 245P
Lu, Y.
—; Hu, Y.; Wang, Z. M.; Manias, E.; Chung, T. C.: Synthesis of New Amphiphilic Diblock Copolymers Containing Poly(ethylene oxide) and Poly(α-olefin), 3416C
—; See Wu, Q., 1421C
Lu, Y. L. See Zhang, J. M., 2772P
Luca, C. See Neagu, V., 488P
Luisier, A.
—; Bourban, P.-E.; Månson, J.-A. E.: Initiation Mechanisms of an Anionic Ring-Opening Polymerization of Lactam-12, 3406C
Luo, N.
—; Hutchison, J. B.; Anseth, K. S.; Bowman, C. N.: Synthesis of a Novel Methacrylic Monomer Iniferter and Its Application in Surface Photografting on Crosslinked Polymer Substrates, 1885C
Luo, Y.
—; Schork, F. J.: Emulsion and Miniemulsion Polymerizations with an Oil-Soluble Initiator in the Presence and Absence of an Aqueous-Phase Radical Scavenger, 3200C
Lüpke, T. See Androsch, R., 1223P, 1919P
Lüpke, Th. See Dlubek, G., 65P
Lyoo, W. S. See Kim, J. H., 2435C; Yeum, J. H., 1103C

Ma, D. See Liu, Z., 1122C
Ma, J. See Crivello, J. V., 3465C
Maatsumoto, A. See Tashiro, K., 495P
Machida, S.
—; Sugihara, K.; Takahashi, I.; Horie, K.; Jiang, D.-L.; Aida, T.: Persistent Spectral Hole-Burning Study on Dendrimer Porphyrins, 210P
—; See He, J., 2501C
Maciejewska, M. See Gawdzik, B., 3079C, 3967C
Maciel, A.
—; Salas, V.; Soltero, J. F. A.; Guzmán, J.; Manero, O.: On the Wall Slip of Polymer Blends, 303P
Macosko, C. W. See Lu, Q.-W., 2310C; Marić, M., 346P
Madhra, M. K. See Banerjee, S., 1016C; Salunke, A. K., 55C
Madkour, T. M.
—; Azzam, R. A.: Use of Blowing Catalysts for Integral Skin Polyurethane Applications in a Controlled Molecular Architectural Environment: Synthesis and Impact on Ultimate Physical Properties, 2526C
—; Mark, J. E.: Mesoscopic Modeling of the Polymerization, Morphology, and Crystallization of Stereoblock and Stereoregular Polypropylenes, 840P
Madruga, E. L. See Cuervo-Rodriguez, R., 2750C; Martinez, G., 2427C; Sánchez-Chaves, M., 1192C
Maeda, Y. See Imai, Y., 2656C
Maekawa, Y. See Chen, J., 134P
Maenosono, S. See Uematsu, T., 216P
Magonov, S. N. See Percec, V., 3509C
Mahltig, B.
—; Gohy, J.-F.; Jérôme, R.; Buchhammer, H.-M.; Stamm, M.: Analogy in Adsorption Behavior of Homopolyelectrolyte Mixtures As Compared to Analogous Diblock Polyampholytes, 338P
Mai, Y.-W. See Tjong, S. C., 1881P; Xie, X. L., 1214P
Maia, D. R. J.
—; Perez, C. A.; De Paoli, M. A.: TiO_2 Distribution in Aged and Injected Isotactic Polypropylene Parts by Synchrotron Radiation X-Ray Microfluorescence, 657P
Maier, G. See Banerjee, S., 1016C
Maiti, S. N. See Dubey, V., 1821P
Malik, S.
—; Nandi, A. K.: Crystallization Mechanism of Regioregular Poly(3-alkyl thiophene)s, 2073P
Malucelli, G. See Sangermano, M., 2583C
Manero, O. See Maciel, A., 303P
Mani, R.
—; Bhattacharya, M.; Leriche, C.; Nie, L.; Bassi, S.: Synthesis and Characterization of Functional Aliphatic Copolyesters, 3232C
—; See John, J., 2003C
Manias, E. See Lu, Y., 3416C; Rackaitis, M., 2339P
Manners, I.
—; Polymer Science with Transition Metals and Main Group Elements: Towards Functional, Supramolecular Inorganic Polymeric Materials, 179C
Manohar, S. B. See Acharya, A., 1028C
Månson, J.-A. E. See Luisier, A., 3406C
Mantecón, A. See Callau, L., 2237C, 3893C; Ribera, D., 3916C, 4344C
Mao, S. Z. See Cheng, L., 3489C
Marchand-Brynaert, J. See Biltresse, S., 770C
Marco, C.
—; Collar, E. P.; Areso, S.; García-Martínez, J. M.: Thermal Studies on Polypropylene/Polyamide-6 Blends Modified by Succinic Anhydride and Succinyl Fluorescein Grafted Polypropylenes, 1307P
Margel, S. See Kedem, M., 1342C
Marić, M.
—; Macosko, C. W.: Block Copolymer Compatibilizers for Polystyrene/Poly(dimethylsiloxane) Blends, 346P
Mark, J. E. See Madkour, T. M., 840P
Markoski, L. J. See Orlicki, J. A., 936C
Marques, M. F. V.
—; Pombo, C. C.; Silva, R. A.; Conte, A.: Supported Stereospecific Metallocene Binary Catalyst for Propylene Polymerization, 2979C
Martin, C. P.
—; Vaughan, A. S.; Sutton, S. J.; Swingler, S. G.: Crystallization Behavior of a Propylene/Ethylene

Copolymer: Nucleation and a Clarifying Additive, 2178P
Martin, F. See Melzak, K. A., 1490P
Martinez de Ilarduya, A. See Kint, D. P. R., 2276C
Martinez, G.
—; Millan, J. L.: Correlation between the Tacticity and Content of Labile Nondefect Structures in Poly(vinyl chloride), 3944C
—; Sanchez-Chaves, M.; Madruga, E. L.: Preparation of Amphiphilic Statistical Copolymers of 2-Hydroxyethyl Methacrylate with 2-Diethylaminoethyl Methacrylate, Precursors of Water-Soluble Copolymers, 2427C
Martínez, G. See Sánchez-Chaves, M., 1192C
Martter, T. D.
—; Foster, M. D.; Ohno, K.; Haddleton, D. M.: Architecture-Driven Thermodynamic Interactions in Blends of Star-Branched and Linear Poly(methyl methacrylate), 1704P
Marx-Figini, M. See Grigera, T. S., 290P; Irurzun, I. M., 1071P
Mascia, L. See Musto, P., 922P
Masenelli-Varlot, K.
—; Reynaud, E.; Vigier, G.; Varlet, J.: Mechanical Properties of Clay-Reinforced Polyamide, 272P
Mashlyakovskiy, L.
—; Khomko, E.; Volynkina, N.; Tonelli, C.: Fluoropolyethers End-Capped by Polar Functional Groups. III. Kinetics of the Reactions of Hydroxy-Terminated Fluoropolyethers and Model Fluorinated Alcohols with Cyclohexyl Isocyanate Catalyzed by Organotin Compounds, 3771C
Masuda, S. See Okamura, H., 1945C
Masuda, T. See Dong, W., 1838C; Kanki, K., 1075C; Karim, S. M. A., 2458C; Kawaguchi, T., 3938C; Kwak, G., 535C; Nagai, K., 2228P
Mateo, J. L.
—; Calvo, M.; Bosch, P.: Photoinitiated Polymerization of Methacrylic Monomers in a Poly(methyl methacrylate) Matrix: A Comparative Study with Other Matrices (Styrene–Butadiene–Styrene, Polystyrene, and Polybutadiene), 120C
Mathias, L. J. See Avci, D., 3221C; Davis, C. H., 2661P; Shemper, B. S., 334C; White, L. A., 694C
Mathieu, C.
—; Thierry, A.; Wittmann, J. C.; Lotz, B.: Specificity and Versatility of Nucleating Agents Toward Isotactic Polypropylene Crystal Phases, 2504P
Mathur, G. N. See Nandan, B., 1407P; Saxena, R., 3959C
Matsumoto, A.
—; Ichiryu, Y.; Aota, H.; Shiraki, K.; Iwata, T.: Free-Radical Crosslinking Copolymerization of 2,2′-Azobis *N*-(2-propenyl)-2-methylpropionamide) with Vinyl Benzoate Resulting in Polymeric Azo Initiators, 317C
Matsushita, Y. See Suzuki, J., 1135P; Takano, A., 1582P
Matsu-ura, N. See Suzuki, K., 971C
Mattes, B. R. See Yang, D., 2702P
Matyjaszewski, K. See Hong, S. C., 2736C; Sarbu, T., 3153C; Savin, D. A., 2667P
Mauler, R. S. See Simanke, A. G., 471C
Mauritz, K. A. See Young, S. K., 2237P; Zhu, J., 1498C
McGrath, J. E. See Eichstadt, A. E., 1503P
McGurran, D. J. See Lewandowski, K., 3037C
Mchale, G. See Melzak, K. A., 1490P
McInenly, P. J. See Kumar, K. R., 3302C
McKenna, G. B. See Alcoutlabi, M., 2050P; Zheng, Y., 2027P
McKenzie, B. See Sarbu, T., 3153C
Mclean, R. S. See Sauer, B. B., 1727P
Megiel, E. See Cieplak, P., 3592C
Meijer, E. W. See El-Ghayoury, A., 4020C
Meimon, Y. See Elkoun, S., 1754P; Quatravaux, T., 2516P
Melzak, K. A.
—; Martin, F.; Newton, M. I.; Mchale, G.; Gizeli, E.: Acoustic Determination of Polymer Molecular Weights and Rotation Times, 1490P
Meng, Y. Z.
—; Du, L. C.; Tiong, S. C.; Zhu, Q.; Hay, A. S.: Effects of the Structure and Morphology of Zinc Glutarate on the Fixation of Carbon Dioxide into Polymer, 3579C
—; Tjong, S. C.; Wang, S. J.; Hay, A. S.: Facile Synthesis of High Molecular Weight Aromatic Polyformals Containing Phthalazinone Moiety, 1441C
—; See Tjong, S. C., 2860P
Mercier, C. L. See Ananchenko, G. S., 3264C
Merlin, P. See Fustin, C. A., 1952C
Meunier, D. M. See Tronc, F., 2609C, 4098C
Meyer, T.
—; Hellweg, T.; Spange, S.; Hesse, S.; Jäger, C.; Bellmann, C.: Synthesis and Properties of Crosslinked Polyvinylformamide and Polyvinylamine Hydrogels in Conjunction with Silica Particles, 3144C
Meyer, W. H. See Pu, H., 663P
Michielsen, S. See Tobiesen, F. A., 719C
Mickus, D. E. See Lewandowski, K., 3037C
Migler, K. B. See Son, Y., 2791P
Mijangos, C. See Tiemblo, P., 964P
Mikawa, Y. See Karakawa, M., 4167C
Mikešová, J. See Horák, Z., 2612P
Mikhailov, Y. M.
—; Ganina, L. V.; Kurmaz, S. V.; Smirnov, V. S.; Roshchupkin, V. P.: Diffusion Mobility of Reactants, Phase Equilibrium, and Specific Features of Radical Copolymerization Kinetics in the Nonyl Acrylate/2-Methyl-5-vinyltetrazole System, 1383P
Mikroyannidis, J. A. See Spiliopoulos, I. K., 682C, 1449C, 2591C
Millan, J. L. See Martinez, G., 3944C
Miller, G. A.
—; Gou, L.; Narayanan, V.; Scranton, A. B.: Modeling of Photobleaching for the Photoinitiation of Thick

Polymerization Systems, 793C
Min, B. R. See Kim, J. H., 1813P
Min, H.-S.
—; Kang, D.-W.; Lee, D.-Y.; Kim, D.-W.: Gel Polymer Electrolytes Prepared with Porous Membranes Based on an Acrylonitrile/Methyl Methacrylate Copolymer, 1496P
Min, K.
—; Hu, J.; Wang, C.; Elaissari, A.: Surface Modification of Polystyrene Latex Particles via Atom Transfer Radical Polymerization, 892C
Minagawa, K. See Okamura, H., 1945C
Minegishi, S.
—; Tsuchida, S.; Sasaki, M.; Kameyama, A.; Kudo, H.; Nishikubo, T.: Synthesis of Polyphosphonates Containing Pendant Chloromethyl Groups by the Polyaddition of Bis(oxetane)s with Phosphonic Dichlorides, 3835C
Mirabella, F. M.
—; Bafna, A.: Determination of the Crystallinity of Polyethylene/α-Olefin Copolymers by Thermal Analysis: Relationship of the Heat of Fusion of 100% Polyethylene Crystal and the Density, 1637P
Misumi, Y. See Kanki, K., 1075C
Mitchell, C. A.
—; Krishnamoorti, R.: Rheological Properties of Diblock Copolymer/Layered-Silicate Nanocomposites, 1434P
Mitra, A. See Ravi, N., 2677P
Miwa, Y. See Yamamoto, K., 3350C
Miyagawa, N. See Lee, J., 1858C
Miyashita, Y. See Murase, S., 479P
Miyazaki, H. See Ouchi, T., 1218C, 1426C
Mo, Z. See Wang, Y., 605P; Zhang, Q., 1784P; Zhang, Z., 1957P
Möck, A. See Myers, M., 844C
Moffitt, M.
—; Rharbi, Y.; Chen, W.; Tong, J.-D.; Winnik, M. A.; Thurman, D. W.; Oberhauser, J. P.; Kornfield, J. A.; Ryntz, R. A.: Stratified Morphology of a Polypropylene/Elastomer Blend Following Channel Flow, 2842P
Mohamedi, M. See Umeda, M., 1103P
Monaco, G. See Longo, P., 3249C
Montaudo, M. S.
—; Adamus, G.; Kowalczuk, M.: Bivariate Distribution in Copolymers: A New Model, 2442C
Montejano, H. A. See Gómez, M. L., 901C
Moon, E. J.
—; Kim, M. J.; Choi, H. K.; Kim, C. K.: Phase Behavior of Tetramethylpolycarbonate Blends with Styrene-Based Methacrylate Copolymers and Their Interaction Energies, 1288P
Moon, S.-B. See Jin, S.-H., 958C
Moore, J. S. See Orlicki, J. A., 936C
Morales, J.
—; Olayo, M. G.; Cruz, G. J.; Olayo, R.: Synthesis by Plasma and Characterization of Bilayer Aniline–Pyrrole Thin Films Doped with Iodine, 1850P
Morawetz, H.
—; Revisiting Some Phenomena in Polyelectrolyte Solutions, 1080P
Moreno-Villoslada, I.
—; Muñoz, C.; Rivas, B. L.: Studies on the Equilibrium among Poly(sodium 4-styrenesulfonate), Cu^{2+}, and Iminodiacetic Acid by Ultrafiltration at Constant Ionic Strength, 2587P
Mori, T. See Okamura, H., 1945C
Morihara, Y. See Okamura, H., 1945C
Moriya, O.
—; Fukushima, M.; Sugizaki, T.; Nakamura, Y.; Endo, T.: Polysilsesquioxane Containing Tributylstannyl Groups as Intermediary Derivative for Organofunctionalization, 286C
Mourey, T. H. See Yamaguchi, N., 2855C
Mu, M. See Ning, F., 1253C
Mukasa, Y. See Furukawa, T., 613P
Mukuno, H. See Sato, T., 573C
Mülhaupt, R. See Rexin, O., 864C; Zimmermann, J., 2085C
Mullen, B. D. See Storey, R. F., 3434C
Munari, A. See Finelli, L., 1354P
Munaro, M. See Kloss, J., 4117C
Munch, J. P. See Knaebel, A., 1985P
Muñoz, C. See Moreno-Villoslada, I., 2587P
Muñoz-Guerra, S. See Kint, D. P. R., 76C, 2276C, 2759P; Zanuy, D., 2037P
Murakami, H. See Takagi, Y., 2663C
Murakami, K. See Takahashi, Y., 765P
Murakami, M. See Ogawa, T., 416C
Murase, S.
—; Inoue, A.; Miyashita, Y.; Kimura, N.; Nishio, Y.: Structural Characteristics and Moisture Sorption Behavior of Nylon-6/Clay Hybrid Films, 479P
Murthy, N. S.
—; Grubb, D. T.: Deformation of Lamellar Structures: Simultaneous Small- and Wide-Angle X-Ray Scattering Studies of Polyamide-6, 691P
Musto, P.
—; Ragosta, G.; Scarinzi, G.; Mascia, L.: Probing the Molecular Interactions in the Diffusion of Water through Epoxy and Epoxy–Bismaleimide Networks, 922P
Myers, M.
—; Connor, E. F.; Glauser, T.; Möck, A.; Nyce, G.; Hedrick, J. L.: Phosphines: Nucleophilic Organic Catalysts for the Controlled Ring-Opening Polymerization of Lactides, 844C
Myung, B. Y.
—; Kim, J. J.; Yoon, T. H.: Synthesis and Characterization of Novel 3,6-Di 3′,5′-bis(trifluoromethyl)-phenyl}pyromellitic Dianhydride for Polyimide Synthesis, 4217C

Na, T. See Zhang, Z., 1957P
Nagai, K.
—; Toy, L. G.; Freeman, B. D.; Teraguchi, M.; Kwak, G.; Masuda, T.; Pinnau, I.: Gas Permeability and *n*-Butane Solubility of Poly(1-trimethylgermyl-1-propyne), 2228P
Nagata, M.
—; Kanechika, M.; Sakai, W.; Tsutsumi, N.: Biodegradable Network Elastomeric Polyesters from Multifunctional Aromatic Carboxylic

Acids and Poly(ϵ-caprolactone) Diols, 4523C
Nagura, M. See Uddin, A. J., 2449P
Nagy, M. See Kéki, S., 3974C
Nah, J.-W.
—; Jang, M.-K.: Spectroscopic Characterization and Preparation of Low Molecular, Water-Soluble Chitosan with Free-Amine Group by Novel Method, 3796C
Nakagawa, A. See Oishi, T., 1726C
Nakamoto, S. See Tashiro, K., 495P
Nakamura, K. See Sawai, D., 95P
Nakamura, Y. See Moriya, O., 286C
Nakatsubo, F. See Karakawa, M., 4167C
Nakayama, Y. See Ogata, K., 2759C
Nandan, B.
—; Kandpal, L. D.; Mathur, G. N.: Polyetherether Ketone/Polyarylethersulfone Blends: Thermal and Compatibility Aspects, 1407P
Nandi, A. K. See Malik, S., 2073P
Narasimhan, B. See Gorga, R. E., 255P; Gorga, R. E., 2292P
Narayanan, V. See Miller, G. A., 793C
Narkis, M. See Artzi, N., 1741P
Narrainen, A. P.
—; Pascual, S.; Haddleton, D. M.: Amphiphilic Diblock, Triblock, and Star Block Copolymers by Living Radical Polymerization: Synthesis and Aggregation Behavior, 439C
Narushima, K. See Inagaki, N., 2871P
Nash, H. A. See Ni, H., 1677C
Nath, D. C. D.
—; Shiono, T.; Ikeda, T.: Copolymerization of 1,3-Butadiene and Isoprene with Cobalt Dichloride/Methylaluminoxane in the Presence of Triphenylphosphine, 3086C
Nazarenko, S. See Hu, Y. S., 2489P
Neagu, V.
—; Luca, C.: Exchange Equilibria on Nonconventional Pyridine Strong Base Anion Exchangers by Surface-Complexation Theory, 488P
Nedeltchev, I. K. See Bhowmik, P. K., 2015C
Nemoto, N.
—; Kakimoto, K.; Endo, T.: Cationic Ring-Opening Polymerization of Monothiocarbonate with a Norbornene Group, 1698C
Newton, M. I. See Melzak, K. A., 1490P
Nguyen, V.
—; Yoshida, W.; Jou, J.-D.; Cohen, Y.: Kinetics of Free-Radical Graft Polymerization of 1-Vinyl-2-pyrrolidone onto Silica, 26C
Ni, H.
—; Nash, H. A.; Worden, J. G.; Soucek, M. D.: Effect of Catalysts on the Reaction of an Aliphatic Isocyanate and Water, 1677C
Ni, P.-H.
—; Pan, Q.-S.; Zha, L.-S.; Wang, C.-C.; Elaïssari, A.; Fu, S.-K.: Syntheses and Characterizations of Poly 2-(dimethylamino)-ethyl methacrylate}–Poly(propylene oxide)–Poly 2-(dimethylamino)ethyl methacrylate} ABA Triblock Copolymers, 624C
—; Zhang, M.-Z.; Zhuge, L.-J.; Fu, S.-K.: Amphiphilic ABA Triblock Copolymer as Surfactant in Syntheses of Microlatexes Bearing Cationic Groups, 3734C
Ni, S.-C.
—; Kuo, P.-L.: Effect of Amino and Polysiloxane Groups on the Chemical Adsorption of Polymers Containing Thiophosphate at the Oil/Metal Interface under Extreme Pressure, 1795P
Nichols, A. See Bazile, M., Jr., 3504C
Nicolais, L. See Antonucci, V., 3757C
Nicolas, J. See Farcet, C., 4410C
Nie, H. See Bansil, R., 2807P
Nie, L. See Mani, R., 3232C
Niimi, L.
—; Serita, K.-I.; Hiraoka, S.; Yokozawa, T.: Simultaneous Construction of the Polymer Backbone and Side Chains by Three-Component Polycondensation: The Synthesis of Polyurethanes with Allyl Side Chains from Dialdehydes, Alkylene *N,N'*-Bis(trimethylsilyl) Carbamates, and Allyltrimethylsilane, 1236C
Ning, F.
—; Jiang, M.; Mu, M.; Duan, H.; Xie, J.: Synthesis of Amphiphilic Block-Graft Copolymers Poly(styrene-*b*-ethylene-*co*-butylene-*b*-styrene)-*g*-Poly(acrylic acid)} and Their Aggregation in Water, 1253C
Nir, Y. See Artzi, N., 1741P
Nishida, H. See Nishida, S., 1151C
Nishida, S.
—; Nishida, H.; Endo, T.: Radical Copolymerization Behavior of a Highly Fluorinated Cyclic Olefin with Vinyl Ether, 1151C
Nishikawa, S. See Takahashi, Y., 765P
Nishikawa, Y. See Takagi, K., 3927C
Nishikubo, T.
—; Kameyama, A.; Kudo, H.; Tsutsui, K.: Synthesis and Photochemical Reaction of Cyclic Oligomers: Synthesis and Photopolymerization of Novel *C*-Methylcalix 4}-resorcinarene and *p*-Alkylcalix n}arene Derivatives Containing Spiro Ortho Ether Groups, 1293C
—; See Ito, N., 1395C; Minegishi, S., 3835C
Nishimori, A. See Tashiro, K., 495P
Nishio, Y. See Murase, S., 479P
Nishioka, N. See Takagi, K., 3927C
Nishiura, T. See Hatada, K., 2134C
Nitta, K.-H.
—; Shiburo, T.: Ultimate Tensile Behavior of Linear Polyethylene Solids, 2018P
Noda, I. See Tian, G., 649P
Nogales, A. See Denchev, Z., 2570P
Noh, S.-T. See Choi, H.-S., 4077C
Nolte, R. J. M. See Kros, A., 738C
Nombel, P. See Percec, V., 3212C
Nomura, M.
—; Sakai, H.; Kihara, Y.; Fujita, K.: Emulsion Copolymerization of Vinylidene Chloride and Methyl Methacrylate. I.

Effects of Operating Variables on the Kinetic Behavior, 1275C
—; See Sakai, H., 939P, 948P
Nomura, R. See Karim, S. M. A., 2458C
Nonaka, A. See Takano, A., 1582P
Nonokawa, D. See Kudo, K., 4038C
Nonokawa, R. See Satoh, T., 965C
Norisuye, T. See Xu, X., 2269P; Yashiro, J., 2728P
Nose, T. See Inomata, K., 1904P
Novelli, S. See Delucchi, M., 52P
Novikov, M. B. See Roos, A., 2395P
Novikov, V. N. See Kisliuk, A., 201P
Nowak, A. P. See Krikorian, V., 2579P
Nuyken, O. See Frenzel, U., 2895C; Schäfer, M., 3725C
Nyce, G. See Myers, M., 844C

Obata, M. See Percec, V., 3509C
Oberhauser, J. P. See Moffitt, M., 2842P
Ogata, K.
—; Nakayama, Y.; Yasuda, H.: Homopolymerizations and Random Copolymerizations of Olefins with Amino-Substituted Cyclopentadienylchromium Complexes, 2759C
Ogawa, T.
—; Lee, S.-D.; Murakami, M.: Synthesis of Siloxane-Crosslinked Polysilylenemethylenes by Chlorodephenylation, 416C
Ogino, H. See Yasuda, M., 874C
Oh, J. K.
—; Wu, J.; Winnik, M. A.; Craun, G. P.; Rademacher, J.; Farwaha, R.: Emulsion Copolymerization of Vinyl Acetate and Butyl Acrylate in the Presence of Fluorescent Dyes, 1594C
—; Wu, J.; Winnik, M. A.; Craun, G. P.; Rademacher, J.; Farwaha, R.: Polymerizable Benzophenone Derivatives for Labeling Vinyl Acetate-Butylacrylate Latex Particles, 3001C
Ohashi, M. See Hashimoto, T., 4002C
Ohga, T. See Ishii, F., 1026P
Ohigashi, H. See Ishii, F., 1026P
Ohkoshi, Y. See Uddin, A. J., 2449P
Ohmori, S. See Takasu, A., 4477C
Ohno, H. See Higashi, F., 4556C
Ohno, K. See Martter, T. D., 1704P
Ohta, K. See Iwase, Y., 3534C
Ohtsu, M. See Hayakawa, T., 2406C
Ohya, Y. See Ouchi, T., 1218C, 1426C
Oishi, T.
—; Lee, Y.-K.; Nakagawa, A.; Onimura, K.; Tsutsumi, H.: Syntheses and Polymerizations of Novel Chiral Poly(acrylamide) Macromonomers and Their Chiral Recognition Abilities, 1726C
Ojima, H. See Umeda, M., 1103P
Okamoto, Y. See Suito, Y., 2496C
Okamura, H.
—; Morihara, Y.; Masuda, S.; Minagawa, K.; Mori, T.; Tanaka, M.: Effects of Salts and Copolymer Composition on the Lower Critical Solution Temperature of Poly(methyl 2-acetamidoacrylate-*co*-methyl methacrylate) Solutions, 1945C
—; Toda, S.; Tsunooka, M.; Shirai, M.: Photocrosslinking System Based on a Poly(vinyl phenol)/Thermally Degradable Diepoxy Crosslinker Blend, 3055C
Okuyama, K. See Baigude, H., 3622C
Olayo, M. G. See Morales, J., 1850P
Olayo, R. See Morales, J., 1850P; Rubio, L. L., 2130P
Oliynyk, L. P. See Kislenko, V. N., 914C
Olley, R. H. See Shahin, M. M., 124P
Onimura, K. See Oishi, T., 1726C
Onishi, I.
—; Baek, K.-Y.; Kotani, Y.; Kamigaito, M.; Sawamoto, M.: Iron-Catalyzed Living Radical Polymerization of Acrylates: Iodide-Based Initiating Systems and Block and Random Copolymerizations, 2033C
Ono, T. See Tamai, S., 423C
Orange, G. See Labour, T., 31P
Orlicki, J. A.
—; Thompson, J. L.; Markoski, L. J.; Sill, K. N.; Moore, J. S.: Synthesis and Characterization of End-Group Modified Hyperbranched Polyetherimides, 936C
Osakada, K. See Takeuchi, D., 4530C
Osaki, K.
—; Inoue, T.; Uematsu, T.; Yamashita, Y.: Rheology of Polystyrene Solutions around the Coil Overlapping Concentration: A Phenomenological Description of Stresses in Simple Shear Flow, 1038P
Ostberg, S. See Blomberg, S., 1309C
Ou, Y.-C. See Zou, J.-F., 954P
Ouchi, T.
—; Miyazaki, H.; Arimura, H.; Tasaka, F.; Hamada, A.; Ohya, Y : Formation of Polymeric Micelles with Amino Surfaces from Amphiphilic AB-Type Diblock Copolymers Composed of Poly(Glycolic Acid Lysine) Segments and Polylactide Segments, 1426C
—; Miyazaki, H.; Arimura, H.; Tasaka, F.; Hamada, A.; Ohya, Y.: Synthesis of Biodegradable Amphiphilic AB-Type Diblock Copolymers of Lactide and Depsipeptide with Pendant Reactive Groups, 1218C
Ouyang, H.
—; Lee, W.-H.; Shiue, S.-T.; Lin, T.-L.: Solvent-Induced Crystallization in Poly(ethylene terephthalate) during Mass Transport, 1444P
Ouyang, J. See Li, Q., 222C
Özyürek, C. See Çaykara, T., 1995P

Pack, J. W.
—; Kim, S. H.; Cho, I.-W.; Park, S. Y.; Kim, Y. H.: Microstructure Analysis and Thermal Property of Copolymers Made of Glycolide and ϵ-Caprolactone by Stannous Octoate, 544C
Pack, R. T. See Salazar, M. R., 181P, 192P
Pączkowski, J. See Bajorek, A., 3481C; Jędrzejewska, B., 1433C
Padias, A. B. See Chen, X.-P., 1929C; Dibattista, J., 43C

Padmavathy, T.
—; Srinivasan, K. S. V.: Synthesis and Properties of Segmented Main-Chain Liquid-Crystalline Polyurethanes with a High Aspect Ratio Mesogenic Diol as a Chain Extender, 1527C
Paduano, L. See Vergara, A., 43P
Pak, J.
—; Wunderlich, B.: Reversible Melting of Polyethylene Extended-Chain Crystals Detected by Temperature-Modulated Calorimetry, 2219P
Palacios, R. E. See Gómez, M. L., 901C
Pan, G.-Y. See He, T., 3367C
Pan, J. See Ye, Z.-Y., 3112C
Pan, Q.-S. See Ni, P.-H., 624C
Pan, Y.-X. See Zou, J.-F., 954P
Pandey, D. See Bisht, H. S., 1818C
Pandey, P.
—; Srivastava, A. K.: Benzoyl Peroxide-Initiated Copolymerization of Citronellol and Vinyl Acetate, 1243C
Pang, Z. Z. See Qian, Z. G., 3012C
Pantazis, D.
—; Schulz, D. N.; Hadjichristidis, N.: Synthesis of a Model Cyclic Triblock Terpolymer of Styrene, Isoprene, and Methyl Methacrylate, 1476C
Panu[illegible]zi, B. See Caruso, U., 2987C
Papadokostaki, K. G.
—; Polishchuk, A. Y.; Petrou, J. K.: Modeling of Solute Release from Polymeric Monoliths Subject to Linear Structural Relaxation, 1171P
Pappalardo, D. See Song, F., 1484C
Parent, J. S.
—; White, G. D. F.; Whitney, R. A.: Synthesis of Thioether Derivatives of Brominated Poly(isobutylene-*co*-isoprene): Direct Coupling Chemistry for Silica Reinforcement, 2937C
Park, E.-J. See Lee, J.-Y., 379C, 1742C
Park, E.-S.
—; Kim, M.-N.; Yoon, J.-S.: Grafting of Polycaprolactone onto Poly(ethylene-*co*-vinyl alcohol) and Application to Polyethylene-Based Bioerodable Blends, 2561P
Park, J. H. See Kim, J. H., 2435C
Park, J. W.
—; Im, S. S.: Morphological Changes during Heating in Poly(L-lactic acid)/Poly(butylene succinate) Blend Systems as Studied by Synchrotron X-Ray Scattering, 1931P
Park, K.-H. See Imai, Y., 2656C
Park, M. See Choi, J., 4367C
Park, M. S.
—; Kim, J. K.: Phase Behavior and Crystallization of a Poly(ethylene oxide)/Cellulose Acetate Butyrate Blend, 1673P
Park, S.-J. See Ding, B., 1261P
Park, S. Y. See Pack, J. W., 544C
Park, W. H. See Lee, M.-S., 351C; Lee, T. S., 1831C
Park, Y. T. See Choi, S. H., 1298P
Park, Y. W. See Inagaki, N., 2871P
Parrish, B.
—; Quansah, J. K.; Emrick, T.: Functional Polyesters Prepared by Polymerization of α-Allyl(valerolactone) and Its Copolymerization with ε-Caprolactone and δ-Valerolactone, 1983C
Parthasarthy, G.
—; Sevegney, M.; Kannan, R. M.: Rheooptical Fourier Transform Infrared Spectroscopy of the Deformation Behavior in Quenched and Slow-Cooled Isotactic Polypropylene Films, 2539P
Pasch, H. See Biela, T., 2884C; Graef, S. M., 128C
Pascual, S. See Narrainen, A. P., 439C
Pathre, S. V. See Lewandowski, K., 3037C
Patten, T. E. See Farmer, S. C., 555C
Patterson, G. D. See Savin, D. A., 2667P
Paul, R.
—; Schmidt, R.; Feng, J.; Dyer, D. J.: Photoinitiated Polymerization of Styrene from Self-Assembled Monolayers on Gold. II. Grafting Rates and Extraction, 3284C
Peet, J. See Bullions, T. A., 992P
Peetz, L. See Anders, S. H., 1201P
Pegoretti, A. See Ricco, T., 236P
Peinado, C.
—; Salvador, E. F.; Alonso, A.; Corrales, T.; Baselga, J.; Catalina, F.: Ultraviolet Curing of Acrylic Systems: Real-Time Fourier Transform Infrared, Mechanical, and Fluorescence Studies, 4236C
—; See Catalina, F., 3312C
Pellegrino, J. See Yi, X., 980P
Peña, B. See Arranz-Andrés, J., 1869P
Penciu, A. See Kumar, K. R., 3302C
Penczek, S.
—; Terminology of Kinetics, Thermodynamics, and Mechanisms of Polymerization, 1665C
—; See Biela, T., 2884C; Chen, Y., 1991C
Penelle, J. See Rzayev, J., 836C
Peng, S. See Chen, C., 1893P
Peng, Y. See Chiu, F.-C., 325P
Penlidis, A. See D'Agnillo, L., 905P; Gauthier, M., 511C; Sarzotti, D. M., 2595P; Shan, C. L. P., 4426C;
Perahia, D. See Traiphol, R., 2817P
Percec, V.
—; Obata, M.; Rudick, J. G.; De, B. B.; Glodde, M.; Bera, T. K.; Magonov, S. N.; Balagurusamy, V. S. K.; Heiney, P. A.: Synthesis, Structural Analysis, and Visualization of Poly(2-ethynyl-9-substituted carbazole)s and Poly(3-ethynyl-9-substituted carbazole)s Containing Chiral and Achiral Minidendritic Substituents, 3509C
—; Rudick, J. G.; Nombel, P.; Buchowicz, W.: Dramatic Decrease of the Cis Content and Molecular Weight of *cis*-Transoidal Polyphenylacetylene at 23 °C in Solutions Prepared in Air, 3212C
Perera, S. See Barner, L., 4180C; Cardona, F., 3191C
Perez, C. A. See Maia, D. R. J., 657P
Pérez, E. See Arranz-Andrés, J., 1869P
Petermann, O. See Kricheldorf, H. R., 4356C

Petrou, J. K. See Papadokostaki, K. G., 1171P
Petrović, Z. S. See Auten, K. L., 1316P
Petters, K. See Dlubek, G., 65P
Pham, Y. See Barner, L., 4180C
Philip, B.
—; Sreekumar, K.: Second-Harmonic Response of a Series of Chiral Polyesters: A Joint Experimental and Theoretical Study, 2868C
Phillies, G. D. J.
—; Temporal Scaling Analysis: Linear and Crosslinked Polymers, 375P
Pi, Z.
—; Kennedy, J. P.; Summers, J. W.: Synthesis and Characterization of Novel Poly(vinyl chloride)-Based Grafts: Poly(vinyl chloride-*co*-2-chloropropene) Fitted with Multiple High-Glass-Transition-Temperature Polyolefin Branches, 3644C
Piccarolo, S. See La Carrubba, V., 153P
Pichot, C. See Hazot, P., 1808C
Pieroni, O. See Ciolino, A., 3182C
Pietralla, M. See Anders, S. H., 1201P; Jędrzejewska, B., 1433C
Pilla, V.
—; Catunda, T.; Balogh, D. T.; Faria, R. M.; Zilio, S. C.: Thermal Lensing in Poly(Vinyl Alcohol)/Polyaniline Blends, 1949P
Pillai, C. K. S. See Prasad, V. S., 1845C
Pinnau, I. See Nagai, K., 2228P
Pintauer, T. See Sarbu, T., 3153C
Pissis, P. See Bershtein, V. A., 1056P
Pizzoferrato, R. See Bruno, V., 1468C
Plesch, P. H.
—; Correction of an Old Chemical Error, 2495C
—; On the Propagation Rate Constants of Cationic Polymerizations, 2537C
Pleska, A. See Horák, Z., 2612P
Plessis, C.
—; Arzamendi, G.; Agnely, M.; Leiza, J. R.; Asua, J. M.: Seeded Semibatch Emulsion Polymerization of *n*-Butyl Acrylate: Effect of the Seed Properties, 2878C
Pochan, D. J. See Krikorian, V., 2579P
Pojman, J. A. See Bazile, M., Jr., 3504C
Polishchuk, A. Y. See Papadokostaki, K. G., 1171P
Polowinski, S. See Gorna, K., 156C, 729C
Pombo, C. C. See Marques, M. F. V., 2979C
Porbeni, F. E. See Bullions, T. A., 992P
Pragliola, S. See Longo, P., 3249C
Pramanik, M.
—; Srivastava, S. K.; Samantaray, B. K.; Bhowmick, A. K.: Synthesis and Characterization of Organosoluble, Thermoplastic Elastomer/Clay Nanocomposites, 2065P
Prasad, V. S.
—; Pillai, C. K. S.: Synthesis, Characterization, and *In Vitro* Degradation of Liquid-Crystalline Terpolyesters of 4-Hydroxyphenylacetic Acid/3-(4-Hydroxyphenyl)propionic Acid with Terephthalic Acid and 2,6-Naphthalene Diol, 1845C
Previtali, C. M. See Gómez, M. L., 901C; Valderas, C., 2888C
Priola, A. See Sangermano, M., 2583C
Priya, L.
—; Jog, J. P.: Poly(vinylidene fluoride)/Clay Nanocomposites Prepared by Melt Intercalation: Crystallization and Dynamic Mechanical Behavior Studies, 1682P
Prud'homme, R. E. See Bébin, P., 82P
Pu, H.
—; Meyer, W. H.; Wegner, G.: Proton Transport in Polybenzimidazole Blended with H_3PO_4 or H_2SO_4, 663P
Pucciariello, R.
—; Villani, V.; Ruiz de Ballesteros, O.: Cocrystallization in Blends of Random Tetrafluoroethylene Fluorinated Copolymers: The Effect of the Chain Structure and Crystallization Conditions, 1477P
Puiggalí, J. See Franco, L., 1719P; Herrera, R., 4141C
Pujari, P. K. See Acharya, A., 1028C
Purgett, M. D. See Lewandowski, K., 3037C
Puskas, J. E. See Song, J., 1005C
Pyda, M.
—; Wunderlich, B.: Analysis of the Residual Entropy of Amorphous Polyethylene at 0 K, 1245P
Pyun, J. See Savin, D. A., 2667P

Qi, G.-R. See Huang, Y.-J., 1142C
Qian, Z. G.
—; Pang, Z. Z.; Li, Z. X.; He, M. H.; Liu, J. G.; Fan, L.; Yang, S. Y.: Photoimageable Polyimides Derived from α,α-(4-Amino-3,5-dimethylphenyl)-phenylmethane and Aromatic Dianhydride, 3012C
—; See Liu, J. G., 110C, 1572C
Qiu, K.-Y. See Dong, C.-M., 409C; Li, P., 2093C
Qu, F. Q. See Li, M. X., 4550C
Quansah, J. K. See Parrish, B., 1983C
Quatravaux, T.
—; Elkoun, S.; G'Sell, C.; Cangemi, L.; Meimon, Y.: Experimental Characterization of the Volume Strain of Poly(vinylidene fluoride) in the Region of Homogeneous Plastic Deformation, 2516P
Quinn, J. F.
—; Barner, L.; Rizzardo, E.; Davis, T. P.: Living Free-Radical Polymerization of Styrene under a Constant Source of γ Radiation, 19C
—; Chaplin, R. P.; Davis, T. P.: Facile Synthesis of Comb, Star, and Graft Polymers via Reversible Addition–Fragmentation Chain Transfer (RAFT) Polymerization, 2956C
Quinn, J. F. See Barner-Kowollik, C., 1058C

Rabinowitz, S. See Brown, N., 2693P
Rackaitis, M.
—; Strawhecker, K.; Manias, E.: Water-Soluble Polymers with Tunable Temperature Sensitivity: Solution Behavior, 2339P
Rademacher, J. See Oh, J. K., 1594C, 3001C
Raghavan, D. See Gu, X., 2825P
Ragosta, G. See Musto, P., 922P

Raja, S.
—; Dhamodharan, R.: Synthesis and Characterization of Water-Soluble Barbiturate- and Thiobarbiturate-Functionalized Polystyrene, 731C
Ramakrishnan, S. See Jayakannan, M., 4463C
Ramesh, N. See Cai, W. D., 1046P
Ramírez, C. See Barral, L., 284P
Rangsiman, O. See Tashiro, K., 495P
Rani, D. A.
—; Yamamoto, Y.; Saito, A.; Sivakumar, M.; Tsujita, Y.; Yoshimizu, H.; Kinoshita, T.: Structure and Properties of the Mesophase of Syndiotactic Polystyrene. I. Effect of Casting Conditions on the Preparation of the Mesophase, 530P
Rao, P. S.
—; Sathyanarayana, D. N.: Effect of the Sulfonic Acid Group on Copolymers of Aniline and Toluidine with *m*-Aminobenzene Sulfonic Acid, 4065C
Rasmussen, K. Ø.
—; Kalosakas, G.: Improved Numerical Algorithm for Exploring Block Copolymer Mesophases, 1777P
Ravi, N.
—; Mitra, A.; Hamilton, P.; Horkay, F.: Characterization of the Network Properties of Poly(ethylene glycol)—Acrylate Hydrogels Prepared by Variations in the Ethanol—Water Solvent Composition during Crosslinking Copolymerization, 2677P
Ray, S. S. See Bisht, H. S., 1818C
Reddy, D. S.
—; Shu, C.-F.; Wu, F.-I.: Synthesis and Characterization and Soluble Polyimides Derived from 2,2′-Bis(3,4-dicarboxyphenoxy)-9,9′-spirobifluorene Dianhydride, 262C
—; See Chou, C.-H., 3615C
Ree, J. J. See Baek, S., 983C
Ree, M. See Baek, S., 983C; Kim, J. J., 1173C
Rehab, A.
—; Akelah, A.; El-Gamal, M. M.: Controlled-Release Systems Based on the Intercalation of Polymeric Metribuzin onto Montmorillonite, 2513C
Rehnberg, N. See Sangermano, M., 2583C
Rein, D. M. See Tsabba, Y., 1087P
Reina, J. A. See Bonet, J., 3883C; Callau, L., 2237C, 3893C
Reinecke, H. See Tiemblo, P., 964P
Rejon, L. See Rubio, L. L., 2130P
Rexin, O.
—; Mülhaupt, R.: Anionic Ring-Opening Polymerization of Propylene Oxide in the Presence of Phosphonium Catalysts, 864C
Reynaud, E. See Masenelli-Varlot, K., 272P
Rharbi, Y. See Moffitt, M., 2842P
Rhee, S.
—; White, J. L.: Crystalline Structure and Morphology of Biaxially Oriented Polyamide-11 Films, 2624P
—; White, J. L.: Crystal Structure and Morphology of Biaxially Oriented Polyamide 12 Films, 1189P
Riande, E. See García, N., 1154P; García, F., 3987C; Tiemblo, P., 964P
Ribera, D.
—; Mantecón, A.; Serra, A.: Liquid-Crystalline Thermosets from Mesogenic Dimeric Epoxy Resins by Tertiary Amine Catalysis, 3916C
—; Mantecón, A.; Serra, A.: Synthesis and Crosslinking of a Series of Dimeric Liquid-Crystalline Diglycidylester Compounds Containing Imine Groups, 4344C
Ricco, T.
—; Pegoretti, A.: Energy Storage and Strain-Recovery Processes in Highly Deformed Semicrystalline Poly(butylene terephthalate), 236P
Richter, D. See Krishnamoorti, R., 1768P
Rieger, B. See Song, F., 1484C
Rimez, B. See Vanhaecht, B., 1962C
Rishina, L. A. See Kissin, Y. V., 1353C, 1899C
Rivas, B. L. See Moreno-Villoslada, I., 2587P
Rizzardo, E. See Harrisson, S., 4421C; Quinn, J. F., 19C
Roberts, G. E.
—; Davis, T. P.; Heuts, J. P. A.; Russell, G. T.: Viscosity Effects in Cobaloxime-Mediated Catalytic Chain-Transfer Polymerization of Methacrylates, 782C
Roberts, G. W. See Gross, S. M., 171C; Kennedy, K. A., 602P
Robertson, G. P. See Guiver, M. D., 4193C
Robertson, J. E.
—; Ward, T. C.: Development of a Methodology to Predict Material Properties from Environmental Exposure. I. Kinetic Treatment, 794P
—; Ward, T. C.: Development of a Methodology to Predict Material Properties from Environmental Exposure. II. Structural Features, 802P
Roberts, R. R. See Lewandowski, K., 3037C
Roberts, W. P. See Connor, E. F., 2842C
Rode, K. See Biela, T., 2884C
Rodríguez-Galán, A. See Herrera, R., 4141C
Rodriguez-Gonzalez, A. See Dlubek, G., 434P
Rogers, J. A.
—; Bao, Z.: Printed Plastic Electronics and Paperlike Displays, 3327C
Rogunova, M. See Hu, Y. S., 2489P
Roland, C. M. See Casalini, R., 1975P
Román, J. S. See de Queiroz, A. A. A., 714P
Roos, A.
—; Creton, C.; Novikov, M. B.; Feldstein, M. M.: Viscoelasticity and Tack of Poly(Vinyl Pyrrolidone)–Poly(Ethylene Glycol) Blends, 2395P
Rose, G. D. See Tronc, F., 2609C, 4098C
Roshchupkin, V. P. See Mikhailov, Y. M., 1383P
Rousseau, A. See Andre, S., 4485C
Roviello, A. See Caruso, U., 2987C
Ruan, D. See Zhang, L., 1521P
Rubio, F. See García, F., 3987C
Rubio, L. L.
—; Castillo-Ortega, M. M.; Rejon, L.; Olayo, R.; Cruz, G. J.: Synthesis and Characterization of Difluor-Aniline Polymers, 2130P

Rudick, J. G. See Percec, V., 3212C, 3509C
Rueb, C. J. See Lewandowski, K., 3037C
Ruetsch, S. B. See Vasanthan, N., 1940P
Ruiz de Ballesteros, O. See Pucciariello, R., 1477P
Russell, G. T. See Roberts, G. E., 782C
Rwei, S.-P. See Cheng, K.-C., 1857P
Ryner, M.
—; Valdre, A.; Albertsson, A.-C.: Star-Shaped and Photocross-linked Poly(1,5-dioxepan-2-one): Synthesis and Characterization, 2049C
Ryntz, R. A. See Moffitt, M., 2842P
Ryrfors, L. O. See Bibaut-Renauld, C., 3171C
Rzayev, J.
—; Penelle, J.: Polymerization of Sterically Congested α-Alkylacrylates under High Pressure, 836C

Sabharwal, S. See Acharya, A., 1028C
Saeki, N. See Takagi, Y., 2663C
Saito, A. See Rani, D. A., 530P
Saitoh, S. See Tsubokawa, N., 1868C
Sajjadi, S.
—; Particle Formation in Interval III of the Emulsion Polymerization of Styrene with Aerosol-MA as an Emulsifier, 1652C
Sajkiewicz, P.
—; Transient and Athermal Effects in the Crystallization of Polymers. I. Isothermal Crystallization, 1835P
Sakaguchi, M. See Yamamoto, K., 3350C
Sakaguchi, Y. See Takeuchi, D., 4530C
Sakai, H.
—; Kodani, T.; Takayama, A.; Nomura, M.: Film-Formation Property of Vinylidene Chloride-Methyl Methacrylate Copolymer Latex. I. Effect of Emulsion-Polymerization Process, 939P
—; Kodani, T.; Takayama, A.; Nomura, M.: Film-Formation Property of Vinylidene Chloride-Methyl Methacrylate Copolymer Latex. II. Effect of Latex Storage Temperature, 948P
--; See Nomura, M., 1275C
Sakai, W. See Nagata, M., 4523C
Sakamoto, J. See Koizumi, T., 2487C
Sakuma, T. See Ishiyama, C., 1P
Salas, V. See Maciel, A., 303P
Salazar, M. R.
—; Pack, R. T.: Degradation of a Poly(ester urethane) Elastomer. II. Kinetic Modeling of the Hydrolysis of a Poly(butylene adipate), 192P
—; Thompson, S. L.; Laintz, K. E.; Pack, R. T.: Degradation of a Poly(ester urethane) Elastomer. I. Absorption and Diffusion of Water in Estane® 5703 and Related Polymers, 181P
Salazar, R. See Ilundain, P., 4245C
Salem, D. R. See Vasanthan, N., 1940P
Salovey, R. See Emami, S. H., 3021C
Salunke, A. K.
—; Madhra, M. K.; Sharma, M.; Banerjee, S.: Synthesis and Characterization of Poly-(arylene ether)s Derived from 4,4′-Bishydroxybiphenyl and 4,4′-Bishydroxyterphenyl, 55C
—; See Banerjee, S., 1016C
Salvador, E. F. See Peinado, C., 4236C
Samantaray, B. K. See Pramanik, M., 2065P
Samios, D. See Lima, M. F. S., 896P
Sánchez-Chaves, M.
—; Martínez, G.; Madruga, E. L.; Fernández-Monreal, C.: Synthesis of Statistical Glycidyl Methacrylate-*N*-vinyl Pyrrolidone Copolymers and Their Reaction with Naproxen, 1192C
—; See Martinez, G., 2427C
Sanda, F.
—; Yokoi, M.; Kudo, H.; Endo, T.: Synthesis and Reaction of β-Hydroxyaspartic Acid-Based Polymethacrylate, 2782C
—; See Endo, T., 2190C; Kawaguchi, T., 3938C; Suzuki, K., 971C; Takahashi, E., 1037C
Sanderson, R. D. See Graef, S. M., 128C
Sangermano, M.
—; Bongiovanni, R.; Malucelli, G.; Priola, A.; Harden, A.; Rehnberg, N.: Synthesis of New Fluorinated Allyl Ethers for the Surface Modification of Thiol–Ene Ultraviolet-Curable Formulations, 2583C
Saragai, S. See Tashiro, K., 495P
Sarbu, T.
—; Pintauer, T.; McKenzie, B.; Matyjaszewski, K.: Atom Transfer Radical Polymerization of Styrene in Toluene/Water Mixtures, 3153C
Sarcinelli, F. See Bruno, V., 1468C
Sarker, A. M. See Bhowmik, P. K., 659C
Sartorio, R. See Vergara, A., 43P
Sarzotti, D. M.
—; Soares, J. B. P.; Penlidis, A.: Ethylene/1-Hexene Copolymers Synthesized with a Single-Site Catalyst: Crystallization Analysis Fractionation, Modeling, and Reactivity Ratio Estimation, 2595P
Sasada, Y.
—; Shibasaki, Y.; Suzuki, M.; Ueda, M.: New Positive-Type Photosensitive Polymer Based on Poly(2,6-dihydroxy-1,5-naphthylene) and Diazonaphthoquinone, 393C
Sasaki, M. See Minegishi, S., 3835C
Sasaki, Y. See Inomata, K., 1904P
Sathyanarayana, D. N. See De, P., 9C, 564C, 2004P; Rao, P. S., 4065C
Satija, S. See Jeon, H. S., 2653P
Sato, N. See Sato, T., 2772C
Sato, S. See Baigude, H., 3622C
Sato, T.
—; Mukuno, H.; Ishida, H.; Seno, M.; Hirano, T.: Radical Polymerization of Vinyl Thiocyanatoacetate: Participation of Group-Transfer Mechanism, 573C
—; Sato, N.; Seno, M.; Hirano, T.: Effect of Glyoxylic Oxime Ether on Radical Polymerization of Styrene, 2772C
—; See Hirano, T., 2415C, 4513C; Seno, M., 2945C
Satoh, M. See Yamazawa, K., 1400P
Satoh, T.
—; Imai, T.; Sugie, N.; Nonokawa, R.; Yokota, K.; Kakuchi, T.: Bulk Cyclopolymerization of 1,2:5,6-Diepithio-3,4-di-*O*-

methyl-1,2:5,6-tetradeoxy-D-mannitol with Quaternary Ammonium Salts Leading to Gel-Free Thiosugar Polymer, 965C
—; See Imai, T., 3443C
Satou, T. See Yasuniwa, M., 2411P
Sauer, B. B.
—; Mclean, R. S.; Brill, D. J.; Londono, D. J.: Morphology and Orientation during the Deformation of Segmented Elastomers Studied with Small-Angle X-Ray Scattering and Atomic Force Microscopy, 1727P
Sauer, J. A. See Chen, W. C., 1110P
Savin, D. A.
—; Pyun, J.; Patterson, G. D.; Kowalewski, T.; Matyjaszewski, K.: Synthesis and Characterization of Silica-*graft*-Polystyrene Hybrid Nanoparticles: Effect of Constraint on the Glass-Transition Temperature of Spherical Polymer Brushes, 2667P
Sawai, D.
—; Takahashi, K.; Imamura, T.; Nakamura, K.; Kanamoto, T.; Hyon, S.-H.: Preparation of Oriented β-Form Poly(L-lactic acid) by Solid-State Extrusion, 95P
Sawamoto, M. See Baek, K.-Y., 633C, 1937C, 1972C, 2245C; Fuji, Y., 2055C; Hamasaki, S., 617C; Onishi, I., 2033C
Sawauchi, C. See Hamasaki, S., 617C
Saxena, R.
—; Kandpal, L. D.; Mathur, G. N.: Synthesis and Characterization of Poly(benzobisthiazole)s Derived from Halogenated Phthalic Acid and Isophthalic Acid, 3959C
Scandola, M. See Ceccorulli, G., 1390P
Scarinzi, G. See Musto, P., 922P
Schade, B. See Dlubek, G., 434P
Schäfer, M.
—; Wieland, P. C.; Nuyken, O.: Synthesis of New Graft Copolymers Containing Polyisobutylene by a Combination of the 1,1-Diphenylethylene Technique and Cationic Polymerization, 3725C
Schenning, A. P. H. J. See El-Ghayoury, A., 4020C
Schiller, S. M. See Götz, H., 3379C
Schiraldi, D. A. See Davis, C. H., 2661P; Hu, Y. S., 2489P; Liu, R. Y. F., 862P; Vargas, M., 3256C;
Schlick, S. See Varghese, B., 415P, 424P
Schmidt, B. M. See Dibattista, J., 43C
Schmidt, R. See Paul, R., 3284C
Schmidt, S. C.
—; Hillmyer, M. A.: Morphological Behavior of Model Poly(ethylene-*alt*-propylene)-*b*-polylactide Diblock Copolymers, 2364P
Schoonbrood, H. A. S. See Amalvy, J. I., 2994C
Schork, F. J. See Luo, Y., 3200C
Schulte, K. See Denchev, Z., 2570P
Schultz, J. See Elzein, T., 1464P
Schulz, D. N. See Pantazis, D., 1476C
Schweizer, T. See Vinckier, I., 679P
Sclavons, M. See Fustin, C. A., 1952C
Scola, D. A. See Fang, X., 2264C
Scranton, A. B. See Miller, G. A., 793C
Séguéla, R.
—; Dislocation Approach to the Plastic Deformation of Semicrystalline Polymers: Kinetic Aspects for Polyethylene and Polypropylene, 593P
—; See Labour, T., 31P
Seifert, S. See Gorga, R. E., 255P
Senkal, B. F. See Sonmez, H. B., 3068C
Seno, M.
—; Sunagawa, S.; Sato, T.: Radical Polymerization Behavior of Ethyl *Ortho*-(4-phenyl-1,3-dioxolan-2-yl)-phenyl Fumarate, 2945C
—; See Hirano, T., 2415C, 4513C; Sato, T., 573C, 2772C
Senthil, S.
—; Kannan, P.: Synthesis and Characterization of Liquid-Crystalline Polyphosphonates Containing Disubstituted Ferrocene Esters as Mesogens, 2256C
Seppälä, J. See Lipponen, S., 1303C
Seppälä, J. V. See Kokko, E., 3292C
Serhatli, E. See Cianga, I., 2199C
Serimaa, R. See Jokela, K., 1539P
Serita, K.-I. See Niimi, L., 1236C
Serizawa, T.
—; Uemura, M.; Kaneko, T.; Akashi, M.: Rapid and Controlled Deswelling of Porous Poly(*N*-isopropylacrylamide) Hydrogels Prepared by the Templating of Interpenetrated Nanoporous Silica Particles, 3542C
—; Wakita, K.; Kaneko, T.; Akashi, M.: Thermoresponsive Properties of Porous Poly(*N*-isopropylacrylamide) Hydrogels Prepared in the Presence of Nanosized Silica Particles and Subsequent Acid Treatment, 4228C
Serra, A. See Ribera, D., 3916C, 4344C
Sevegney, M. See Parthasarthy, G., 2539P
Shahin, M. M.
—; Olley, R. H.: Novel Etching Phenomena in Poly(3-hydroxy butyrate) and Poly(oxymethylene) Spherulites, 124P
Shaikh, A.-A. G.
—; Hay, A. S.: Synthesis and Characterization of Soluble, Fluorescent Poly(arylene ether)s, Poly(arylene thioether)s, and Poly(arylene sulfone)s Containing 1,3,5-Triphenylbenzene Segments, 496C
Shan, C. L. P.
—; Soares, J. B. P.; Penlidis, A.: Ethylene/1-Octene Copolymerization Studies with *In Situ* Supported Metallocene Catalysts: Effect of Polymerization Parameters on the Catalyst Activity and Polymer Microstructure, 4426C
Shao, C.-L. See Ding, B., 1261P
Sharma, C. D. See Bisht, H. S., 1818C
Sharma, M. See Salunke, A. K., 55C
Shemper, B. S.
—; Acar, A. E.; Mathias, L. J.: Synthesis of Linear and Starlike Polymers from Poly(propylene glycol) Methacrylate Using

Controlled Radical Polymerization, 334C
Shen, D. See Li, H., 3161C
Shen, D. Y. See Zhang, J. M., 2772P
Shen, K. See Wang, Y., 2086P
Shen, Q.
—; Wang, Y.; Zhang, K.; Yao, Y.: Lanthanocene Amide Complexes as Single-Component Initiators for the Polymerization of (Dimethylamino)ethyl Methacrylate, 612C
Shen, Y. See Zeng, F., 2394C
Shenton, M. J.
—; Stevens, G. C.; Wright, N. P.; Duan, X.: Chemical-Surface Modification of Polymers Using Atmospheric Pressure Nonequilibrium Plasmas and Comparisons with Vacuum Plasmas, 95C
Sherman, J. W. See Storey, R. F., 3434C
Shi, Y. See Teng, H., 2107P
Shibasaki, Y. See Ebara, K., 3399C; Endo, T., 2190C; Sasada, Y., 393C
Shiburo, T. See Nitta, K.-H., 2018P
Shibuya, W. See Hatada, K., 2134C
Shieh, J.-Y.
—; Wang, C.-S.: Effect of the Organophosphate Structure on the Physical and Flame-Retardant Properties of an Epoxy Resin, 369C
Shieh, Y.-T.
—; Lee, M.-S.; Chen, S.-A.: Interaction Parameters of Crystalline/Crystalline Polypropylene/Poly(butene-1) Blends: Effect of Molecular Fractionation, 638P
Shields, J. R. See Davis, C. H., 2661P
Shih, H.-H. See Chiu, F.-C., 325P
Shimada, S. See Yamamoto, K., 3350C
Shimizu, H. See Hayakawa, T., 2406C
Shimojo, M. See Ishiyama, C., 1P
Shin, K. See Jeon, H. S., 2653P
Shinohara, K.-I.
—; Aoki, T.; Kaneko, T.: Helical Chirality of π-Conjugated Main-Chain Induced by Polymerization of Phenylacetylene with Chiral Bulky Pinanyl Groups: Effects of the Flexible Spacer and Polymerization Catalyst, 1689C
Shiono, T. See Nath, D. C. D., 3086C
Shirahama, H.
—; Tanaka, A.; Yasuda, H.: Highly Biodegradable Copolymers Composed of Chiral Depsipeptide and L-Lactide Units with Favorable Physical Properties, 302C
Shirai, M. See Okamura, H., 3055C; Suyama, K., 1377C
Shiraishi, S. See Kudo, K., 4038C
Shiraki, K. See Matsumoto, A., 317C
Shiratori, M. See Imai, Y., 2648C
Shiue, S.-T. See Ouyang, H., 1444P
Shu, C.-F. See Chou, C.-H., 3615C; Reddy, D. S., 262C
Shul, Y. See Lee, C., 2190P
Siani, E. See Longo, P., 3249C
Šics, I. See Denchev, Z., 2570P
Siegmann, A. See Artzi, N., 1741P
Sikorski, P. See Ehrenstein, M., 2685P
Sill, K. N. See Orlicki, J. A., 936C
Silva, R. A. See Marques, M. F. V., 2979C
Simanke, A. G.
—; Mauler, R. S.; Galland, G. B.: Ethylene Copolymerization with Cyclic Dienes Using *rac*-Et Ind$\}_2ZrCl_2$–Methylaluminoxane, 471C
Simon, S. L. See Zheng, Y., 2027P
Simone, C. D. See Fang, X., 2264C
Simonsick, W. J., Jr. See Vogl, O., 923C
Siracusa, V. See Finelli, L., 1354P
Sirigu, A. See Bruno, V., 1468C
Sissano, J. A. See Baugh, L. S., 1633C
Sivakumar, M. See Rani, D. A., 530P
Skouri, R. See Knaebel, A., 1985P
Smid, J.
—; Historical Perspectives on Living Anionic Polymerization, 2101C
Śmiga, M. See Kurcok, P., 2184C
Smirnov, V. S. See Mikhailov, Y. M., 1383P
Smith, A. P.
—; Fraser, C. L.: Luminescent Polymeric Ruthenium Complexes with Polystyrene-*b*-Poly(methyl methacrylate) Macroligands: The Sequential Activation of Initiator Sites for Blocks Generated by Parallel Polymerization Mechanisms, 4250C
Smith, D. W., Jr. See Traiphol, R., 2817P
Smith, G. See Yim, H., 1709P
Smith, P. See Ehrenstein, M., 2685P
Snell, G. See Gauthier, M., 2303P
Snijder, A.
—; Klumperman, B.; Van der Linde, R.: End-Group Modification of Poly(butyl acrylate) Prepared by Atom Transfer Radical Polymerization: Mechanistic Study Using Gradient Polymer Elution Chromatography, 2350C
Soares, J. B. P. See D'Agnillo, L., 905P; Sarzotti, D. M., 2595P; Shan, C. L. P., 4426C
Sohn, K. E. See Walters, R. M., 2833P
Sokolov, A. See Kurian, P., 1285C
Sokolov, A. P. See Kisliuk, A., 201P, 2431P
Soles, C. L. See Lee, H.-J., 2170P
Soltero, J. F. A. See Maciel, A., 303P
Sommerdijk, N. A. J. M. See Kros, A., 738C
Son, W.-K.
—; Song, H.-Y.; Kim, S.-H.; Kim, H.-J.; Kim, W.-G.: Synthesis and Properties of Amine-Containing Poly(arylene ether sulfone) as an Anion-Exchange Matrix, 4281C
Son, Y.
—; Migler, K. B.: Cavitation of Polyethylene during Extrusion Processing Instabilities, 2791P
Song, F.
—; Pappalardo, D.; Johnson, A. F.; Rieger, B.; Bochmann, M.: Derivatization of Propene/Methyloctadiene Copolymers: A Flexible Approach to Side-Chain-Functionalized Polypropenes, 1484C

Song, H. H. See Wang, K. H., 1454P
Song, H.-Y. See Son, W.-K., 4281C
Song, J.
—; Bódis, J.; Puskas, J. E.: Direct Functionalization of Polyisobutylene by Living Initiation with α-Methylstyrene Epoxide, 1005C
Song, W. See Li, Z., 1804P
Songkhla, P. N.
—; Wootthikanokkhan, J.: Effect of the Copolymer Composition on the *K* and *a* Constants of the Mark–Houwink Equation: Styrene—Methyl Methacrylate Random Copolymers, 562P
Sonmez, H. B.
—; Senkal, B. F.; Bicak, N.: Poly(acrylamide) Grafts on Spherical Bead Polymers for Extremely Selective Removal of Mercuric Ions from Aqueous Solutions, 3068C
Souaille, M. See Ananchenko, G. S., 3264C
Soucek, M. D. See Ni, H., 1677C; Teng, G., 4256C
Soykan, C. See Erol, I., 1756C
Spange, S. See Meyer, T., 3144C
Spiliopoulos, I. K.
—; Mikroyannidis, J. A.: Poly(phenylene ethynylene)s with Alkoxyphenyl Substituents, 1449C
—; Mikroyannidis, J. A.: Synthesis and Optical Properties of Soluble Polyethers Containing Oligophenyl in the Main Chain and *p*-Styrylbenzene Side Groups, 682C
—; Mikroyannidis, J. A.: Synthesis of Poly(*p*-phenylene vinylene)- and Poly(phenylene ethynylene)-Based Polymers Containing *p*-Terphenyl in the Main Chain with Alkoxyphenyl Side Groups, 2591C
Spontak, R. J. See Thongruang, W., 1013P
Sreekumar, K. See Philip, B., 2868C
Srinivasan, K. S. V. See Padmavathy, T., 1527C
Srivastava, A. K. See Pandey, P., 1243C
Srivastava, S. K. See Pramanik, M., 2065P
Stamm, M. See Mahltig, B., 338P
Start, P. See Zhu, J., 1498C
Stejny, J. See Dlubek, G., 65P, 434P
Stenzel, M. H.
—; Davis, T. P.: Star Polymer Synthesis Using Trithiocarbonate Functional β-Cyclodextrin Cores (Reversible Addition–Fragmentation Chain-Transfer Polymerization), 4498C
Stevens, G. C. See Shenton, M. J., 95C
Storey, R. F.
—; Mullen, B. D.; Desai, G. S.; Sherman, J. W.; Tang, C. N.: Soluble Tin(II) Macroinitiator Adducts for the Controlled Ring-Opening Polymerization of Lactones and Cyclic Carbonates, 3434C
Strawhecker, K. See Rackaitis, M., 2339P
Stribeck, N. See Androsch, R., 1919P
Su, G. See Liu, Z., 1122C
Subramaniam, N. See Lee, D.-Y., 809C
Sudo, A.
—; Endo, T.: Application of Ketenes to Well-Defined Polyester Synthesis (4): End-Capping Reactions in Living Anionic Polymerization of Ethylphenylketene, 3103C
—; Iinuma, R.; Endo, T.: Formation of a Living Anionic Oligomer of Ethylphenylketene on Polystyrene Beads and Its Application to the Solid-Supported Synthesis of Poly(Methyl Methacrylate), 3455C
—; Iitaka, Y.; Endo, T.: Selective Reduction of Main-Chain 2-Azetidinone Moieties into Azetidines for Polymer Modification, 1912C
Sue, H.-J. See Lu, J., 507P
Suefuji, K. See Takeichi, T., 3497C
Sugie, N. See Satoh, T., 965C
Sugihara, K. See Machida, S., 210P
Sugishita, K. See Higashi, F., 4024C
Sugita, Y. See Suzuki, K., 971C
Sugizaki, T. See Moriya, O., 286C
Suito, Y.
—; Isobe, Y.; Habaue, S.; Okamoto, Y.: Isotactic-Specific Radical Polymerization of Methacrylamides in the Presence of Lewis Acids, 2496C
Summers, J. W. See Pi, Z., 3644C
Sun, D. See Dong, A., 972P
Sun, H.
—; Tang, Y.; Wu, G.; Zhang, F.: Investigation of the Relationship of the Glass-Transition Temperature and the Polymer Structure by Fuzzy Set Theory, 454P
—; Tang, Y.; Zhang, F.; Wu, G.; Chan, S.-K.: Nonlinear Characteristics of the Quantitative Relationship between the Glass-Transition Temperature and the Structure of Homopolymers, 2164P
Sun, J. See Yang, X.-Z., 2646P; Yao, F., 642C
Sun, S. See Tian, G., 649P
Sun, Y. S.
—; Woo, E. M.: Temperature and Composition Effects on Polymorphism Changes in Cold-Crystallized Miscible Blends of Syndiotactic and Atactic Polystyrenes, 176P
Sunagawa, S. See Seno, M., 2945C
Sunder, A. See Zimmermann, J., 2085C
Sundholm, F. See Holmberg, S., 591C; Jokela, K., 1539P
Sundholm, G. See Holmberg, S., 591C; Jokela, K., 1539P
Sung, N. H. See Lee, K. H., 2259P
Sungur, Ş. See Bicak, N., 748C
Sutto, T. E. See Davis, C. H., 2661P
Sutton, S. J. See Martin, C. P., 2178P
Suyama, K.
—; Yamaguchi, S.; Shirai, M.; Tsunooka, M.: Erratum: Enhanced Dissolution of Copolymers Bearing Photobase- or Photoacid-Generating Groups in Polar Solvents by Photochemical Formation of Ionic Pairs, 1377C
Suzuki, J.
—; Furuya, M.; Iinuma, M.; Takano, A.; Matsushita, Y.:

Morphology of ABC Triblock Copolymer/Homopolymer Blend Systems, 1135P
Suzuki, K.
—; Matsu-ura, N.; Horii, H.; Sugita, Y.; Sanda, F.; Endo, T.: Reaction of Glycidyl Phenyl Ether with Imines: A Model Study of Latent Hardeners of Epoxy Resins in the Presence of Water, 971C
Suzuki, M. See Sasada, Y., 393C
Suzuki, T. See Furukawa, T., 613P
Suzuki, Y. See Yokozawa, T., 3460C
Svec, F. See Yu, C., 755C
Swingler, S. G. See Martin, C. P., 2178P
Sysel, P. See Bershtein, V. A., 1056P
Szwarc, M. See Verheyden, H., 2148C

Taden, A.
—; Tait, A. H.; Kraft, A.: Synthesis and Polymerization of 5-(Methacrylamido)tetrazole, a Water-Soluble Acidic Monomer, 4333C
Tait, A. H. See Taden, A., 4333C
Takagi, K.
—; Nishikawa, Y.; Nishioka, N.; Kunisada, H.; Yuki, Y.: π-Conjugated Oligomers Containing Tropone in the Main Chain: Synthesis, Characterization, and Optical Properties, 3927C
Takagi, Y.
—; Saeki, N.; Tsubouchi, A.; Murakami, H.; Kumagai, Y.; Takeda, T.: Vinyltitanium as an Initiator for the Polymerization of Acetylene, 2663C
Takahara, S. See Lee, J., 1858C
Takahashi, E.
—; Sanda, F.; Endo, T.: Novel Pyridinium Salts as Cationic Thermal and Photoinitiators and Their Photosensitization Properties, 1037C
Takahashi, I. See Machida, S., 210P
Takahashi, K. See Sawai, D., 95P
Takahashi, Y.
—; Murakami, K.; Nishikawa, S.: Mechanism for the Phase Transition of Poly(butylene terephthalate), 765P
Takano, A.
—; Nonaka, A.; Kadoi, O.; Hirahara, K.; Kawahara, S.; Isono, Y.; Torikai, N.; Matsushita, Y.: Preparation and Characterization of Cyclic Polystyrene with Short Poly(2-*tert*-butylbutadiene) Sequences, 1582P
—; See Suzuki, J., 1135P
Takase, S. See Kanbara, T., 2637C
Takasu, A.
—; Ohmori, S.; Yamauchi, Y.; Hirabayashi, T.: Micellar Polymerization of Amphiphilic Poly(vinyl alcohol) Macromonomer Having a Methacrylate End Group Prepared by Aldol-Type Group-Transfer Polymerization, 4477C
Takayama, A. See Sakai, H., 939P, 948P
Takeda, T. See Takagi, Y., 2663C
Takeichi, T.
—; Suefuji, K.; Inoue, K.: Preparation of High-Temperature Polyurethane by Alloying with Reactive Polyamide, 3497C
Takeuchi, D.
—; Sakaguchi, Y.; Osakada, K.: Alternating Copolymerization of Propylene Oxide with Carbon Monoxide Catalyzed by Co Complex and Co/Ru Complexes, 4530C
Takeuchi, H.
—; Kakimoto, M.-A.; Imai, Y.: New Synthetic Method for Aromatic Polyketones from Bis(arylsilane)s and Aromatic Dicarboxylic Acid Chlorides, 2729C
—; See Imai, Y., 2656C
Takeyoshi, R. See Hirano, T., 2415C
Takizawa, A. See Tsujita, Y., 831P
Takizawa, J. See Higashi, F., 1775C
Tamai, S.
—; Kamada, J.; Ono, T.; Kuroki, T.; Goto, K.; Yamaguchi, A.: Synthesis of Photoreactive Polyimide Having Indan Structure, 423C
Tan, N. See Bicak, N., 748C
Tan, N. C. B. See Young, S. K., 387P
Tanaka, A. See Kanaoka, S., 2449C; Shirahama, H., 302C
Tanaka, H. See Yamamoto, K., 3350C
Tanaka, M. See Okamura, H., 1945C
Tanaka, S. See Ihara, E., 4302C
Tang, C. N. See Storey, R. F., 3434C
Tang, T. See Liu, C., 1892C; Tong, X., 1706C
Tang, W. See Gao, C., 2340C
Tang, X. See Hong, L., 344C; Tian, Q., 1236P
Tang, Y. See Sun, H., 454P, 2164P
Taniguchi, T. See Yokozawa, T., 3460C
Tanner, R. I. See Former, C., 3335C
Tao, P. See Huang, W., 229C
Tasaka, F. See Ouchi, T., 1218C, 1426C
Tashiro, K.
—; Kariyo, S.; Nishimori, A.; Fujii, T.; Saragai, S.; Nakamoto, S.; Kawaguchi, T.; Maatsumoto, A.; Rangsiman, O.: Development of a Simultaneous Measurement System of X-ray Diffraction and Raman Spectra: Application to Structural Study of Crystalline-Phase Transitions of Chain Molecules, 495P
—; See Kitagawa, T., 1269P, 1281P
Teng, G.
—; Soucek, M. D.: Effect of Introduction Mode of Hydroxyl Functionality on Morphology and Film Properties of Cycloaliphatic Diepoxide Crosslinkable Core-Shell Latex, 4256C
Teng, H.
—; Shi, Y.; Jin, X.: Novel Characterization of the Crystalline Segment Distribution and Its Effect on the Crystallization of Branched Polyethylene by Differential Scanning Calorimetry, 2107P
Teodorescu, M. See Hong, S. C., 2736C
Teraguchi, M. See Nagai, K., 2228P
Termonia, Y.
—; Sphere-to-Cylinder Transition in Dilute Solutions of Diblock Copolymers, 890P
Thakur, K. A. M. See Lewandowski, K., 3037C

Thierry, A. See Mathieu, C., 2504P
Thiyagarajan, P. See Gorga, R. E., 255P
Thomas, S. See Joseph, S., 755P; Varghese, H., 1556P
Thomatos, J. See Bibaut-Renauld, C., 3171C
Thompson, A. See Kaur, S., 3027C
Thompson, J. L. See Orlicki, J. A., 936C
Thompson, S. L. See Salazar, M. R., 181P
Thongruang, W.
—; Balik, C. M.; Spontak, R. J.: Volume-Exclusion Effects in Polyethylene Blends Filled with Carbon Black, Graphite, or Carbon Fiber, 1013P
Thurau, C. T.
—; Ediger, M. D.: Spatially Heterogeneous Dynamics during Physical Aging Far below the Glass Transition Temperature, 2463P
Thurman, D. W. See Moffitt, M., 2842P
Tian, G.
—; Wu, Q.; Sun, S.; Noda, I.; Chen, G.-Q.: Two-Dimensional Fourier Transform Infrared Spectroscopy Study of Biosynthesized Poly(hydroxybutyrate-*co*-hydroxyhexanoate) and Poly(hydroxybutyrate-*co*-hydroxyvalerate), 649P
Tian, Q.
—; Zhao, X.; Tang, X.; Zhang, Y.: Hydrophobicity of Fluoro-Containing Physical Crosslinkage Domains in Hydrophobically Modified Poly(acrylic acid) Gels, 1236P
Tiemblo, P.
—; Guzmán, J.; Riande, E.; Mijangos, C.; Herrero, M.; Espeso, J.; Reinecke, H.: Diffusion of Small Molecules through Modified Poly(vinyl chloride) Membranes, 964P
Tihminlioglu, F. See Cai, W. D., 1046P
Tillman, E. S.
—; Hogen-Esch, T. E.: Mechanism of Coupling Reactions of Polystyryllithium with Dihalomethanes, 1081C
Tjong, S. C.
—; Meng, Y. Z.; Xu, Y.: Structure and Properties of Polyamide-6/Vermiculite Nanocomposites Prepared by Direct Melt Compounding, 2860P
—; Xu, S.-A.; Mai, Y.-W.: Impact-Specific Essential Work of Fracture of Maleic Anhydride-Compatibilized Polypropylene/Elastomer Blends and Their Composites, 1881P
—; See Meng, Y. Z., 1441C; Xie, X. L., 1214P; Meng, Y. Z., 3579C
Tobiesen, F. A.
—; Michielsen, S.: Method for Grafting Poly(acrylic acid) onto Nylon 6,6 Using Amine End Groups on Nylon Surface, 719C
Tobita, H.
—; Bimodal Molecular Weight Distribution Formed in the Emulsion Polymerization of Ethylene, 3426C
Toda, S. See Okamura, H., 3055C
Todres, R. E. See Fried, E., 2098P
Tomalia, D. A.
—; Fréchet, J. M. J.: Discovery of Dendrimers and Dendritic Polymers: A Brief Historical Perspective, 2719C
Tomita, R.
—; Urano, S.; Kohiki, S.: Characterization of the Surface Content, Hydrolysis Ratio, and Condensation Degree of Polyalkoxysiloxane Segregated to the Surface of a Polyurethane Crosslinked Film by X-Ray Photoelectron Spectroscopy, 2917C
Tomoi, M. See Goh, Y., 2689C, 2702C
Tonelli, A. E.
—; Conformational Characteristics of Poly(ethylene phthalate)s, 1254P
—; See Bullions, T. A., 992P
Tonelli, C.
—; Di Meo, A.; Barchiesi, E.: Perfluoropolyether Alkyl Diesters: Structure Effects of the Alkyl Group on the Kinetics of the Hydrolysis Reactions, 4266C
—; See Mashlyakovskiy, L., 3771C
Tong, J.-D. See Moffitt, M., 2842P
Tong, X.
—; Zhao, H.; Tang, T.; Feng, Z.; Huang, B.: Preparation and Characterization of Poly(ethyl acrylate)/Bentonite Nanocomposites by *In Situ* Emulsion Polymerization, 1706C
Tonosaki, S. See Ito, N., 1395C
Toppare, L. See Çirpan, A., 4131C
Tordo, P. See Ananchenko, G. S., 3264C
Torikai, N. See Takano, A., 1582P
Torkelson, J. M. See Ellison, C. J., 2745P
Torkkeli, M. See Jokela, K., 1539P
Tortora, M. See Gorrasi, G., 1118P
Tortosa, K. See Cunningham, M. F., 2828C
Toth, A. See Dragan, S., 3570C
Toy, L. G. See Nagai, K., 2228P
Traiphol, R.
—; Smith, D. W., Jr.; Perahia, D.: Surface Ordering in Thin Films of Liquid-Crystalline Polymers Containing Fluorinated and Protonated Segments: Neutron-Reflectometry Study, 2817P
Trevino, S. F. See Young, S. K., 387P
Tronc, F.
—; Chen, W.; Winnik, M. A.; Eckersley, S. T.; Rose, G. D.; Weishuhn, J. M.; Meunier, D. M.: Epoxy-Functionalized, Low-Glass-Transition-Temperature Latex. II. Interdiffusion versus Crosslinking in the Presence of a Diamine, 4098C
—; Liu, R.; Winnik, M. A.; Eckersley, S. T.; Rose, G. D.; Weishuhn, J. M. ; Meunier, D. M.: Epoxy-Functionalized, Low Glass-Transition Temperature Latex. I. Synthesis, Characterizations, and Polymer Interdiffusion, 2609C
Trulove, P. See Davis, C. H., 2661P
Tsabba, Y.
—; Rein, D. M.; Cohen, Y.: Effect of Coagulation Conditions on the Microfibrillar Network of a Rigid Polymer, 1087P
Tsagaropoulos, G. See Bibaut-Renauld, C., 3171C
Tsai, C.-J.
—; Chen, Y.: Thermotropic Liquid-Crystalline Poly(oxadiazole)s with Poly-

(methylene) Spacers: Preparation and Extraordinary Odd–Even Effect, 293C
Tsai, H.-B. See Tsai, R.-S., 2626C
Tsai, R.-S.
—; Lee, Y.-D.; Tsai, H.-B.: Block Copolyesters of Poly(pentamethylene *p,p'*-bibenzoate) and Poly(tetramethylene adipate), 2626C
Tsou, A. H. See Zhang, S. L., 585P, 1530P
Tsoukatos, T.
—; Hadjichristidis, N.: Synthesis of Model Polycyclohexylene/Polyethylene Miktoarm Star Copolymers with Three and Four Arms, 2575C
Tsubokawa, N.
—; Abe, N.; Wei, G.; Chen, J.; Saitoh, S.; Fujiki, K.: Grafting of Polymers onto a Carbon-Fiber Surface by Ligand-Exchange Reaction of Poly(vinyl ferrocene-*co*-vinyl monomer) with Polycondensed Aromatic Rings of the Surface, 1868C
—; See Chen, J., 134P
Tsubouchi, A. See Takagi, Y., 2663C
Tsuchida, S. See Minegishi, S., 3835C
Tsujita, Y.
—; Yasuda, M.; Kinoshita, T.; Takizawa, A.; Yoshimizu, H.; Davies, G. R.: Structure of Ionic Aggregates of Ionomers. II. Effect of Humidity and Temperature on Ethylene and Styrene Ionomers, 831P
—; See Rani, D. A., 530P
Tsunooka, M. See Okamura, H., 3055C; Suyama, K., 1377C
Tsutsui, K. See Nishikubo, T., 1293C
Tsutsumi, A. See Ishii, F., 1026P
Tsutsumi, H. See Oishi, T., 1726C
Tsutsumi, N. See Katayama, S., 537P, 2800P; Nagata, M., 4523C
Tu, D. See Li, X., 365P
Tu, L. W. See Bai, S. J., 1760P
Tunca, U.
—; Erdogan, T.; Hizal, G.: Synthesis and Characterization of Well-Defined ABC-Type Triblock Copolymers via Atom Transfer Radical Polymerization and Stable Free-Radical Polymerization, 2025C
Turner, S. R. See Xiao, J., 852C
Turri, S. See Delucchi, M., 52P
Turunen, M. P. K.
—; Laurila, T.; Kivilahti, J. K.: Evaluation of the Surface Free Energy of Spin-Coated Photodefinable Epoxy, 2137P

Uchida, I. See Umeda, M., 1103P
Uddin, A. J.
—; Katayama, N.; Ohkoshi, Y.; Gotoh, Y.; Nagura, M.: Controlling the Mechanical Properties of Poly(L-lactide–ε-caprolactone) Monofilament Sutures by an Acetone/Water Treatment, 2449P
Ueda, M. See Ebara, K., 3399C; Sasada, Y., 393C
Uematsu, T.
—; Maenosono, S.; Watanabe, A.; Yamaguchi, Y.: Angular Dependence in the Transmittance from Self-Organized Striped Pattern of Refractive Indices in Photopolymer, 216P
—; See Osaki, K., 1038P
Uemura, M. See Serizawa, T., 3542C
Uemura, T. See Yamamoto, T., 2686C
Umeda, M.
—; Ojima, H.; Mohamedi, M.; Uchida, I.: Methanol Vapor-Induced Morphology and Current–Voltage Characteristic Changes in a Cast-Coated Nafion Film/Interdigitated Microarray Electrode, 1103P
Umehara, A. See Hashimoto, T., 4053C
Unzué, M. J. See Amalvy, J. I., 2994C
Urano, S. See Tomita, R., 2917C
Urayama, K. See Kawamura, T., 2780P
Uryu, T. See Baigude, H., 3622C
Uyama, H. See Kobayashi, S., 192C

Vaccaro, E. See Fang, X., 2264C
Vaia, R. A.
—; Liu, W.: X-Ray Powder Diffraction of Polymer/Layered Silicate Nanocomposites: Model and Practice, 1590P
Vakhtangishvili, L. See Kricheldorf, H. R., 2967C
Valderas, C.
—; Bertolotti, S.; Previtali, C. M.; Encinas, M. V.: Influence of the Amine Structure on the Polymerization of Methyl Methacrylate Photoinitiated by Aromatic Ketone/Amine, 2888C
Valdre, A. See Ryner, M., 2049C
Vallés, E. M. See Ciolino, A., 3182C; Ciolino, A. E., 3950C
Vana, P.
—; Albertin, L.; Barner, L.; Davis, T. P.; Barner-Kowollik, C.: Reversible Addition—Fragmentation Chain-Transfer Polymerization: Unambiguous End-Group Assignment via Electrospray Ionization Mass Spectrometry, 4032C
—; See Barner-Kowollik, C., 675C, 1058C
Van Beylen, M. See Verheyden, H., 2148C
Van der Linde, R. See Snijder, A., 2350C; Zhang, H., 3549C
Van Dongen, J. L. J. See Jayakannan, M., 4463C
Vanhaecht, B.
—; Rimez, B.; Willem, R.; Biesemans, M.; Koning, C. E.: Influence of Stereochemistry on the Thermal Properties of Partially Cycloaliphatic Polyamides, 1962C
Van Hal, P. A. See Jayakannan, M., 251C, 2360C
Van Horn, B. See Blomberg, S., 1309C
Van Lierde, P. See Verheyden, H., 2148C
Van Reenen, A. J. See Graef, S. M., 128C
Varelas, C. G. See Bibaut-Renauld, C., 3171C
Vargas, M.
—; Kriegel, R. M.; Collard, D. M.; Schiraldi, D. A.: Diels—Alder Modification of Poly(ethylene terephthalate-*co*-anthracene-2,6-carboxylate) with *N*-Substituted Maleimides, 3256C
Varghese, B.
—; Schlick, S.: Microphase Separation in Poly(acrylonitrile–butadiene–styrene) (ABS) Studied with Paramagnetic Spin Probes. I. Electron Spin Resonance Spectra, 415P

—; Schlick, S.: Microphase Separation in Poly(acrylonitrile–butadiene–styrene) (ABS) Studied with Paramagnetic Spin Probes. II. Simulation of Electron Spin Resonance Spectra, 424P

Varghese, H.
—; Johnson, T.; Bhagawan, S. S.; Joseph, S.; Thomas, S.; Groeninckx, G.: Dynamic Mechanical Behavior of Acrylonitrile Butadiene Rubber/Poly(ethylene-*co*-vinyl acetate) Blends, 1556P

Varlet, J. See Masenelli-Varlot, K., 272P

Varshney, S. K. See Zeng, F., 4387C

Vasanthan, N.
—; Ruetsch, S. B.; Salem, D. R.: Structure Developmenet of Polyamide-66 Fibers during Drawing and Their Microstructure Characterization, 1940P

Vasconcellos, M. A. Z. See Lima, M. F. S., 896P

Vaughan, A. S. See Martin, C. P., 2178P

Vergara, A.
—; Paduano, L.; Sartorio, R.: Velocity-Correlation Analysis in Polymer–Solvent Mixtures, 43P

Verhelst, V. See Fustin, C. A., 1952C

Verheyden, H.
—; Van Lierde, P.; Szwarc, M.; Litvinenko, G.; Van Beylen, M.: Dual Influence of Lithium Chloride on the Anionic Propagation of Polystyryllithium in Ethereal Solvents, 2148C

Vermylen, V. See Fustin, C. A., 1952C

Vigier, G. See Labour, T., 31P; Masenelli-Varlot, K., 272P

Villani, V. See Pucciariello, R., 1477P

Villar, M. A. See Ciolino, A., 3182C

Vinckier, I.
—; Schweizer, T.; Laun, H. M.: Interfacial Tension in a Lower Critical Solution Temperature Blend: Effect of Temperature, Blend Composition, and Deformation of the Interphase, 679P

Vittoria, V. See Gorrasi, G., 1118P

Vizen, E. I. See Kissin, Y. V., 1899C

Vogl, O.
—; Jaycox, G. D.; Simonsick, W. J., Jr.: Isotopically Pure Uniform Polymers: The Final Step Toward True Uniformity in Macromolecules, 923C

Volpert, V. See Bazile, M., Jr., 3504C

Volynkina, N. See Mashlyakovskiy, L., 3771C

Volynskii, A. L. See Bazhenov, S. L., 10P

Vuano, B. M. See Ciolino, A., 3182C

Wada, M.
—; Lateral Thermal Expansion of Cellulose I_β and III_I Polymorphs, 1095P

Wahner, U. M. See Graef, S. M., 128C

Wakita, K. See Serizawa, T., 4228C

Walters, R. M.
—; Sohn, K. E.; Winey, K. I.; Composto, R. J.: Local Acid Environment in Poly(ethylene-*ran*-methacrylic acid) Ionomers, 2833P

Wan, K. See Liao, L. Q., 1749C

Wan, X. See Xiao, J., 852C

Wang, C.
—; Carriere, C. J.; Willett, J. L.: Processing, Mechanical Properties, and Fracture Behavior of Cereal Protein/Poly(hydroxyl ester ether) Blends, 2324P
—; Cheng, Y.-W.; Hsu, Y.-C.; Lin, T.-L.: Lamellar Morphology and Equilibrium Melting Temperature of Syndiotactic Polystyrene in β-Crystalline Form, 1626P
—; See Min, K., 892C

Wang, C.-C. See Ni, P.-H., 624C

Wang, C.-H.
—; Hsiue, G.-H.: Synthesis and Characterization of Temperature- and pH-Sensitive Hydrogels Based on Poly(2-ethyl-2-oxazoline) and Poly(D,L-lactide), 1112C

Wang, C. S. See Lin, C. H., 4084C

Wang, C.-S. See Shieh, J.-Y., 369C

Wang, F. See Liu, Z., 1122C; Wang, Y., 605P; Zhu, K., 1321C

Wang, F. S. See Liu, J. G., 110C, 1572C, 1583C

Wang, G. See Liu, B., 3392C

Wang, J. J. See Zhang, J. M., 2772P

Wang, J.-S. See Yamaguchi, N., 2855C

Wang, K. H.
—; Choi, M. H.; Koo, C. M.; Xu, M.; Chung, I. J.; Jang, M. C.; Choi, S. W.; Song, H. H.: Morphology and Physical Properties of Polyethylene/Silicate Nanocomposite Prepared by Melt Intercalation, 1454P

Wang, L. See Li, H., 1796C; Liu, Z., 1122C; Ye, Z.-Y., 3112C; Zhu, K., 1321C

Wang, M.-J. See Yang, C.-P., 1092C

Wang, S. H. See Kloss, J., 4117C

Wang, S. J. See Meng, Y. Z., 1441C

Wang, W.-J.
—; Chin, W.-K.; Wang, W.-J.: Synthesis and Structural Characterizations of Chromophore}$^+$-Saponite/Polyurethane Nanocomposites, 1690P
—; See Kokko, E., 3292C; Wang, W.-J., 1690P

Wang, X. See Hong, L., 344C; Wang, Y., 605P; Zhang, Q., 2531P; Zhang, Z., 1957P

Wang, X.-L.
—; Zhuo, R.-X.; Liu, L.-J.; He, F.; Liu, G.: Synthesis and Characterization of Novel Aliphatic Polycarbonates, 70C

Wang, Y.
—; Fu, Q.; Li, Q.; Zhang, G.; Shen, K.; Wang, Y.-Z.: Ductile–Brittle-Transition Phenomenon in Polypropylene/Ethylene-Propylene-Diene Rubber Blends Obtained by Dynamic Packing Injection Molding: A New Understanding of the Rubber-Toughening Mechanism, 2086P
—; Inglefield, P. T.; Jones, A. A.: Gas Sorption Environments in Poly(2,6-dimethyl-1,4-phenylene oxide) by Xenon-129 Nuclear Magnetic Resonance: Effects of Processing, 1965P

—; Wang, X.; Li, J.; Zhang, H.; Mo, Z.; Jing, X.; Wang, F.: Morphological Study on Water-Borne Conducting Polyaniline-Poly(ethylene oxide) Blends, 605P
—; See Dong, A., 972P; Shen, Q., 612C
Wang, Y. C. See Lin, Y. Y., 2277P
Wang, Y.-H. See Huang, Y.-J., 1142C
Wang, Y.-Z. See Wang, Y., 2086P
Wang, Z. M. See Lu, Y., 3416C
Ward, T. C. See Eichstadt, A. E., 1503P; Robertson, J. E., 794P, 802P
Watanabe, A. See Uematsu, T., 216P
Watanabe, K. See Fuji, Y., 2055C
Watanabe, S. See Yasuda, M., 874C
Wavhal, D. S.
—; Fisher, E. R.: Modification of Porous Poly(ether sulfone) Membranes by Low-Temperature CO_2-Plasma Treatment, 2473P
Wazeer, M. I. M. See Ali, S. A., 2464C
Webster, O. W.
—; Cyanocarbons: A Classic Example of Discovery-Driven Research, 210C
Wegner, G. See Pu, H., 663P
Wei, C.-S. See Yang, C.-P., 707C
Wei, G. See Tsubokawa, N., 1868C
Wei, M. See Bullions, T. A., 992P
Wei, Y. See Liu, B., 3392C
Weishuhn, J. M. See Tronc, F., 2609C, 4098C
Weng, J. See Childs, R. F., 242C
White, G. D. F. See Parent, J. S., 2937C
White, J. L. See Bullions, T. A., 992P; Rhee, S., 1189P, 2624P
White, L. A.
—; Hoyle, C. E.; Jonsson, S.; Mathias, L. J.: Bulk Free-Radical Photopolymerizations of 1-Vinyl-2-Pyrrolidinone and Its Derivatives, 694C
White, S. R. See Kessler, M. R., 2373C
Whitney, R. A. See Parent, J. S., 2937C
Widlarz, J. See Laska, J., 3562C
Wieland, P. C. See Schäfer, M., 3725C
Wilén, C.-E. See Holmberg, S., 591C
Wilkie, C. A. See Zhu, J., 1498C
Willem, R. See Vanhaecht, B., 1962C
Willett, J. L. See Wang, C., 2324P
Winey, K. I. See Walters, R. M., 2833P
Winnik, M. A. See Moffitt, M., 2842P; Oh, J. K., 1594C, 3001C; Tronc, F., 2609C, 4098C
Witt, A. R. See Lu, W., 245P
Wittmann, J. C. See Mathieu, C., 2504P
Won, J. See Guiver, M. D., 4193C; Kim, J. H., 1813P
Won, Y. See Lee, T. S., 1831C
Wong, C. P. See Li, H., 1796C
Wong, R. P. See Lang, M., 1127C
Woo, E. M. See Lee, S.-C., 747P; Sun, Y. S., 176P; Wu, P.-L., 1571P
Wool, R. P. See Bunker, S. P., 451C; Lee, I., 2343P
Wooley, K. L. See Bolton, D. H., 823C
Wootthikanokkhan, J. See Songkhla, P. N., 562P
Worden, J. G. See Ni, H., 1677C
Woźny, E. See Laska, J., 3562C
Wright, N. P. See Shenton, M. J., 95C
Wu, C. C. See Bai, S. J., 1760P
Wu, C. S. See Liu, Y. L., 2329C
Wu, F.-I. See Reddy, D. S., 262C
Wu, G. See Sun, H., 454P, 2164P; Wu, Y., 2209C
Wu, H. See Chen, C., 1893P
Wu, J. See Oh, J. K., 1594C, 3001C
Wu, J. T. See Liu, J. G., 1583C
Wu, J.-Y. See Wu, T.-M., 736P
Wu, P.-L.
—; Woo, E. M.: Linear versus Nonlinear Determinations of Equilibrium Melting Temperatures of Poly(trimethylene terephthalate) and Miscible Blend with Poly(ether imide) Exhibiting Multiple Melting Peaks, 1571P
Wu, Q.
—; Lu, Y.: Synthesis of a Soluble Vinyl-Type Polynorbornene with a Half-Titanocene/Methylaluminoxane Catalyst, 1421C
—; See Tian, G., 649P
Wu, T.-M.
—; Hsu, S.-F.; Wu, J.-Y.: Polymorphic Behavior in Syndiotactic Polystyrene/Clay Nanocomposites, 736P
Wu, T.-Y.
—; Chen, Y.: Synthesis and Characterization of Luminescent Copolymers Containing Iminodibenzyl and Divinylbenzene Chromophores, 3847C
—; Chen, Y.: Synthesis and Characterization of Novel Luminescent Polymers with Alternate Phenothiazine and Divinylbenzene Units, 4452C
—; Chen, Y.: Synthesis and Optical and Electrochemical Properties of Novel Copolymers Containing Alternating 2,3-Divinylquinoxaline and Hole-Transporting Units, 4570C
—; See Chen, Y., 2927C
Wu, W.-L. See Lee, H.-J., 2170P
Wu, Y.
—; Wu, G.: Competitive Complexation in the Cationic Polymerization of Isobutylene in a Nonpolar Medium, 2209C
Wu, Z. See Liu, B., 3392C
Wunderlich, B. See Androsch, R., 1223P; Pak, J., 2219P; Pyda, M., 1245P
Wutzler, A. See Androsch, R., 1223P

Xi, F. See Jiang, J., 1167C; Zhao, Y.-L., 3360C
Xiang, S. See Gao, Y., 3449C
Xiao, J.
—; Wan, X.; Zhang, D.; Zhang, H.; Zhou, Q.-F.; Turner, S. R.: Poly(ethylene terephthalate) Reinforced by *N,N′*-Diphenyl Biphenyl-3,3′,4,4′-tetracarboxydiimide Moieties, 852C
Xie, F. See Zhang, F., 822P
Xie, J. See Ning, F., 1253C
Xie, P. See Li, H., 3161C
Xie, X. L.
—; Fung, K. L.; Li, R. K. Y.; Tjong, S. C.; Mai, Y.-W.: Structural and Mechanical Behavior of Polypropylene/Maleated Styrene-(ethylene-*co*-butylene)-styrene/Sisal Fiber Composites Prepared by Injection Molding, 1214P
Xie, Z. See Zhu, K., 1321C
Xu, C. See Yao, F., 642C
Xu, G. Q. See Goh, H. W., 1157C, 4316C
Xu, H. See Kuo, S.-W., 2313P
Xu, M. See Wang, K. H., 1454P; Yu, C., 755C
Xu, Q. See Zhou, Y., 2478C
Xu, R.
—; Leonard, J.; Bui, V. T.: Ring-Chain Interactions in Solutions of Cyclic and

Linear Poly(methylene) Ester Oligomers in *p*-Dioxan and Chloroform, 1425P
Xu, S.-A. See Tjong, S. C., 1881P
Xu, W.
—; Ge, M.; He, P.: Nonisothermal Crystallization Kinetics of Polypropylene/Montmorillonite Nanocomposites, 408P
—; See Cheng, Z., 3823C
Xu, X.
—; Zhang, L.; Norisuye, T.: Molecular Weight and Aggregation of Aeromonas Gum Treated with Dimethyl Sulfoxide in Aqueous Solution, 2269P
Xu, Y. See Tjong, S. C., 2860P
Xuan, Y. See Gao, Y., 3449C

Yabuki, K. See Kitagawa, T., 1269P, 1281P
Yachi, Y. See Baigude, H., 3622C
Yagci, Y. See Cianga, I., 2199C; Cianga, L., 995C
Yağci, Y. See Çirpan, A., 4131C
Yakushev, P. N. See Bershtein, V. A., 1056P
Yamada, Y.
—; Kawai, T.; Abe, J.; Iyoda, T.: Synthesis of Polyisocyanide Derived from Phenylalanine and Its Temperature-Dependent Helical Conformation, 399C
Yamaguchi, A. See Tamai, S., 423C
Yamaguchi, N.
—; Wang, J.-S.; Hewitt, J. M.; Lenhart, W. C.; Mourey, T. H.: Acid Chloride-Functionalized Hyperbranched Polyester for Facile and Quantitative Chain-End Modification: One-Pot Synthesis and Structure Characterization, 2855C
Yamaguchi, S. See Suyama, K., 1377C
Yamaguchi, Y. See Uematsu, T., 216P
Yamamoto, K.
—; Miwa, Y.; Tanaka, H.; Sakaguchi, M.; Shimada, S.: Living Radical Graft Polymerization of Methyl Methacrylate to Polyethylene Film with Typical and Reverse Atom Transfer Radical Polymerization, 3350C
Yamamoto, T.
—; Uemura, T.: Synthesis and Characterization of New π-Conjugated Polymers Constituted of Five-Membered Rings: Poly(2,2′-biimidazole-5,5′-diyl)s, 2686C
—; See Kanbara, T., 2637C
Yamamoto, Y. See Rani, D. A., 530P
Yamanaka, C.
—; Hashimoto, K.: Synthesis of New Hydrolyzable Polyurethanes from L-Gulonic Acid-Derived Diols and Diisocyanates, 4158C
Yamaoka, H. See Kanaoka, S., 2449C
Yamaoka, T. See Lee, J., 1858C
Yamashita, Y. See Osaki, K., 1038P
Yamauchi, Y. See Takasu, A., 4477C
Yamazawa, K.
—; Kawauchi, S.; Satoh, M.: Lactone Ring Formation in Poly(α-hydroxyacrylic acid), 1400P
Yan, D. See Gao, C., 2340C; Huang, W., 229C; Li, Y., 1913P
Yan, S. See Zhang, B., 2641P
Yan, Y. See Li, Z., 1804P
Yang, C. See Lee, T. S., 1831C; Lu, W., 245P; Zhong, C., 401P
Yang, C.-P.
—; Chen, R.-S.: Polyimides Based on 2,5-Bis(4-aminophenoxy)-biphenyl, 429C
—; Chen, R.-S.; Wang, M.-J.: Synthesis and Properties of Organosoluble Poly(amide imide imide)s Based on Tetraimide Dicarboxylic Acid Condensed from 4,4′-(Hexafluoroisopropylidene)diphthalic Anhydride, 4,4′-Oxydianiline, and Trimellitic Anhydride and Various Aromatic Diamines, 1092C
—; Chen, R.-S.; Wei, C.-S.: Synthesis and Properties of Soluble and Light-Colored Poly(amide-imide-imide)s on the Basis of Tetraimide-Dicarboxylic Acid Condensed from 4,4′-Oxydiphthalic Anhydride, 2,2-Bis 4-(4-aminophenoxy)phenyl]propane, and *m*-Aminobenzoic Acid, and Various Aromatic Diamines, 707C
—; Hsiao, S.-H.; Hsu, M.-F.: Organosoluble and Light-Colored Fluorinated Polyimides from 4,4′-Bis(4-amino-2-trifluoromethylphenoxy)biphenyl and Aromatic Dianhydrides, 524C
Yang, D.
—; Mattes, B. R.: Polyaniline Emeraldine Base in *N*-Methyl-2-pyrrolidinone Containing Secondary Amine Additives: A Rheological Investigation of Solutions, 2702P
—; See Zhang, B., 2641P
Yang, G. See Zhang, Q., 2199P
Yang, M. See Zeng, F., 4387C
Yang, M.-H. See Itoh, T., 854P
Yang, S. Y. See Liu, J. G., 110C, 1572C, 1583C; Qian, Z. G., 3012C
Yang, X.-Z.
—; Sun, J.: Coil Extension Stage in the Cold Drawing of Glassy Polymers, 2646P
Yang, Y. L. See Hua, F. J., 1876C
Yang, Z.
—; Li, S.; Ye, C.: Thermally Stable Nonlinear Optical Polyurea Functionalized by Multiple Charge-Transfer Chromophore, 4297C
Yao, F.
—; Xu, C.; Deng, L.; Bai, Y.; Zhang, J.; Sun, J.: Rare-Earth-Catalyzed Alternating Copolymerization of Carbon Monoxide with Styrene, 642C
Yao, S. See Zhang, F., 813P
Yao, Y. See Shen, Q., 612C
Yashiro, J.
—; Norisuye, T.: Excluded-Volume Effects on the Chain Dimensions and Transport Coefficients of Sodium Poly(styrene sulfonate) in Aqueous Sodium Chloride, 2728P
Yasuda, H. See Ogata, K., 2759C; Shirahama, H., 302C
Yasuda, H. K. See Lin, Y.-S., 623P
Yasuda, M.
—; Kobayashi, M.; Watanabe, S.; Ogino, H.; Ishimi, K.; Ishikawa, H.: Synthesis of Amphiphilic Particles in the Presence of Inert Solvents and Their Application to Lipase Immobilization, 874C
—; See Tsujita, Y., 831P
Yasuniwa, M.
—; Satou, T.: Multiple Melting Behavior of Poly(butylene succinate). I. Thermal Analysis of Melt-Crystallized Samples, 2411P
Ye, C. See Yang, Z., 4297C

Ye, Z.-Y.
—; Wang, L.; Feng, L.-F.; Gu, X.-P.; Chen, H.-H.; Zhang, P.-Y.; Pan, J.; Jiang, S.; Feng, L.-X.: Novel Spherical Ziegler–Natta Catalyst for Polymerization and Copolymerization. I. Spherical $MgCl_2$ Support, 3112C
Yeum, J. H.
—; Ji, B. C.; Lee, C. J.; Lee, J. Y.; Lee, S.-S.; Kim, S. S.; Kim, J. H.; Lyoo, W. S.: Preparation of Water-Soluble, Syndiotacticity-Rich, Low Molecular Weight Poly(vinyl alcohol) Microfibrils in High Yields with the Low-Temperature Polymerization of Vinyl Pivalate in Tetrahydrofuran and Saponification, 1103C
Yi, W. See Lu, G., 4404C
Yi, X.
—; Pellegrino, J.: Diffusion Measurements with Fourier Transform Infrared Attenuated Total Reflectance Spectroscopy: Water Diffusion in Polypropylene, 980P
Yim, H.
—; Kent, M. S.; Jeon, H. S.; Smith, G.: Study of the Interfacial Structure in Epoxy Bilayer Films Using Neutron Reflection, 1709P
—; See Jeon, H. S., 2653P
Yin, J. See Chen, H., 3804C
Yokoi, M. See Sanda, F., 2782C
Yokota, K. See Satoh, T., 965C
Yokota, R. See He, J., 2501C
Yokoyama, A. See Yokozawa, T., 3460C
Yokozawa, T.
—; Taniguchi, T.; Suzuki, Y.; Yokoyama, A.: Chain-Growth Polycondensation of Monomer Consisting of Two Aromatic Rings: Synthesis of Well-Defined Poly(ether sulfone) from 4-Fluoro-4′-hydroxydiphenyl Sulfone, 3460C
—; See Niimi, L., 1236C
Yoo, Y.
—; Johnson, L. K.; Falling, S. N.; Lizotte, J. R.; Long, T. E.: Maleation of Poly(3,4-epoxy-1-butene) for Accelerated Crosslinking in the Presence of a Redox Catalyst, 2789C
Yoon, J.-S. See Park, E.-S., 2561P
Yoon, K. J. See Lim, K. Y., 2552P
Yoon, T. H. See Myung, B. Y., 4217C
Yoshida, E.
—; Kunugi, S.: Micelle Formation of Poly(vinyl phenol)-*block*-Polystyrene by α,ω-Diamines, 3063C
Yoshida, M. See Chen, J., 134P
Yoshida, W. See Nguyen, V., 26C
Yoshimizu, H. See Rani, D. A., 530P; Tsujita, Y., 831P
Young, S. K.
—; Mauritz, K. A.: Nafion®/(Organically Modified Silicate) Nanocomposites via Polymer *in situ* Sol—Gel Reactions: Mechanical Tensile Properties, 2237P
—; Trevino, S. F.; Tan, N. C. B.: Small-Angle Neutron Scattering Investigation of Structural Changes in Nafion Membranes Induced by Swelling with Various Solvents, 387P
Younkin, T. R. See Connor, E. F., 2842C
Yu, C.
—; Xu, M.; Svec, F.; Fréchet, J. M. J.: Preparation of Monolithic Polymers with Controlled Porous Properties for Microfluidic Chip Applications Using Photoinitiated Free-Radical Polymerization, 755C
Yu, S. See Li, H., 3161C
Yu, Z.-Z. See Zou, J.-F., 954P
Yuki, Y. See Takagi, K., 3927C
Yusa, M. See Katogi, S., 4045C

Zanuy, D.
—; Alemán, C.; Muñoz-Guerra, S.: Crystalline Poly(4-methyl-1-pentene): Structure and Solubility of Gas Molecules, 2037P
Zawadzki, S. See Kloss, J., 4117C
Zeng, F.
—; Shen, Y.; Zhu, S.: Synthesis of Comb-Branched Polyacrylamide with Cationic Poly (2-dimethylamino)ethyl methacrylate dimethylsulfate] Quat, 2394C
—; Yang, M.; Zhang, J.; Varshney, S. K.: Synthesis and Characterization of Block Copolymers from 2-Vinylnaphthalene by Anionic Polymerization, 4387C
Zha, L.-S. See Ni, P.-H., 624C
Zhang, B.
—; Yang, D.; Yan, S.: Direct Formation of Form I Poly(1-butene) Single Crystals from Melt Crystallization in Ultrathin Films, 2641P
Zhang, C. See Liao, L. Q., 1749C
Zhang, D. See Xiao, J., 852C
Zhang, F.
—; Liu, J.; Fu, Q.; Huang, H.; Hu, Z.; Yao, S.; Cai, X.; He, T.: Polydispersity of Ethylene Sequence Length in Metallocene Ethylene/α-Olefin Copolymers. I. Characterized by Thermal-Fractionation Technique, 813P
—; Liu, J.; Xie, F.; Fu, Q.; He, T.: Polydispersity of Ethylene Sequence Length in Metallocene Ethylene/α-Olefin Copolymers. II. Influence on Crystallization and Melting Behavior, 822P
—; See Sun, H., 454P, 2164P
Zhang, G. See Li, Y., 1913P; Wang, Y., 2086P
Zhang, G. B. See Zhang, J. M., 2772P
Zhang, H.
—; Guo, Z.; Huang, J.: Preparation of a Copolymer of Methyl Methacrylate with a New Monomer, 2,2,6,6-Tetramethyl-4-benzyloxyl-piperidinyl Methacrylate, and Its Initiation of the Graft Copolymerization of Styrene with a Controlled Radical Mechanism, 4398C
—; Van der Linde, R.: Atom Transfer Radical Polymerization of *n*-Butyl Acrylate Catalyzed by CuBr/*N*-(*n*-Hexyl)-2-pyridylmethanimine, 3549C
—; See Wang, Y., 605P; Xiao, J., 852C; Zhang, Q., 1784P; Zhang, Z., 1957P
Zhang, J. See Li, H., 3161C; Yao, F., 642C; Zeng, F., 4387C
Zhang, J. M.
—; Zhang, G. B.; Wang, J. J.; Lu, Y. L.; Shen, D. Y.: Infrared Spectroscopic Study on the Crystallization of Water in Poly(vinyl methyl ether) Aqueous Solution during Heating, 2772P
Zhang, J.-M. See Zhao, Y.-L., 3360C
Zhang, K. See Shen, Q., 612C
Zhang, L.
—; Ruan, D.; Gao, S.: Dissolution and Regeneration of Cellulose

in NaOH/Thiourea Aqueous Solution, 1521P
—; See Xu, X., 2269P
Zhang, L.-X.
—; Jiang, Z.-T.; Zhao, D.-L.: Elastic Behavior of Bimodal Poly(dimethylsiloxane) Networks, 105P
Zhang, M.-Z. See Ni, P.-H., 3734C
Zhang, P.-Y. See Ye, Z.-Y., 3112C
Zhang, Q.
—; Lin, W.; Yang, G.; Chen, Q.: Studies on the Phase Structure of Ethylene-Vinyl Acetate Copolymers by Solid-State ^{1}H and ^{13}C NMR, 2199P
—; Wang, X.; Geng, Y.; Chen, D.; Jing, X.: Morphology and Thermal Properties of Conductive Polyaniline/Polyamide Composite Films, 2531P
—; Zhang, Z.; Zhang, H.; Mo, Z.: Isothermal and Nonisothermal Crystallization Kinetics of Nylon-46, 1784P
Zhang, R. See Li, H., 3161C
Zhang, S. L.
—; Tsou, A. H.; Li, J. C. M.: Friction and Damage in the Scratching of Poly(*n*-butyl acrylate) Films, 585P
—; Tsou, A. H.; Li, J. C. M.: Scratching Behavior of Elastomeric Poly(dimethylsiloxane) Coatings, 1530P
Zhang, W. See Liu, B., 3392C
Zhang, Y. See Liu, Z., 1122C; Tian, Q., 1236P; Zhang, Z., 1957P
Zhang, Z.
—; Mo, Z.; Zhang, H.; Zhang, Y.; Na, T.; An, Y.; Wang, X.; Zhao, X.: Miscibility and Hydrogen-Bonding Interactions in Blends of Carbon Dioxide/Epoxy Propane Copolymer with Poly(*p*-vinylphenol), 1957P
—; See Li, H., 3161C; Zhang, Q., 1784P
Zhao, D.-L. See Zhang, L.-X., 105P
Zhao, H. See Tong, X., 1706C
Zhao, X. See Li, Q., 222C; Tian, Q., 1236P; Zhang, Z., 1957P
Zhao, Y.-L.
—; Zhang, J.-M.; Jiang, J.; Chen, C.-F.; Xi, F.: Atom Transfer Radical Copolymerization of *N*-Hexylmaleimide and Styrene in an Ionic Liquid, 3360C
—; See Jiang, J., 1167C
Zhao, Z. See Liu, C., 1892C
Zheng, L.
—; Kasi, R. M.; Farris, R. J.; Coughlin, E. B.: Synthesis and Thermal Properties of Hybrid Copolymers of Syndiotactic Polystyrene and Polyhedral Oligomeric Silsesquioxane, 885C
Zheng, M.
—; Ding, L.; Gürel, E. E.; Karasz, E.: Synthesis and Electroluminescent Studies of Blue-Emitting Copolymers Containing Phenylene Vinylene and Oxadiazole Moieties in the Main Chain, 235C
Zheng, Y.
—; Simon, S. L.; McKenna, G. B.: Modeling Structural Recovery in Glasses: An Analysis of the Peak-Shift Method, 2027P
Zhong, C.
—; Yang, C.: Approach for the Calculation of High-Order Connectivity Indices of Polymers and Its Application, 401P
Zhou, E. See Li, Y., 1913P
Zhou, H. W. See Liu, J. G., 110C, 1583C
Zhou, M. See Ding, J., 4205C
Zhou, Q.-F. See Xiao, J., 852C
Zhou, X.
—; Huang, Y.: Temperature Dependence of the Phase Separation in Ethyl Cyanoethyl Cellulose/Pol(acrylic acid)/4′-*n*-Pentyl-4-cyano-biphenyl Composite Films, 1334P
—; See Li, H., 3161C
Zhou, Y.
—; Leng, W.; Liu, X.; Xu, Q.; Feng, J.; Liu, J.: Synthesis of Nonlinear Optical Polyimides Containing Azodiamine Derivative Chromophores and Their Electrooptic and Thermal Properties, 2478C
Zhu, J.
—; Start, P.; Mauritz, K. A.; Wilkie, C. A.: Silicon-Methoxide-Modified Clays and Their Polystyrene Nanocomposites, 1498C
Zhu, K.
—; Xie, Z.; Wang, L.; Jing, X.; Wang, F.: Synthesis of Novel Nitrogen- and Sulfur-Containing Conjugated Polymers Used as Hole-Transporting Materials for Organic Light-Emitting Diodes, 1321C
Zhu, Q. See Meng, Y. Z., 3579C
Zhu, S. See Kokko, E., 3292C; Zeng, F., 2394C
Zhu, X. See Cheng, Z., 3823C
Zhuang, Y. See Chen, C., 1893P
Zhuge, L.-J. See Ni, P.-H., 3734C
Zhuo, R. X. See Li, M. X., 4550C; Liao, L. Q., 1749C
Zhuo, R.-X. See Wang, X.-L., 70C
Žigon, M. See Anžlovar, A., 115P
Zilio, S. C. See Pilla, V., 1949P
Zimmermann, J.
—; Sunder, A.; Mülhaupt, R.: Preparation of Partially Hydrolyzed Oligo(vinyl-acetate) as Polyol for Polyurethane Formation, 2085C
Zirkel, A. See Krishnamoorti, R., 1768P
Zou, J.-F.
—; Yu, Z.-Z.; Pan, Y.-X.; Fang, X.-P.; Ou, Y.-C.: Conductive Mechanism of Polymer/Graphite Conducting Composites with Low Percolation Threshold, 954P
Zou, Y.-F. See He, T., 3367C
Zsuga, M. See Kéki, S., 3974C
Zwaneveld, N. See Barner, L., 4180C

JOURNAL OF
POLYMER SCIENCE

Combined Subject Index to Volume 40

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science,* Vol. 40, 2002. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

AB_2 monomer, 2855C
ABA triblock copolymer, 3734C
ABC triblock copolymer, 1135P
Abrasion, 2526C
Absorption, 535C
Acetals, 3021C
Acetoacetamide, 4493C
Acid chloride, 2855C
9-Acridyl derivatives of aromatic amines, 3481C
Acrylamide, 1726C
Acrylonitrile, 3592C, 1046P
Acrylonitrile/methyl methacrylate copolymer, 1496P
Activated anions, 2184C
Activated monomer polymerization, 1991C
Activation energy, 583C, 1608C, 2373C, 2945C, 1154P, 1784P
Activation volume, 663P
Activation-energy, 4266C
Active species, 2209C
Activity, 1892C
Acylation, 2967C
Addition polymerization, 1421C, 2340C, 2449C, 2680C, 2772C, 3504C
1,4-Addition solution polymerization, 3534C
Additives, 286C, 2772C, 3835C, 2178P
Adhesion, 1796C, 10P, 545P, 585P, 623P, 772P, 2137P, 2277P, 2343P, 2377P, 2395P
Adhesives, 451C, 971C, 3221C, 4236C, 1709P, 2303P
Adsorption, 338P, 1821P, 2170P
AFM, 1727P, 1913P, 2871P
Ageing, 657P
Aggregates, 682C, 2130P, 2833P
Aggregation, 3534C, 2269P, 2807P
Alcohol, 2190C
Aldol-type of group-transfer polymerization (aldol-GTP), 4477C
Alicyclic unit, 1764C
Alignment films, 1583C
Aliphatic alcohol, 3497C
Aliphatic copolyesters, 3232C
Aliphatic diamine, 1503P
Alkali halide, 2421P
Alkylation, 2967C
Alkyl methacrylate, 1184C
Alkylperoxide, 3021C
Allyl benzoate, 317C
α-amino-ω-carboxy triblock terpolymer, 1476C
α-Hydroxymethyl acrylates, 3221C
Alpha-methylstyrene, 1366C
α-olefins, 2842C
α,ω-diamines, 3063C
Alternating copolymerization, 642C
Aluminum, 1633C
Amination, 4281C
Amineimide, 4045C
Amino, 1218C
Amino acid, 399C
Ammonium borates, 2689C, 2702C
Amino surfaces, 1426C
Amorphous, 262C, 1226C, 2601C, 3615C, 460P, 2377P
Amorphous phase, 2208P
Amphiphiles, 1218C, 1426C, 1945C, 3379C, 3662C
Amphiphilic, 439C
Amphiphilic- and heterotactic-rich poly(vinyl alcohol) (PVA) macromonomer, 4477C
Amphiphilic block-graft copolymers, 1253C
Amphiphilic networks, 3093C
Amphiphilic particles, 874C
Amphiphilic poly(ethylene glycol)-containing graft copolymers, 1608C
Amphiphilic polymers, 2055C, 2075C, 3416C
Amphiphilic polystyrenes, 731C
Amphoteric polyurethane, 972P, 2440P
Anion, 2537C
Anion exchange, 488P
Anionic polymerization, 624C, 1081C, 1519C, 2101C, 2108C, 2116C, 2134C, 2148C, 2158C, 2166C, 2442C, 2575C, 3103C, 3406C, 3455C, 4302C, 4328C, 4387C, 4404C, 1582P
Anionic ring-opening polymerization, 2184C
Anionomers, 3662C
Anisotropic networks, 2237C, 3893C
Annealing, 1142P
Anthracene, 1594C
Anthraquinone, 43C
Antimicrobial polymers, 2384C
Antioxidants, 3312C
Aromatic diamines, 43C
Aromatic electrophilic ipso substitution, 2729C
Aromatic nucleophilic substitution, 3460C
Aromatic polyamides, 1781C, 2810C
Aromatic poly(amine-imide)s, 3815C
Aromatic polyketones, 2729C
Aromatic polysquaramide, 2648C
Aromatic thiirane, 3443C
Artificial proteins, 2719C
9-Arylthianthrenium salts, 3465C
Asperities, 545P
Association, 2313P
Atactic, 1484C
Athermal nucleation, 1835P
Atmospheric pressure nonequilibrium plasma, 95C
Atom transfer radical polymerization (ATRP), 334C, 439C, 591C, 892C, 1253C, 1818C, 1929C, 2025C, 2093C,

2116C, 2350C, 2415C, 2736C, 2799C, 3153C, 3350C, 3360C, 3549C, 3679C, 3823C, 3858C, 4250C
Atomic force microscopy (AFM), 222C, 1742C, 1808C, 245P, 255P, 338P, 1103P, 2421P, 2825P
ATRP, 2667P
Average graft length, 1253C
Average sequence length, 544C
Avrami exponent, 2073P
AXS, 1539P
Azetidine, 1912C
Azetidinium, 1912C
2-Azetidinone, 1912C
2,2′-azobis(2,4-dimethylvaleronitrile) (ADMVN), 1103C
2,2′-Azobis *N*-(2-propenyl)-2-methylpropionamide}, 317C
Azo polymers, 2406C, 2868C

Backbiting, 4356C
Ball rebound, 2526C
Barbiturate, 731C
BBSA, 2208P
Bentonite, 1706C
Benzenesulfonamide plasticizers, 2208P
Benzonorbornane, 947C, 1712C
Benzophenone, 1594C, 3001C
Benzoxazole, 1468C
Benzoyl peroxide, 4065C
Benzyl alcohols, 2298C
5-Benzyloxy-trimethylene-carbonate, 70C
Benzyl potassium, 2166C
β-hydroxyaspartic acid, 2782C
β scission, 3021C
Bifurcated hydrogen bonding, 2526C
Bimodal poly(dimethylsiloxane) (PDMS) networks, 105P
Binaphthyl-based polyarylene, 1167C
Binary interaction model, 1288P
Bioabsorbable vehicle, 1426C
Bioactive polymers, 2384C
Biocides, 2384C
Biocompatibility, 3796C, 4377C, 2449P
Biodegradable, 70C, 385C, 409C, 544C, 1127C, 1218C, 1625C, 1845C, 2003C, 2545C, 3027C, 4117C, 4523C, 4550C, 1893P, 2411P, 2449P, 2561P
Biodegradable hydrogels, 1112C
Biodegradable polyesters, 3434C, 2248P
Biodegradable polymers, 1047C, 1983C, 2184C, 2545C
Biodegradable polyurethanes, 156C
Biodegradation, 302C
Bioengineering, 874C, 3379C
Biological applications of polymers, 2513C
Biomacromolecules, 3379C
Biomaterials, 302C, 1127C, 1192C, 2184C, 2545C, 3652C, 4377C, 2579P
Biomedical polymers, 2384C
Biomimetic poly(3-hydroxybutyrate), 2184C
Biopolymers, 2782C, 95P, 2248P, 2579P
Biphasic systems, 3153C
Bipolar, 1122C
Birefringence, 1513P
2,2′-bis(4-amino-3-hydroxyphenoxy)biphenyl, 2656C
2,5-Bis(4-aminophenoxy)biphenyl, 429C
Bis(arylsilane)s, 2729C
Bis(epoxide), 1395C
Bis(ether anhydride), 1712C
Bis(4-hydroxybutyl) terephthalate (BHBT), 2435C
Bis(3-hydroxypropyl) terephthalate (BHPT), 2435C
Bis(oxetane), 3835C
Bisphenol A, 171C
Bisphenols, 4024C
1,4-Bis(4-benzylpyridinium)-butadiyne triflate, 3534C
Bis(3-dihydroxyphenyl) phenyl phosphate, 369C
Bjerrum–Fuoss equation, 2537C
Blending, 1952C
Blends, 351C, 809C, 1157C, 2003C, 3416C, 4316C, 226P, 255P, 284P, 605P, 747P, 1013P, 1125P, 1288P, 1307P, 1390P, 1425P, 1477P, 1931P, 2151P, 2324P, 2570P, 2714P, 2736P
Block copolymers, 1C, 179C, 235C, 409C, 624C, 1929C, 2033C, 2055C, 2199C, 2406C, 2442C, 2545C, 2626C, 3360C, 3367C, 3379C, 3416C, 3549C, 3725C, 3734C, 4117C, 4250C, 4404C, 346P, 519P, 537P, 1434P, 1777P, 1893P, 1904P, 2364P, 2612P, 2807P
Block ionomers, 3662C, 3679C
Blown films, 507P
Bonding, 545P, 772P
Boron alkoxide, 2190C
Box–Treloar equation, 2537C
Branched, 3335C, 3426C, 65P, 434P
Branched polyethylene, 2736C
Branching, 466P, 905P
Brillouin scattering, 1285C
Brominated butyl rubber, 2937C
Brominated polystyrene, 255P
Bromination, 4193C
4-Bromoisophthalic acid, 3959C
Bulk density, 1892C
Bulk polymerization, 694C, 965C
Bulky pendent group, 1781C
Burst strength, 2075C
Butadiene, 269C, 2575C
1,3-butadiene, 3086C, 3743C
Butylacrylate, 1594C, 2033C, 3001C
Butyl rubber, 1821P

^{13}C spin-lattice relaxation time, 2199P
Cage–complex model, 26C
Calculations, 2442C
Calixarene derivatives, 1293C
Calorimetry, 3916C, 4344C
Camphorquinone, 3171C
Capillary electrophoresis (CE), 1405C
Capillary rheometry, 303P
Caprolactone, 1749C, 3129C
Carbamate, 2310C
Carbanions, 2158C
Carbazole, 3847C
Carbenium ion, 2537C
Carbocationic polymerization of isobutylene, 1005C
Carbon circulation, 4158C
Carbon dioxide, 602P, 2050P
Carbon fiber, 1868C
Carbon monoxide, 642C, 4530C
Carbon nucleophiles, 2487C
Carbosilane, 326C, 4013C
Carboxyl group, 1218C
Catalysis, 782C, 864C, 1366C, 1421C, 1838C, 2158C, 2895C, 3240C, 3579C, 4045C, 1080P
Catalysis in Ziegler-Natta polymerization reactions, 1899C
Catalyst effect, 156C
Catalyst removal, 2055C, 3153C
Catalysts, 642C, 976C, 1677C, 2093C, 2487C, 2637C, 2680C, 2689C, 2702C, 3771C, 714P
Catalytic chain transfer, 1366C
Cationic photoinitiators, 1037C
Cationic polymerization, 1037C, 1698C, 1991C, 2116C, 2134C, 2199C, 2209C, 2298C, 2449C, 2537C, 3302C, 3465C, 3662C, 3909C, 3938C, 4002C
Cationic ring-opening polymerization, 192C, 1698C
Cationic siloxane copolymer, 3570C
Cationic thermal initiators, 1037C
Cationically polymerizable group, 1293C
Cationomers, 3662C, 3679C
Cavitation, 2791P
Ceiling temperature, 1366C
Cellulose, 601C, 2119P
Cellulose complex, 601C

Cellulose derivatives, 1334P
Cellulose I_β, 1095P
Cellulose III_I, 1095P
Cellulose polymorph, 601C
Cellulose solvent, 601C, 1521P
Chain, 3335C
Chain cleavage, 3212C
Chain-end modification, 2855C
Chain extender, 1527C
Chain extenders, 1316P
Chain extension, 3232C
Chain-growth polycondensation, 3460C
Chain irregularities, 564C
Chain pullout, 2292P
Chain structures, 2199P
Chain transfer, 1366C, 3604C
Chain-transfer agent, 3743C
Chain-transfer reaction, 2415C, 4513C
Chain transfer to monomer, 573C
Channel flow, 2842P
Characterization, 156C, 3974C, 1590P, 2107P
Charge transfer, 210C, 535C, 901C, 3481C, 4297C, 714P, 1298P
Charge transport, 486C, 365P
Chelate structure, 2702C
Chemical adsorption layer, 1795P
Chemical affinity, 2190P
Chemical recycling, 4158C
Chemical structure, 156C
Chemical-surface modification, 95C
Chemiluminescence, 3312C
Chiral, 1167C, 1689C, 3443C, 3509C, 4038C
Chiral polymers, 2868C
Chiral stationary phase, 1726C
Chitosan, 3796C
Chlorodephenylation, 416C
Chloromethylation reaction, 892C
Chloromethyl functionality, 1342C
4-chloromethylstyrene, 3725C
Chlorosilane, 286C
Chlorosilanes, 2575C
cis-1,4-polyisoprene, 1838C
cis-Transisomerization, 3212C
cis-Transoidal polyphenylacetylene, 3212C
Citronellol, 1243C
Clay, 3873C, 408P, 1118P, 1342P, 1590P, 1741P, 2065P, 2579P, 2661P
C=N bond, 2772C
^{13}C NMR, 2134C, 2415C, 4513C, 1521P, 2759P
Coating, 242C, 286C
Coating techniques, 1405C
Coatings, 971C, 2609C, 2789C, 3012C, 3171C, 10P, 939P, 948P, 1530P
Cobalt complex, 4530C
Cobalt dichloride, 3086C
Cocontinuous morphology, 755P
Cocrystallization, 1477P
Cold crystallization, 176P, 2489P
Cold drawing, 862P, 1919P, 2646P
Colloidal stability, 1608C
Colloids, 3200C, 2667P
Comb-branched copolymer, 2394C
Comb-shaped copolymer, 3367C
Comb-shaped polymers, 2171C
Comonomer sequence distribution, 544C
Compatibility, 351C, 809C, 2003C, 466P, 638P, 1383P, 1407P, 1881P, 2248P
Compatibilization, 2310C, 1125P, 1214P, 1307P, 1390P, 2561P, 2612P
Compatibilizers, 346P
Competing motion of trifluoroethylene-rich segments, 1026P
Complexation, 2209C, 2537C
Complex formation, 914C
Complexing, 2537C
Composite microspheres, 1342C
Composites, 2513C, 3144C, 723P, 1013P, 1214P, 1371P, 2531P
Computer modeling, 555C, 793C, 3592C, 890P
Condensation chain polymerization, 43C
Condensation polymerization, 4563C
Condensing agent, 1775C, 4024C
Conductance, 2148C
Conducting composites, 954P
Conducting copolymers, 4131C
Conducting polymers, 344C, 738C, 2663C, 3327C, 3562C, 4065C, 605P, 663P, 2073P
Conductivity, 591C, 983C, 663P, 1013P
Cone calorimetry, 1498C
Configurational entropy, 706P
Conformation, 4513C, 2759P
Conformational analysis, 2256C, 105P, 992P, 1254P
Conformational defect, 1026P
Conformational order, 530P
Conformations, 2646P
Conjugated polymers, 235C, 251C, 958C, 1122C, 1167C, 1321C, 1689C, 2360C, 2458C, 2591C, 2670C, 3562C, 3927C, 4020C, 4570C, 1760P, 1949P
Conjugation, 535C
Connectivity index, 401P
Constant power, 1749C
Contact, 545P, 772P
Contact angle, 2871P
Contrast, 423C
Controllability, 4398C, 4404C
Controlled glass-transition temperature, 1503P
Controlled graft polymerization, 3350C
Controlled polymerization, 2190C
Controlled radical polymerization, 334C, 1929C, 3367C
Controlled release, 4550C
Controlled-release formulation, 2513C
Cooling rate, 153P
Coordinated anionic polymerization, 2134C
Coordination-insertion polymerization, 2884C
Copolyamides 12.6/12.1,4-cyclohexanedicarboxylic acid, 1962C
Copolyamides 4.14/1,4-diaminocyclohexane.14, 1962C
Copolycondensation, 852C, 1775C, 2435C, 4024C
Copolyesters, 76C, 2276C, 2759P
Copolyethers, 2927C
Copoly(ethylene terephthalate imide)s, 852C
Copolymer composition distribution, 2595P
Copolymer/homopolymer blends, 1135P
Copolymerization, 302C, 429C, 511C, 544C, 633C, 642C, 738C, 755C, 1151C, 1192C, 1243C, 1275C, 1303C, 1379C, 1504C, 1625C, 1756C, 1818C, 2225C, 2225C, 2225C, 2225C, 2427C, 2449C, 2750C, 2759C, 3001C, 3079C, 3086C, 3129C, 3232C, 3249C, 3579C, 3592C, 3634C, 4024C, 4141C, 4398C, 4426C, 4530C, 4556C, 4570C, 1383P, 2303P, 2313P, 2552P, 2570P, 2595P, 2677P
Copolymerization block copolymers, 4387C
Copolymerization kinetics, 2394C
Copolymerizations, 1484C
Copolymerization with oxygen, 9C
Copolymers, 1122C, 1756C, 1945C, 2384C, 4065C, 4452C, 890P
Copolyperoxides, 564C
Copolypyromellitimides, 429C
Copper, 3153C
Core-shell, 1309C
Core-shell polymers, 892C, 3858C
Corona, 890P
Coumarin, 1594C
Counterions, 1080P
Coupling reactions, 1081C
Crack propagation, 31P
Craze, 1P

Crazing, 31P, 1754P, 2292P, 2377P, 2516P
Creep, 1P, 1754P, 2050P
Crosslink density modulation, 216P
Crosslinked particles, 1625C
Crosslinked polymers, 416C
Crosslinker, 694C
Crosslinking, 120C, 242C, 423C, 755C, 1309C, 1625C, 1885C, 2049C, 2237C, 2609C, 2789C, 3021C, 3037C, 3055C, 3079C, 3144C, 3171C, 3570C, 3883C, 3893C, 3916C, 3967C, 4002C, 4098C, 4205C, 4256C, 4344C, 4367C, 519P, 585P, 1261P, 1709P, 1975P, 2653P, 2677P
Crosslinking copolymerization, 317C
Cross-polarization/magic-angle spinning (CP-MAS), 2759P
Crystal-line modulus, 1269P
Crystalline–noncrystalline structure, 1142P
Crystalline polymers, 495P
Crystalline structure, 19P, 479P, 1354P
Crystallinity, 2656C, 1539P, 1637P, 1869P, 2354P
Crystallinity determination, 896P
Crystallinity of blends, 2003C
Crystallite size, 765P
Crystallization, 2264C, 153P, 245P, 317P, 325P, 408P, 638P, 813P, 822P, 840P, 939P, 948P, 1223P, 1371P, 1673P, 1682P, 1835P, 1893P, 1904P, 1931P, 1975P, 2073P, 2107P, 2178P, 2219P, 2387P, 2421P, 2504P, 2531P, 2759P, 2772P
Crystallization analysis fractionation (CRYSTAF), 128C, 2595P
Crystallization kinetics, 519P, 1354P, 1784P
Crystallization rate, 1835P
Crystal structures, 3579C, 31P, 765P, 1189P, 1913P, 2199P, 2523P, 2641P, 2685P, 2759P
Crystal transformation, 95P
Cuprous *N,N*-diethyldithiocarbamate, 2093C
Curing of polymers, 1560C, 2789C, 1857P
Current–voltage curve, 1103P
Curve fitting, 2027P
Cyclic carbonate, 2190C
Cyclic imino ether, 192C
Cyclic methylvinylsiloxanes, 3182C
Cyclic polymer, 1425P
Cyclic thiocarbonate, 1698C
Cyclic triblock terpolymer, 1476C
Cyclic voltammetry, 3847C, 4452C
Cyclization, 2967C, 4002C
Cyclization reaction, 3449C
1,3-cyclohexadiene, 2575C
Cyclopolymerization, 965C, 4002C
Cyclosiloxane, 1285C
Cylinder, 890P

Damages, 585P
Debonding, 772P
Decafluorobenzophenone, 4205C
Decrosslinking, 3055C
Defluorination, 2871P
Deformation, 691P, 1223P
Deformation profiles, 95P
Degradable polymer, 4053C
Degradation, 76C, 351C, 2276C, 2917C, 3055C, 3652C, 3944C, 4141C, 4158C, 181P, 192P, 802P
Degradation kinetics, 794P
Degree of branching, 4463C
Degree of deacetylation, 3796C
Degree of polymerization (DP), 2085C, 4538C, 1383P
Dehydrocoupling, 4013C
Delamination, 1530P
Dendrigrafts, 2719C
Dendrimer porphyrin, 210P
Dendrimers, 326C, 823C, 976C, 2719C, 3360C, 3509C, 3622C
Dendritic, 3804C
Dendritic allyl ether, 2583C
Density, 65P, 434P, 1637P, 1784P
Density functional theory (DFT) calculations, 3592C
Deprotection, 4328C
Depth profile, 3191C
Deswelling, 4228C
Dewetting, 2825P
Dextran, 3652C
Diacrylates, 2340C
Diamines, 2340C
2,5-Diamino-1,4-benzenedithiol dihydrochloride (DABDT · 2HCl) polycondensation, 3959C
Diaminomaleonitrile, 210C
Diazodicyanoimidazole, 210C
Diazoresin, 222C
Diblock copolymers, 439C, 1218C, 1426C, 1539C, 2799C, 2819C, 338P
1,3-dicarbonyl compounds, 2487C
Dicyclopentadiene, 2373C
Dicyclopentadiene–cyclopentadiene–4-vinyl-1-cyclohexene, 471C
Dielectric constant, 55C, 1016C, 2537C, 4084C, 2190P
Dielectric properties, 1560C, 3392C, 4217C, 613P, 663P, 1503P
Dielectric spectroscopy, 2570P
Diels Alder, 3256C
Diels-Alder polymers, 4013C
Dienes, 269C
Diepisulfide, 965C
Diethyl ketone, 971C
Differential scanning calorimetry (DSC), 9C, 120C, 293C, 379C, 564C, 1742C, 1818C, 2373C, 3692C, 3757C, 52P, 408P, 638P, 747P, 822P, 1407P, 1556P, 1571P, 1637P, 1784P, 1957P, 2004P, 2107P, 2354P, 2411P, 2570P, 2772P
Diffraction grating, 2800P
Diffusion, 980P, 782C, 2609C, 43P, 181P, 723P, 922P, 1046P, 1118P, 1171P, 1383P, 1709P, 1821P, 1965P, 2489P
Diffusion coefficients, 2190P
Diffusion constant, 613P
Diffusion limited aggregation, 2421P
Dihydropyran, 3909C
Diiminosuccinonitrile, 210C
Diisobutylaluminum hydride, 1912C
Diisopropyl itaconate, 4513C
Dimer, 1366C
Dimethylaminobenzophenone, 3001C
(Dimethylamino)ethyl methacrylate, 612C
Dimethyldioxirane (DMD), 3974C
Di-*n*-butyl itaconate, 2415C
Dipentene, 4084C
1,1-Diphenylethylene (DPE) system, 3725C
Diphenyl carbonate, 171C
Diphenyl chlorophosphate, 1775C
Diphenyl phosphine oxide, 269C
Diphenyl phosphonyl radical, 269C
Direct current (dc) conductivity, 226P
Direct polycondensation, 1092C
Direct polymerization, 3489C
Disclinations, 2098P
Disinfectant polymers, 2384C
Dislocation, 593P
Disorder, 65P
Dispersion polymerization, 1625C, 4367C
Dispersions, 3037C
Dissipation factor, 4084C
Dissociation constant, 2537C
2,5-distyrylthiophene, 2927C
Dithiocarbamate, 1885C
Divinyl ether, 4002C
Divinyl monomers, 3967C
DMTA analysis, 2583C
DNA-based biosensor, 222C
Double bond, 3449C
Double metal-cyanide complex, 1142C

(d-p) π conjugation, 1298P
Drug delivery systems, 2782C, 4550C
DSC, 115P, 813P, 1110P, 1371P, 1727P
Ductile–brittle transition, 2086P
Dwell time, 1821P
Dye-doped polymer, 2800P
Dye photoinitiators, 1433C
Dyes, 1363P
Dyes/pigments, 210C, 2987C
Dynamic behavior, 269C
Dynamic light scattering, 3063C, 2807P
Dynamic mechanical analysis, 2003C, 2208P
Dynamic mechanical analysis (DMA), 1682P

Effect of copolymer composition, 1945C
Efficiency factor, 3987C
Elastic behavior, 105P
Elastomeric-plastic, 142P
Elastomers, 88C, 1334C, 2049C, 3302C, 3497C, 4485C, 4523C, 10P, 142P, 772P, 1530P, 1727P, 1881P, 2098P, 2552P, 2780P
Electric modulus, 226P
Electrochemical impedance spectroscopy (EIS) measurements, 52P
Electrochemical polymerization, 4131C
Electrochemistry, 251C, 2171C, 2360C, 2927C, 3873C, 4570C, 1496P
Electroless plating, 748C
Electroluminescence, 235C, 3847C, 4452C, 1760P
Electrolyte hydrogel, 2333P
Electron donor, 2209C
Electron donor–acceptor complex (EDA), 995C
Electronic packaging, 1796C
Electron microscopy, 115P, 124P, 2523P, 2612P
Electron spin resonance (ESR), 269C
Electron spin resonance spectroscopy, 415P, 424P
Electron transfer, 2158C
Electron-transporting polymers, 1173C
Electrooptic coefficient, 2478C
Electrospinning, 1261P, 2119P, 2259P
Electrospray ionization (ESI), 4032C
Electrostriction, 1975P
Ellipsometry, 338P
Emission, 535C, 682C, 1449C
Emulsifier-free polymerization, 892C
Emulsion, 3200C
Emulsion breaking, 3967C
Emulsion polymerization, 451C, 451C, 809C, 1275C, 1552C, 1594C, 1608C, 1652C, 1706C, 2609C, 2819C, 2994C, 3001C, 3426C, 3734C, 3967C, 4098C, 4245C, 4256C, 4410C, 939P, 948P, 1496P
Emulsion/precipitation polymerization, 1808C
Enantiomer selectivity, 3443C
End crosslinking, 2501C
End-functionalized polymers, 1937C
Energy landscape, 2050P
Energy transfer, 3001C, 4098C
Engineering plastic, 3460C
Entanglement molecular weights, 1768P
Enthalpy of fusion, 2073P
Enthalpy of polymerization, 694C
Entropic χ parameter, 466P
Enumeration calculation method, 105P
Environmental stress cracking, 1P
Enzymatic degradation, 4523C
Enzymatic hydrolysis, 385C
Enzyme-catalyzed, 1267C
Enzymes, 738C, 874C
Epitaxy, 2421P, 2504P
Epoxidation, 3974C
Epoxide monomers, 2298C, 3465C
Epoxides, 1796C, 3055C, 4377C, 1857P
Epoxy, 1796C, 4084C, 2653P
Epoxy curing, 369C
Epoxy network, 2050P
Epoxy–phenolic resins, 2689C, 2702C
Epoxy resins, 359C, 3916C, 4344C
ϵ-caprolactam, 2264C
ε-Caprolactone, 544C, 1047C, 2264C, 4550C
Equation of state, 1046P
Equation-of-state effects, 1288P
Equilibrium constant, 171C
Equilibrium melting enthalpy, 1784P
Equilibrium melting point, 2073P
Equilibrium melting temperature, 638P, 1626P, 1784P
ESCA/XPS, 719C, 770C, 2917C, 623P
ESR spectrum, 2772C
ESR/EPR, 4513C
Esterification, 4024C, 4556C, 192P
Etching, 124P
Ethyl *ortho*-(4-phenyl-1,3-dioxolan-2-yl)phenyl fumarate, 2945C
Ethylbenzene, 1046P
Ethylene carbonate, 4356C
Ethylene copolymers, 142P
Ethylene-*co*-tetrafluoroethylene, 2871P
Ethylene–cyclodiene copolymers, 471C
Ethylene effect on propylene polymerization, 1353C
Ethylene glycol dimethacrylate, 1808C
Ethylene ionomers, 831P, 1142P
Ethylene oxide, 4404C
Ethylene polymerization, 1892C, 3292C
Ethylene–vinyl alcohol (EVOH), 1741P
Ethylene-vinyl acetate copolymer, 2199P
Ethyl vinyl ether, 1151C
Eutectic point, 706P
Exchangeability, 4281C
Exchange broadening, 269C
Exchange equilibrium, 488P
Exchange motion, 1026P
Excimers, 1449C, 854P
Exfoliated–intercalated nanocomposites, 1706C
Exfoliation, 1590P, 1741P
Exothermic degradation, 9C, 564C
Exothermic thermal degradation, 2004P
Expanded graphite, 954P
Experimental design, 4426C
Extended-chain crystals, 2219P
External quantum efficiency, 235C
Extremely low glass transition, 1285C
Extrudate morphology, 303P
Extrudate swell, 1407P
Extrusion, 2791P

Factor, 1P
Failure envelope curve, 2018P
Fast polymerization, 617C
Fatty acids, 451C
Femto-second laser, 537P, 2800P
Ferroelectric phase transition, 1026P
Fiber modulus, 691P
Fibers, 1868C, 1095P, 1261P, 1513P, 1881P, 2119P
Fibril, 2277P
Fibrillation, 1103C
Fillers, 1013P
Film, 110C
Films, 110C, 423C, 936C, 1293C, 1572C, 2609C, 4297C, 585P, 980P, 1530P, 2190P, 2736P, 2833P
Fingering patterns, 2825P
Finite element, 772P

Flame resistance, 3221C
Flame retardance, 359C, 369C, 459C, 2329C
Flexible substrate, 3327C
Flip chip, 1796C
Fluorescence, 682C, 1594C, 1831C, 2215C, 2458C, 2591C, 2609C, 2927C, 3001C, 3481C, 3927C, 4098C, 4452C, 4570C, 1080P, 1236P, 1298P, 2745P
Fluorescence microscopy, 2842P
Fluorescence monitoring, 4236C
Fluorescence probes, 3481C
Fluorescence quantum yields, 854P
Fluorinated, 4217C
Fluorinated allyl ethers, 2583C
Fluorinated copolyimide, 1583C
Fluorinated cyclic monomer, 1151C
Fluorinated diamines, 1572C
Fluorinated label, 770C
Fluorinated olefin, 3120C
Fluorinated poly(ether imide)s, 1016C
Fluorinated poly(ether ketones), 4205C
Fluorinated polyimides, 524C, 1572C
Fluorinated polymers, 1477P
Fluorination, 1C
Fluorine, 2130P
Fluoropolymers, 486C, 524C, 1151C, 1395C, 2478C, 3027C, 3120C, 3392C, 3634C, 4485C, 4538C, 387P
5-Fluorouracil, 4550C
^{19}F NMR spectroscopy, 3634C
Fold surface energy, 2073P
Forced elasticity, 2646P
Formation of β-form crystals, 95P
Fourier transform infrared attenuated total reflectance (FTIR-ATR), 980P
Fourier transform real-time infrared spectroscopy, 2298C
Fractionation of polymers, 813P
Fracture, 2018P, 2324P, 2343P
Fracture energy, 2292P
Fragmentation mechanism, 10P
Fréchet-type dendron, 1167C
Free amine, 3796C
Free radical, 26C, 3200C
Free radical copolymerization, 2394C
Free-rise density, 2526C
Free volume, 862P
Free-volume radius, 1028C
Free-volume theory, 1046P
Friction, 585P, 1530P
Friedel–Crafts-type polycondensation, 2729C
Fringed micelles, 142P
FTIR, 583C, 922P, 1236P, 1342P, 1957P
FT-IR, 3692C, 3703C, 1189P, 2489P, 2539P, 2624P, 2772P, 2833P, 2871P
FT-IR (ATR), 2994C
Fuel cell, 1539P
Fullerenes, 1157C, 4316C
Functional copolymers, 3634C
Functional polymers, 983C, 2855C, 3743C
Functionality, 2842C
Functionalization, 2116C
Functionalization of polyethylene, 1303C
Functionalization of polymers, 496C, 731C, 1005C, 1157C, 1200C, 1236C, 1539C, 1937C, 2171C, 2286C, 2937C, 3086C, 3103C, 3256C, 3950C, 4167C, 4193C, 4316C, 4377C, 115P, 488P, 1307P, 1371P, 2343P
Functionalized initiators, 1972C
Functionalized montmorillorite, 1892C
Fuzzy set theory, 454P

γ-Crystallographic phase, 1644P
Gas barrier, 862P
Gas diffusion, 964P
Gas permeability, 670P
Gas permeation, 2228P
Gas sorption, 1965P, 2228P
Gas transport, 4193C
GC-MS, 4084C
Gel effect, 3987C
Gel formation, 601C
Gel fraction, 2878C
Gel permeation chromatography (GPC), 399C, 3835C, 3909C, 4498C, 905P, 1582P, 2004P
Gel permeation chromatography (GPL), 1742C
Gel polymer electrolytes, 1496P
Gelation, 3232C, 4002C, 4098C, 4563C, 1496P, 2702P
Gels, 1028C, 1293C, 2501C, 3021C, 2780P
Generalized separation factor, 488P
Geometric structure, 535C
Glass, 2027P
Glass transition, 141C, 3644C, 3757C, 4053C, 4084C, 201P, 226P, 434P, 537P, 802P, 1056P, 1245P, 1407P, 1673P, 2050P, 2164P, 2313P, 2431P, 2463P, 2667P, 2745P
Glass transition temperature, 415P
Glass–rubber relaxation, 1154P
Glass-transition temperature, 650C, 852C, 1184C, 454P, 2004P
Glass-transition temperature decrease, 2208P
Glass-transition temperature (T_g), 2575C
Glassy polymer, 2228P
Glassy state, 862P
Glutaric anhydride, 4356C
Glycidyl methacrylate, 2384C
Glycidyl methacrylate-*N*-vinyl pyrrolidone copolymers, 1192C
Glycidylation, 4377C
Glycolide, 544C, 3129C
Glycolide/caprolactone copolymer, 1379C
Glycopeptide dendrimers, 3622C
Glycopolymers, 3379C
Glyoxal, 1261P
Glyoxylic oxime ether, 2772C
GPC, 385C
Gradient polymer elution chromatography (GPEC), 2350C
Graft copolymers, 242C, 809C, 1876C, 2736C, 3068C, 3191C, 3256C, 3455C, 3652C, 3725C, 4131C, 4180C, 4398C, 1390P, 1904P, 2561P
Graft density, 1253C
Graft polyacrylamide, 3068C
Graft polymerization, 26C
Graft polymers, 317C
Grafting, 3644C
Gross melt fracture, 2791P
Group-transfer radical polymerization, 573C
Growth, 1754P, 2516P
GTP, 4477C
Gyroid structure, 1135P

Halogenated, 2601C, 3959C, 2130P
Hard domains, 2526C
Hardness, 2526C
^{1}H–^{13}C nuclear cross relaxation, 1026P
Heat capacity, 1245P
Heat deflection temperature, 3644C
Heat of fusion, 2411P
Hele–Shaw flow cell, 2825P
Helical conformation, 399C
Helical conjugation, 399C
Heteroatom-containing polymers, 210C, 1456C, 1912C, 2686C, 2842C, 3489C, 488P, 663P
Heterocyclic diamine, 3489C
Heterogeneous, 2979C
Heterogeneous nucleation, 1835P
Heterogeneous polymers, 1071P
Heterogenous polymers, 290P
Heterophase nucleation, 736P
Heteropolysaccharide, 2269P
Hexacyanobutadiene, 210C

Hexafluorobisphenol A, 4205C
High aspect ratio mesogenic unit, 1527C
High modulus, 1269P, 1281P
High oxygen permeability, 4288C
High performance fiber, 1269P, 1281P
High performance liquid chromatography (HPLC), 1726C
High performance polymers, 429C, 707C, 1092C, 1712C, 1781C, 1790C, 2564C, 2656C, 2810C, 3046C, 3497C, 3804C, 3815C, 3959C, 1087P
High pressure, 836C
High solubility, 229C
High strength, 1269P, 1281P
High temperature materials, 393C, 1781C, 3399C
High temperature polymer, 2680C
High transparency, 1858C
High ultimate elongation, 4523C
High-density polyethylene, 3350C
High-density polyethylene (HDPE), 1013P
Higher 1-olefin, 128C
High-performance polymers, 459C, 1285C, 1552C, 3489C
High-temperature materials, 459C, 1334C
High-temperature polymers, 88C
Hindered phenols, 3312C
^{1}H NMR, 1064C, 2134C, 4024C, 4556C
^{2}H NMR spectroscopy, 2044C
Hole-transporting materials, 1321C
Hole-transporting polymers, 1173C
Homogeneous, 2979C, 3823C
Homogeneous nucleation, 519P
Host-guest systems, 1892C, 992P
H^{+} transport, 663P
Humidity, 460P
Humidity effect, 831P
Hybrid composites, 19P
Hybrid conjugated polymers, 2670C
Hybrid fluorinated polysiloxanes, 4485C
Hydrazine, 601C, 748C
Hydrazone polymer, 4493C
Hydrodynamic radius, 3063C
Hydrogels, 192C, 242C, 1209C, 2075C, 3021C, 3093C, 3144C, 3542C, 4333C, 134P, 1236P, 1985P, 1995P, 2395P
Hydrogen bond, 1726C, 2736P, 2772P
Hydrogen bonding, 1661P, 1940P, 2313P
Hydrogen bonds, 1601P
Hydrogen effect on propylene polymerization, 1353C
Hydrogen effects in Ziegler-Natta polymerization, 1899C
Hydrogenation, 2575C
Hydrolysis, 2782C, 4158C, 192P, 2119P
Hydrophilic polymers, 1267C, 1625C, 2049C, 488P, 2473P
Hydrophilic ruthenium complex, 2055C
Hydrophobic association, 1236P
Hydrosilation, 326C, 976C
Hydroxyethyl methacrylate, 1756C, 2055C, 2384C
2-Hydroxyethyl methacrylate, 1625C, 1858C
2-Hydroxyethyl methacrylate/2-diethylaminoethyl methacrylate copolymers, 2427C
Hydroxyl group, 4053C
Hydroxyl-pendant polyimides, 1790C
Hydroxymethyloxetane, 1991C
Hyperbranched, 344C, 823C, 936C, 1456C, 2340C, 2719C, 2967C, 3804C, 4463C, 4563C
Hyperbranched polymers, 344C, 2855C
Hyperbranched second-generation dendritic polymers, 1519C
Hyperchromic shift, 1831C
Hysteresis, 772P

Ideal donnan theory, 2333P
Imaging, 393C, 1200C, 3399C
Imbedded fiber retraction (IFR), 2248P
Imidazolium, 2661P
Imines, 971C
Iminodibenzyl, 3847C
Immobilization, 874C
Immunoisolatory tubules, 2075C
Impact essential work of fracture, 1881P
Impact strength, 31P
In situ activation, 3240C
Inclusion chemistry, 992P
Incomplete initiation, 1253C
Indan structure, 423C
Indene, 2449C
Induced structure, 537P, 2800P
Induction period, 1835P
Inert solvent, 874C
Influence of LiCl, 2148C
Infrared band, 2646P
Infrared spectroscopy, 1940P, 2759P
Infrared spectroscopy (FT-IR in real time), 4236C
Inherent viscosity, 379C
Iniferter, 1885C, 562P
Initiation, 3200C
Initiation rate constants, 269C
Initiators, 675C, 901C, 2108C, 2663C, 2759C, 2888C, 3103C, 4245C
Injection molding, 1828P
Inorganic polymers, 179C
Instability, 2825P
Interaction energy, 1288P
Interaction parameter, 1C, 2364P
Interactions, 1425P, 2587P
Intercalated polymers, 2513C
Intercalation, 1682P, 1690P, 1741P
Interchange reactions, 2570P
Interdiffusion, 2653P
Interdigitated array electrode, 1103P
Interfaces, 770C, 1371P, 1709P, 2292P, 2653P, 2817P
Interfacial free energies, 840P
Interfacial interaction, 1804P
Interfacial slip, 303P
Interfacial tension, 679P, 2248P
Intermolecular hydrogen abstraction, 2945C
Intermolecular hydrogen bond, 1095P
Interval III, 1652C
Intramolecular cyclization, 3212C
Inverse emulsion polymerization, 4065C
Inverse gas chromatography, 1046P
Iodine, 1850P
Ion exchangers, 4281C, 488P, 2587P
Ion motion, 226P
Ion pairs, 2537C
Ion-conducting polymer, 613P
Ionic aggregate, 831P
Ionic cluster peak, 831P
Ionic conduction, 226P
Ionic conductivity, 344C, 1226C, 1496P
Ionic interaction, 1813P
Ionic liquids, 2799C, 3360C
Ionomer blends, 3662C
Ionomers, 511C, 3037C, 387P, 2237P, 2303P, 2440P, 2833P
Ions and ion pairs, 2101C
IPNs, 115P
Iridium complex, 1075C
Iron complex, 2033C
Irradiation, 1200C, 134P
IR-spectrometry, 1383P
Isobutylene, 2209C
Isoconversional kinetic analysis, 2237C, 3893C
Isoelectric point (IEP), 2440P
Isomer, 823C
Isomerization, 3212C
Isoprene, 1838C, 3086C
Isopropylidene, 2556C
Isotactic, 2496C, 2979C, 2504P

Isotactic functionalization of polymers, 1484C
Isotactic poly(propylene), 896P
Isotactic poly(propylene) (PP), 2539P
Isothermal crystallization, 1835P
Isotopic content, 923C
Isotopic diversity, 923C
Isotopic tagging, 923C

JKR theory, 585P
Jump diffusion motional model, 424P
Jump length, 1821P
Jungle-gym structure, 2501C

Ketene acetals, 3021C
Kinetics, 26C, 334C, 694C, 836C, 1064C, 1608C, 1677C, 2148C, 2350C, 2772C, 3481C, 3634C, 4266C, 153P
Kinetics modeling, 192P
Kinetics of polymerization, 2537C
Kinetics of propylene polymerization reactions, 1899C
Kinetics (polym.), 19C, 573C, 1275C, 1353C, 1366C, 1665C, 1876C, 2310C, 2373C, 2435C, 2750C, 2828C, 2945C, 2956C, 3264C, 3292C, 3549C, 3743C, 3757C, 3974C, 3987C, 4236C, 4421C, 1223P, 1857P, 2677P
Kinetics (polymer), 1383P
Kink non-coplanar, 3489C
Knot-pull strength, 2449P

Labile nondefect structures, 3944C
Lactide, 844C, 3129C
Lactones, 2158C, 2190C, 1400P
Ladder polymer, 3909C
Lamellae, 1571P
Lamellar morphology, 317P
Lamellar structure, 691P, 1931P
Lamellar thickness, 1626P
Lanthanocene amide complexes, 612C
Laser-induced polymers, 675C, 537P
Latex, 3171C
Latex properties, 2994C
Latices, 4098C, 4245C, 939P, 948P
Lattice constant, 1135P
Lattice fluid, 1046P
LCPs, 141C
LEDs, 235C, 1122C, 1321C
Lewis acid, 1236C, 2496C
L-Gulonic acid, 4158C
Ligand-exchange reaction, 1868C
Light-emitting diodes (LED), 2215C, 3847C, 4452C, 1760P
Light-emitting polymers, 682C, 1173C, 1449C, 2591C
Light scattering, 2245C, 201P, 1201P, 1985P, 2130P, 2269P, 2431P, 2667P, 2714P, 2728P
Linear low-density polyethylene (LL-DPE), 3950C, 507P
Linear polyethylene, 2842C
Lipase, 874C
Lipopolymers, 3379C
Liquid crystal, 601C
Liquid-crystal device (LCD), 110C
Liquid-crystal display (LCD), 1583C
Liquid-crystalline, 2256C
Liquid-crystalline polymers (LCP), 659C, 1527C, 1845C, 2015C, 2044C, 2237C, 3883C, 3893C, 3916C, 4344C, 2098P, 2817P
Liquid-crystalline thermosets (LCTs), 3916C, 4344C
Lithium-ion polymer batteries, 1496P
Lithography, 393C
Living, 2101C
Living anionic polymerization, 2394C
Living cationic polymerization, 2171C, 3679C
Living polymerization, 19C, 192C, 334C, 555C, 617C, 633C, 844C, 864C, 1005C, 1058C, 1818C, 1876C, 1937C, 1972C, 2033C, 2055C, 2093C, 2116C, 2736C, 2828C, 2956C, 3063C, 3103C, 3212C, 3264C, 3455C, 3460C, 3692C, 3823C, 4032C, 4180C, 4410C
Living radical, 1309C, 3379C
Living radical polymerization, 439C, 2245C
L,L-dilactide, 2884C
Loading, 772P
Local chain configuration, 3944C
Long-chain branching, 3292C
Love wave, 1490P
Low-band gap polymers, 2360C
Low color intensity, 524C
Low-density polyethylene (LDPE), 507P
Low dielectric constant, 524C
Low molecular weight, 564C, 1103C
Low molecular weight polyethylene (PE), 878P
Lower critical solution temperature (LCST), 1945C, 4328C, 1407P
Lower critical solution temperature (LCST) behavior, 679P
Lower critical solution temperature-type phase behavior, 1288P
Luminescence, 141C, 251C, 496C, 659C, 682C, 1173C, 2591C, 2927C, 4250C

Macrocycles, 4463C
Macrocyclics, 1441C
Macroemulsion, 3200C
Macroinitiator, 3434C
Macromolecular architecture, 1253C
Macromonomer 4-(chlorodimethylsilyl)styrene, 1519C
Macromonomers, 1726C, 2085C, 2394C, 2819C, 3367C, 3771C, 4266C, 4477C
Macroporous polymers, 755C, 3079C
MALDI, 675C, 864C, 1937C, 2442C, 2799C, 2967C, 3406C, 3796C, 3974C, 4302C, 4463C
MALDI-TOF, 4356C
Maleic anhydride, 2860P
Maleic anhydride grafted styrene-(ethylene-*co*-butylene)-styrene copolymer, 1214P
Malononitrile, 210C
m-Aminobenzene sulfonic acid, 4065C
Mark–Houwink equation, 562P
Mass spectrometry, 2442C, 3622C, 4032C
Mass spectroscopy of polymers, 923C
Mass transport, 1444P
Materials for polymer fuel cells, 3703C
Matrimid polyimide, 4193C
Mayo equation, 2537C
Mechanical model, 1281P
Mechanical properties, 852C, 1016C, 2075C, 4098C, 4236C, 115P, 272P, 358P, 460P, 755P, 1013P, 1110P, 1201P, 1371P, 1556P, 1727P, 2237P, 2303P, 2324P, 2449P, 2473P, 2516P, 2677P
Mechanical relaxation, 593P
Mechanism, 2101C, 765P
Melt, 822P, 1741P, 2411P
Melt crystallization, 736P, 2489P
Melt intercalation, 1454P, 2661P
Melting, 2219P
Melting behavior, 1354P
Melting point depression, 706P
Melting temperature (T_m), 2575C, 2411P
Melt-processable, 1845C
Membrane osmometry, 2166C
Membranes, 242C, 770C, 1209C, 1689C, 2075C, 3093C, 3570C, 964P, 2151P, 2228P, 2237P, 2473P

Mercury extraction, 3068C
Mesophase, 530P
Metal ions, 914C
Metalization, 748C
Metallocene, 471C
Metallocene catalysts, 128C, 612C, 1303C, 1484C, 2979C, 3240C, 3249C, 3292C, 3938C, 4426C, 325P, 840P, 2595P
Metallocene isotactic polypropylene, 1644P
Metal-organic catalysts, 1366C
Metal-polymer complexes, 731C, 914C, 2987C, 3068C
Metastability, 176P
Metathesis, 958C, 2895C
Methacrylamide, 2496C
Methacrylate end group, 4477C
Methacrylates, 269C, 2134C
Methacrylic copolymers, 3079C
2-Methacryloyloxyethyl isocyanate, 1726C
Methanol conditioning, 2228P
Methanol vapor, 1103P
Methanolysis, 76C, 2276C
Methyl 2-acetamidoacrylate, 1945C
Methyl acrylate, 2033C
Methyl cellulose, 4167C
Methyl methacrylate, 617C, 633C, 675C, 1937C, 1945C, 1972C, 2245C, 3350C, 3823C, 4302C, 939P, 948P
Methyl oleate, 451C
Methylaluminoxane, 1421C, 1838C, 3086C
Methylaluminoxane (MAO), 2979C
Methylvinyl diethoxysilane, 3182C
m-hydroxybenzoic acid, 1775C
Micellar polymerization, 4477C
Micelles, 1C, 179C, 1652C, 3063C, 4477C, 346P
Micellization, 3063C
Microfibrillar fibers, 1103C
Micrometer-sized particles, 1342C
Microphase separation, 415P, 424P, 613P
Microspheres, 1342C
Microstain, 2693P
Microstructure, 1142C, 1379C, 2225C, 2225C, 2225C, 2225C, 3129C, 4032C, 4538C, 272P, 434P, 1087P, 1754P, 2098P, 2364P, 2516P
Microwave, 1749C
Microwave cure, 2264C
Miktoarm stars, 2575C
Miniemulsion, 3200C
Miniemulsion polymerization, 3001C
Minimized energy calculations, 2256C
Minimum film-formation temperature, 939P, 948P
Miscibility, 1157C, 4316C, 255P, 747P, 1125P, 1661P, 2292P
Miscibility windows, 1288P
Miscible blends, 176P
m-isopropenyl-α,α'-dimethyl-benzyl isocyanate (TMI)/styrene copolymerization, 1064C
Mixed solvents, 1028C, 2677P
Model compound, 3927C
Modeling, 535C, 3504C, 3909C, 401P, 747P, 1171P, 1363P
Modification, 719C, 892C, 936C, 1192C, 1200C, 1764C, 1868C, 1912C, 3679C, 3944C, 3950C, 623P
Modified double-lattice theory, 2333P
Modified lattice-fluid model, 706P
Modified PVC, 964P
Modulus, 1269P, 1281P, 2237P
Moisture absorption, 4084C
Moisture sorption, 479P
Molecular architecture, 2431P
Molecular composites, 1110P
Molecular dynamics, 1056P, 1490P, 1601P
Molecular fractionation, 638P
Molecular orbital, 535C
Molecular recognition, 1831C
Molecular reinforcement, 2377P
Molecular weight, 9C, 2556C, 4328C, 562P, 1813P, 2411P
Molecular weight distribution (MWD), 864C, 1838C, 2190C, 2209C, 2878C, 2956C, 3103C, 4328C, 905P
Molecular weight distribution/molar mass distribution, 3426C, 1857P
Monolithic controlled-release devices, 1171P
Monomer, 4217C
Monomer distribution, 4556C
Monomer reactivity ratios, 650C, 1151C, 1192C, 2427C, 2750C
Monomer removal, 4245C
Monomer sequences, 1775C, 4024C
Monomers, 511C, 738C, 2670C, 2772C, 2945C, 4333C, 1383P
Monte Carlo simulation, 3426C, 105P, 890P, 1857P
Montmorillonite, 272P
Mooney analysis, 303P
3-Morpholinone, 4550C
Morphological changes, 1931P
Morphological structure, 2190P
Morphological transitions, 1135P
Morphology, 852C, 1253C, 2003C, 2526C, 2663C, 3112C, 4077C, 4117C, 19P, 115P, 124P, 284P, 325P, 346P, 365P, 507P, 519P, 605P, 670P, 1189P, 1307P, 1334P, 1556P, 1590P, 1727P, 1777P, 1904P, 1913P, 2073P, 2086P, 2259P, 2364P, 2387P, 2421P, 2531P, 2579P, 2641P, 2714P
m-Phenylene diamine, 2151P
Multicyanocyclopropane functionality, 379C
Multifunctional monomer, 3232C
Multihydroxyl branched polyethers, 1991C
Multilayer, 679P
Multilayered dendrimers, 3622C
Multiple melting, 2411P

Nafion, 387P, 2237P
Nafion films, 1103P
Nano layers, 2817P
Nanocomposites, 1498C, 3858C, 3873C, 272P, 408P, 736P, 1056P, 1118P, 1342P, 1434P, 1454P, 1682P, 1690P, 1741P, 2065P, 2237P, 2579P, 2661P, 2667P, 2860P
Nanofiber, 890P
Nanofibers, 2259P
Nanofiltration, 2151P
Nanolayers, 719C
Nanoparticles, 1309C
Nanoscale, 1261P
Nanoscale confinement, 2745P
Nanostructured materials, 179C
Nanotechnology, 1309C, 2719C, 3284C
NaOH/thiourea aqueous solution, 1521P
(2-naphthoxy)terephthalic acid, 1781C
Naproxen, 1192C
n-Butyl methacrylate, 633C
n-butylacrylate (*n*-BA), 2878C, 3549C
N-carbamyl maleamic acid, 3950C
Near-field optical microscopy (NOM), 2406C
Negative type, 423C
Negative-working resists, 1858C
Nematic, 2098P
Neodymium isopropoxide, 1838C
Networks, 1209C, 1285C, 2501C, 3679C, 4523C, 358P, 2780P
Neutral nickel catalyst, 2842C
Neutron reflection, 1709P
Neutron reflectivity, 2653P, 2817P
Neutron scattering, 1704P, 1768P, 2807P
N-hexylmaleimide, 3360C
Nickel catalysts, 3604C
$NiCl_2$, 399C
Nitrated PET, 2276C

Nitrile rubber, 1821P
Nitro derivatives, 76C
Nitrogen-containing polymer, 1321C
Nitrogen hyperfine splitting, 415P, 424P
Nitroisophthalate, 76C
Nitroterephthalate, 2759P
Nitroxide, 1309C, 3379C
Nitroxide free radical, 4398C
Nitroxide-mediated radical polymerization (NMP), 2116C
Nitroxide spin probes, 415P, 424P
NLO, 2478C, 2987C, 1949P
N-methoxymethyl-*N*-isopropylacrylamide, 4328C
NMR, 76C, 334C, 544C, 1775C, 1818C, 2108C, 2166C, 2225C, 2225C, 2276C, 2310C, 2601C, 3264C, 3692C, 3796C, 3938C, 4167C, 4193C, 572P, 1026P, 1400P
NMR spectroscopy, 3622C
N,N′-bis *p*-(methoxy carbonyl) phenyl)-biphenyl-3,3′,4,4′-tetracarboxydiimide, 852C
N,N′-bis(3-amino-benzoyl)-*N,N′*-diphenyl-1,4-phenylene-diamine, 2564C
N-(*n*-hexyl)-2-pyridyl-methanimine, 3549C
N,O-dimethacryloylhydroxyl-amine, 1625C
Nonelastic deformation, 236P
Non-Fickian solvent uptake, 1171P
Nonlinear block copolymers, 2575C
Nonlinear index, 1949P
Nonlinearity parameter x, 2027P
Nonlinear optics, 1468C, 2868C
Nonlinear polymers, 399C
Nonmetallocene catalyst, 3938C
Norbornane, 1698C
Norbornene, 1698C, 2680C, 2842C, 3604C
Norbornene polymerization, 1421C
Normal stress difference, 1038P
N-phenylated amide linkage, 2564C
N-substituted urethane, 4077C
Nucleating agent, 2387P
Nucleation, 3200C, 1754P, 2178P, 2387P, 2504P, 2516P
Nucleation rate, 1835P
Nucleophilic aromatic substitution, 3046C
N-vinyl-2-pyrrolidone/methyl acrylate, 2225C, 2225C
Nylon-6, 954P
Nylon 6,6, 719C
Nylon-11, 2624P
Nylon-2,14, 1913P
Nylon-46, 1784P
Nylon-6/clay hybrid, 479P
Nylons, 719C, 1719P, 2685P

Odd–even effect, 293C
Oligomerization, 1366C
Oligomers, 1366C, 1441C, 1560C, 2085C, 3182C, 3327C, 3434C, 4020C, 4485C, 4556C, 1425P, 1490P
Oligooxyethylene carbonate, 2171C
Oligosaccharide, 3622C
Oligosaccharide dendrimers, 3622C
Oligo(2-*tert*-butylbutadiene), 1582P
One-component epoxy resins, 971C
One-component molecular composite, 852C
One-dimensional diffusion motion, 1026P
One-pot methods, 229C
Optical anisotropy, 1363P
Optical device, 537P
Optical property, 2686C, 3927C
Optical waveguides, 4205C
Order parameter, 2044C
Organically modified silicate, 2237P
Organic catalysts, 844C
Organic–inorganic hybrid materials, 885C
Organic light-emitting diode device, 1321C
Organic peroxides, 3950C
Organic semiconductor, 3327C
Organochromium complexes, 2759C
Organoclay, 670P, 1690P
Organofunctionalized polysilsesquioxane, 286C
Organometallic catalysts, 617C, 1075C, 1633C, 1937C, 4302C
Organophilic, 2065P
Organophosphorous polymers, 2256C
Organosoluble, 262C, 1092C, 2066C, 3615C, 4288C
Organosoluble polyimides, 110C, 429C
Organotin compound, 286C
Orientation, 862P, 1363P, 1464P, 1513P, 1601P, 1828P
Oriented rubber particles, 2086P
Orthoesters, 3021C
ortho-positronium (*o*-Ps) lifetime and intensity, 1028C
Osmotically active solute, 1171P
1,3,4-oxadiazole, 2927C
2-Oxazoline, 192C
Oxidation, 95C, 496C
Oxidative copolymerization, 2004P
2-(6-Oxido-6H-dibenzo(c,e)-(1,2)oxa-phosphorin-6-yl)1,4-benzenediol, 369C
Oxygen diffusion, 862P, 2489P
Oxygen sorption, 2489P
Oxytocin, 923C
Ozonolysis, 1484C, 1582P

PA-12, 2208P
PA66 fibers, 1940P
Packing length, 1768P, 2292P
Paint, 3171C
Palierne model, 679P
Palladium catalysts, 3604C
Palladium complex, 2637C
Palladium(0)-catalyzed polymerization, 2487C
Palladium-mediated olefin polymerization, 2736C
p-aminobenzoic acid, 1775C
Partial melting, 1644P
Particle nucleation, 1275C, 1652C
Particle size distribution, 1652C, 1808C, 3112C, 4367C, 2170P
p-Chlorostyrene, 2449C
Peak temperature, 2027P
Peak-shift method, 2027P
Pearl necklace, 1080P
Peel test, 2277P
Pendant carboxylic acid, 1267C
Pendant phosphorus group, 459C
Pendanthydroxyl group, 1395C
Pentacyanocyclopentadiene, 210C
Pentafluorostyrene, 4205C
Pentamethylcyclopentasiloxane, 1285C
Penultimate effect, 3592C
Peptides, 2579P
Perchloric acid, 2495C
Percolation threshold, 954P, 1013P
Perfluoroalkyl iodides, 3743C
Perfluoropolyether, 52P
Persistent spectral hole burning, 210P
PET, 1444P
pH value, 972P
Phase behavior, 747P, 1046P, 1125P, 1316P, 1673P, 2339P
Phase diagrams, 2464C, 878P, 1383P, 2714P
Phase equilibrium, 602P
Phase separation, 1028C, 2406C, 2464C, 2526C, 284P, 317P, 1334P
Phase structure, 1804P
Phase transitions, 3542C, 495P, 765P
pH-dependent swelling, 1112C
Phenanthrene, 1594C
Phenothiazine, 4452C
Phenylacetylene, 1075C
Phenylalanine, 385C
4-Phenylcyclohexane bis(ether anhydride), 2066C

Phosphate-containing polyanion, 222C
Phosphonic acid esters, 3221C
Phosphonic dichloride, 3835C
Phosphoric acid, 663P
Phosphoric acid doped, 3703C
Phosphorous pentachloride, 3182C
Phosphorus, 359C
Phosphorus-containing diesteramines, 459C
Phosphorus-containing polymers, 3221C
Photo-acid generator, 3055C
Photobase generation, 4045C
Photobase generator, 4045C
Photochemical reaction, 1293C
Photochemistry, 2298C, 2888C, 3465C
Photochromic material, 2406C
Photoconductivity, 2670C
Photocrosslinking, 3055C
Photocuring, 3171C
Photo differential scanning calorimetry (photo-DSC), 1504C
Photoimageable polyimides, 3012C
Photoinitiated cationic polymerization, 2298C, 3465C
Photoinitiators, 3171C, 3465C
Photolabile, 2093C
Photolithography, 3399C
Photoluminescence, 235C, 682C, 1173C, 1449C, 2360C, 2591C, 2670C, 3847C, 4452C, 1760P
Photophysics, 2670C, 854P, 1298P
Photopolymerization, 120C, 694C, 755C, 793C, 901C, 995C, 1037C, 1504C, 1885C, 2049C, 2298C, 2888C, 3171C, 3221C, 4045C, 216P
Photoreactive polyimide, 423C
Photoresists, 423C, 1858C, 3055C, 3399C, 2137P
Photosensitive, 222C
Photosensitive compound, 3399C
Photosensitivity, 423C, 3012C
Photosensitization, 1037C
Phthalimide, 650C
Physical aging, 2050P, 2463P
Physical property, 401P
π-Conjugated oligomer, 3927C
π-conjugated polymers, 1173C, 2686C
Piezoelectric coefficient, 379C
Piperazine, 2151P
Planar orientation, 2624P
Plasma modification, 2871P
Plasma polymerization, 1850P, 2473P
Plastic plane-strain compression, 896P
Plasticity, 593P
Plasticization, 2208P
Plasticizers, 2050P
Plastomer, 1869P
Plateau moduli, 1768P
Platinum catalysts, 326C
p-Methylstyrene, 2449C
Polarizability, 1513P
Polarizer, 1363P
Polyacetal, 4053C
Poly(acetoxystyrene), 1661P
Polyacetylenes, 958C, 1689C, 2458C, 2663C, 3509C, 2228P
Polyacrylates, 1633C, 2350C
Poly(acrylic acid), 719C
Poly(acrylonitrile–butadiene–styrene) (ABS), 415P, 424P
Polyaddition, 1395C, 2487C, 2689C, 2702C, 3835C, 4053C, 4158C
Polyaddition reaction, 3570C
Poly(α-hydroxyacrylic acid), 1400P
Polyamide, 2151P, 2531P
Polyamide-6, 2860P
Polyamide-11, 2624P
Polyamide 12 (nylon 12), 1189P
Poly(amide imide imide)s, 707C, 1092C
Polyamides, 719C, 947C, 1781C, 2564C, 3406C, 3489C, 3711C, 1464P, 1719P, 2208P, 2339P
Polyamides (PA6), 153P
Polyamines, 914C, 1912C, 2340C, 2648C, 3144C
Polyampholyte, 338P, 972P, 2440P
Polyaniline, 3562C, 4065C, 1850P, 2531P, 2702P
Poly(aniline-*co*-*o*-aminophenethyl alcohol), 983C
Polyaromatics, 43C, 393C, 1441C
Poly(arylene ether)s, 55C, 496C
Poly(aryl ether amide)s, 3489C
Polybenzimidazoles, 3703C, 663P
Poly(benzobisthiazole) (PBZT), 3959C
Poly(benzoxazole), 3399C
Poly(β-butyrolactone), 2184C
Poly(β-hydroxybutyrate), 1893P
Polyblends, 638P
Polybromal, 923C
Polybutadiene, 3743C, 1046P, 2343P
Polybutene-1, 1828P
Poly(butylene succinate), 1931P, 2411P
Poly(butylene terephthalate), 1952C, 236P, 765P
Polycaprolactone, 4117C, 2552P
Polycarbonates, 70C, 171C, 823C, 3434C, 794P, 802P, 992p
Polycarbosilanes, 416C
Polycationic surfactant, 3734C
Polychloral, 923C
Polychlorometylstyrene microspheres, 1342C
Polycondensation, 43C, 229C, 385C, 707C, 1236C, 1665C, 2435C, 2637C, 2648C, 2686C, 2729C, 3232C, 3449C, 3460C, 3489C, 4205C, 4281C, 4356C, 4485C, 4556C
Polycondensed aromatic ring, 1868C
Polycyclohexylene/polyethylene stars, 2575C
Poly(ϵ-caprolactone), 1893P
Poly-1,4-*cis* butadiene, 226P
Poly(depsipeptide-*co*-L-lactide), 302C
Polydepsipeptide segments, 1218C
Polydiacetylene, 3534C, 2354P
Poly(difluoraniline), 2130P
Poly(dimethylsiloxane) (PDMS), 3093C, 1530P
Poly(dimethylsiloxane-*co*-diphenylsiloxane), 854P
Poly(dimethylsilylenearylene-vinylene), 535C
Poly(1,5-dioxepane-2-one), 2049C
Polydispersity index, 3909C
Poly(D,L-lactic acid-*alt*-glycolic acid) macroinitiator, 409C
Polyelectrolytes, 659C, 2015C, 2394C, 2464C, 3703C, 3873C, 4333C, 134P, 338P, 1080P, 1400P, 2728P
Polyester, 1118P
Poly(ester amide)s, 385C, 459C
Polyester blends, 2003C
Poly(ester imide)s, 852C
Poly(ester urethane), 181P, 192P
Poly(ester urethane)s, 4117C
Polyesters, 302C, 612C, 1127C, 1379C, 1633C, 1706C, 1749C, 1845C, 1983C, 2190C, 2256C, 2286C, 2340C, 2435C, 2626C, 2855C, 2868C, 2884C, 3103C, 3129C, 3256C, 4024C, 4141C, 4530C, 4556C, 236P, 454P, 714P, 862P, 1201P, 1254P, 1354P, 1513P, 2339P, 2354P, 2364P, 2489P, 2661P, 2736P
Polyesters from multifunctional aromatic carboxylic acids and poly(ϵ-caprolactone) diols, 4523C
Poly(ether benzoxazole)s, 2656C
Poly(ether ether ketone) (PEEK), 3449C
Poly(ether imide)s, 1712C, 2066C, 2556C, 3804C, 1571P
Poly(ether ketone)s, 2601C, 2729C, 3449C

Poly(ether sulfones), 2967C, 3460C, 4281C
Poly(ether urethane), 4377C
Polyetherimide, 936C
Polyethers, 682C, 864C, 1456C, 1633C, 2215C, 2237C, 3046C, 3883C, 3893C, 43P
Polyethylene, 65P, 325P, 2219P, 2693P
Polyethylene characterization, 3292C
Poly(ethylene glycol), 1209C, 3093C
Poly(ethylene glycol)—acrylate hydrogels, 2677P
Poly(ethylene naphthalate), 862P
Poly(ethylene naphthalene 2,6-dicarboxylate) (PEN), 2570P
Poly(ethylene oxide), 2545C, 3021C, 3416C, 2421P
Poly(ethylene oxide)/cellulose acetate butyrate blends, 1673P
Polyethylene (PE), 2759C, 3112C, 3240C, 3312C, 3416C, 3426C, 4426C, 142P, 572P, 593P, 813P, 822P, 878P, 905P, 1013P, 1142P, 1245P, 1454P, 1637P, 2018P, 2107P, 2595P
Polyethylene (PE) gels, 878P
Poly(ethylene terephthalate), 770C, 852C, 245P, 317P, 862P, 992P, 1835P, 2646P
Poly(ethylene terephthalate) oligomer, 2552P
Poly(ethylene terephthalate) (PET), 76C, 2276C, 2570P, 2759P
Poly(ethylene terephthalate-*co*-bibenzoate), 862P, 2489P
Poly(ethylene-2,6-naphthalate), 317P
Poly(ethylene-2,6-naphthalene dicarboxylate), 2387P
Poly(ethylene-*alt*-tetrafluoro-ethylene) (ETFE), 1539P
Poly(ethylene-*co*-propylene), 2759C, 1869P
Poly(ethylene-*co*-1-hexene), 2759C
Poly(ethylene-*co*-1-octene), 3416C, 1223P, 1919P
Poly(ethylene-*co*-styrene), 3416C
Polyethyleneimine, 914C
Poly(ethylene-*ran*-methacrylic acid), 2833P
Polyferrocenes, 179C
Poly(glycidyl methacrylate), 351C, 748C
Poly(glycolic acid lysine) segment, 1426C
Polyhedral oligomeric silsesquioxane (POSS), 885C
Polyhydromethylsiloxane, 3120C
Poly(hydroxybutyrate-*co*-hydroxyhexanoate), 649P
Poly(hydroxybutyrate-*co*-hydroxyvalerate), 649P
Poly(hydroxyphenylalkanoate)s, 1845C
Polyimidazole, 2686C
Polyimides, 229C, 262C, 423C, 429C, 524C, 1092C, 1712C, 1764C, 1790C, 2478C, 2501C, 2564C, 3615C, 3804C, 3815C, 4038C, 4217C, 4288C, 4563C, 1056P, 1503P, 2190P
Polyimids, 423C
Polyimines, 43C
Polyisobutylene (PIB), 1209C, 2209C, 3974C
Polyisobutylene-*b*-poly(meth-acrylic acid), 3662C
Polyisobutylene-*b*-poly (2-dimethylamino)ethyl methacrylate], 3679C
Polyisocyanide, 399C
Poly(lactic acid), 2248P
Polylactide, 2545C, 2364P
Polylactide segments, 1218C, 1426C
Poly(L-lactic acid), 95P, 1931P
Polymer, 95C, 401P, 537P, 1821P
Polymer beads, 3068C
Polymer blends, 303P, 346P, 466P, 679P, 2248P, 2842P
Polymer-clay composites, 2513C
Polymer complex, 2637C
Polymer composite, 1013P
Polymer crystallinity, 939P, 948P
Polymer dielectric, 3327C
Polymer diffusion, 4098C
Polymer-dispersed liquid crystals, 1334P
Polymer electrolyte, 344C
Polymer electrolyte membrane, 1813P
Polymer electrolyte networks, 1226C
Polymer electrolytes, 486C
Polymer grafting, 26C, 1868C
Polymer ligand, 2637C
Polymer membranes, 387P
Polymer–metal interfaces, 82P
Polymer-modification reactions, 731C
Polymer-montmorillonite, 2513C
Polymer nanocomposites, 1590P
Polymer relaxation, 1171P
Polymers, 1309C, 1468C
Polymer solid electrolyte, 2171C
Polymer substrates, 10P
Polymer surfaces, 748C
Polymer surfactants, 192C
Polymer uniformity, 923C
Polymeric azo initiators, 317C
Polymeric electrolytes, 1342P
Polymeric herbicide, 2513C
Polymeric matrix, 120C
Polymeric metribuzin, 2513C
Polymeric micelles, 1426C
Polymerizable surfactant, 2994C
Polymerization, 293C, 612C, 1342C, 1665C, 1689C, 2101C, 2895C, 3027C, 3200C, 3804C
Polymerization parameter effect, 4367C
Polymerization probing, 3481C
Poly(methyl methacrylate) (PMMA), 923C, 4250C, 4387C, 1P, 460P, 1390P
Polymorphism, 176P, 530P, 736P, 1095P, 1682P, 2504P, 2523P, 2624P
Poly(*n*-butyl acrylate), 585P
Poly(*N*-ethyl methacrylamide), 1808C
Poly(*N*-isopropylacrylamide), 3542C, 4228C, 4328C
Poly(*N*-isopropyl acrylamide) hydrogel, 1028C
Polynorbornadiene, 3644C
Poly(*o*-aminophenethyl alcohol), 983C
Polyolefin nanocomposites, 885C
Polyolefins, 1303C, 2209C, 2759C, 3249C, 3302C, 3416C, 3604C, 3950C, 142P, 454P, 466P, 623P, 638P, 1371P, 2164P, 2791P, 2842P
Poly(*o*/*m*-toluidine)s, 4065C
Poly(oxadiazole)s, 293C
Poly(oxymethylene), 124P
Poly(pentamethylcyclopenta-siloxane), 1209C, 1285C
Polypentamethylcyclopenta-siloxane, 3093C
Poly(phenylene ethynylene), 1449C
Poly(phenylene oxide), 1965P
Poly(phenylsilsesquioxane), 286C
Polyphosphine, 2637C
Polyphosphonate, 3835C
Poly(*p*-phenylene benzobis-thiazole), 1087P
Poly(*p*-phenylene ethynylene), 2591C
Poly(*p*-phenylene vinylene), 2591C
Poly-*p*-phenylenebenzobisoxazole (PBO), 1269P, 1281P
Poly(propylene glycol) methacrylate, 334C
Polypropylene oxide/LiClO4 complex, 613P
Poly(propylene) (PP), 31P, 980P, 923C, 1484C, 2979C, 1307P, 2504P
Poly(propylene) (PP), 153P, 365P, 408P, 572P, 593P, 1214P, 1835P, 1869P, 1881P

Poly(propylene) ternary composites, 1804P
Poly(propylene-*co*-1-hexene), 2759C
Polypropylene/EPDM blends, 2086P
Polypyrroles, 4131C, 1850P
Polyquinoline ether, 1831C
Poly(quinone imine)s, 43C
Polysiloxanes, 88C, 286C, 326C, 976C, 1226C, 1334C, 1539C, 1560C, 1952C, 2917C, 3161C, 3182C, 3570C, 4013C, 854P, 1795P
Polysilylene methylenes, 416C
Polystyrene, 1081C, 1498C, 1756C, 3153C, 3191C, 4250C, 4367C, 4498C, 454P, 723P, 954P, 1582P, 2164P, 2248P, 2463P, 2667P
Polystyrene-*b*-polyisoprene-*b*-poly(2-vinyl pyridine)-*b*-poly(ethylene oxide), 2166C
Polystyrene-*b*-polyisoprene-*b*-poly(2-vinyl pyridine)-*b*-poly(*t*-butyl methacrylate)-*b*-poly(ethylene oxide), 2166C
Poly(styrene-*co*-vinyl-phenol), 1661P
Polystyrene/polybutadiene blends, 2612P
Polysulfides, 965C, 3443C, 4421C
Poly(tetrafluoroethylene-*co*-hexafluoropropylene) (FEP), 1539P
Poly(tetrafluoroethylene-*co*-perfluoropropylvinylether) (PFA), 3191C
Polythiocarbonates, 1698C
Poly(trimethyl terephthalate) (PTT), 1571P
Poly(trimethylene terephthalate), 1513P
Polyurea, 4297C
Poly(urethane amide), 3497C
Polyurethane coatings, 52P
Polyurethane foams, 2526C
Polyurethane nancomposites, 670P
Polyurethane prepolymer, 3497C
Poly(urethane urea), 4377C
Polyurethanes, 344C, 1236C, 1527C, 1677C, 1742C, 2085C, 2917C, 3037C, 4077C, 4117C, 4158C, 181P, 192P, 1316P, 1690P
Poly(vinyl alcohol), 1261P
Poly(vinyl alcohol)/polyaniline blend, 1949P
Poly(vinyl chloride) (PVC), 3644C, 3944C, 226P, 964P, 2259P
Poly(vinyl ethers), 2164P
Poly(vinyl methyl ether) (PVME), 2772P
Poly(vinyl phenol), 3055C, 1601P
Poly(vinyl pyrrolidone) (PVP), 3652C
Poly(vinylidene fluoride) (PVDF), 602P, 1539P, 1682P, 1975P
Poly(vinylphenol), 1661P, 1957P
Poly(vinylpyrrolidone) (PVP), 26C
Poly(1-butene), 1828P
Poly(2-ethynyl-9-substituted carbazole), 3509C
Poly(2-hydroxyethoxybenzoate), 1354P
Poly(2-hydroxyethyl methacrylate), 1157C, 4316C
Poly(2-vinyl-naphthalene), 4387C
Poly(2-vinylnaphthalene-*b*-acrylic acid), 4387C
Poly(3-alkyl thiophene)s, 2073P
Poly(3-ethynyl-9-substituted carbazole), 3509C
Poly(3-hydroxybutyrate), 351C, 124P, 1390P
Poly(4-vinyl phenol)-*block*-polystyrene diblock copolymer, 3063C
Poly(4-vinylphenol), 2736P
Poly(5-benzyloxy-trimethylene carbonate), 70C
Poly(5-hydroxy-trimethylene carbonate), 70C
Pores, 3542C
Porous membrane, 1496P
Porous structure, 4228C
Porous structure determination, 3079C
Positron annihilation lifetime spectroscopy, 1028C
POSS copolymer, 885C
Postpolymerization, 4245C
PP, 434P
Precipitation, 2440P
Precipitation polycondensation, 2601C
Precipitation polymerization, 3562C
Preformed oligomers, 4024C
Preirradiation grafting, 591C
Preparation, 3112C
Pressure, 153P, 663P
Pressure effect, 706P
Pressure-sensitive adhesive (PSA), 2395P
Pressure-sensitive adhesives, 451C
Pretilt angle, 1583C
Primary hydroxyl-functionalized polyisobutylene, 1005C
Printed wiring board, 2137P
Probe reorientation, 2463P
Processing, 2264C, 1965P, 2791P
Propagating radicals, 269C
Propagation of polystyrllithium, 2148C
Propagation rate constants, 269C
Propagation-rate coefficient, 675C
Propargyl, 3883C
Properties, 1433C, 19P
Propylene oxide, 1142C, 4530C
Propylene polymerization, 1353C, 1353C
Propylene polymerization with Ziegler-Natta catalysts, 1353C
Protected groups, 2116C
Protected initiators, 1476C
Protected terminator, 1476C
Protecting group, 4328C
Proteinase K, 302C
Proteins, 2324P
Proton carbon-13 nuclear magnetic resonance spectroscopy, 2004P
Proton-conducting polymers, 3703C
Protonic acid, 2190C
Pseudocationic, 2495C
Pull-off force, 772P
Pulsed microwave irradiation, 3823C
Pyridinium salts, 1037C
Pyromellitic dianhydrides, 4288C
Pyrylium salt, 2591C
Pyrylium salts, 682C

Q—*e* scheme, 3634C
Quantitative structure–property relationship (QSPR), 454P
Quantum chemistry, 3592C
Quantum mechanical calculations, 3711C
Quantum yield, 535C, 1173C
Quarternary onium salt, 3835C
Quaternary ammonium, 2384C
Quaternary ammonium salt, 965C
Quaternary onium salt, 1395C
Quaternary phosphonium, 2384C
Quaternization reactions, 2427C

Racemization, 1080P
Radiation, 19C, 1058C, 3191C, 3823C, 4180C
Radical, 3534C
Radical anions, 2158C
Radical desorption, 1608C
Radical initiation, 3743C
Radical polymerization, 19C, 269C, 379C, 511C, 555C, 573C, 583C, 617C, 633C, 782C, 793C, 836C, 901C, 1058C, 1151C, 1366C, 1433C, 1726C, 1756C, 1818C, 1937C, 1972C, 2033C, 2055C, 2245C, 2415C, 2496C, 2772C, 2782C, 2828C, 2945C, 2956C, 3001C, 3264C, 3284C, 3504C, 3725C, 3823C, 3858C, 4333C, 4398C, 4404C, 4410C, 4513C
Radical polymerization ESR/EPR, 3987C

Radical ring opening, 2945C
Radical telomerization, 4538C
Radicals, 3021C
Raman spectra, 495P
Raman spectroscopy, 3191C, 1269P, 1281P, 2354P
Random copolymerization, 2449C
Random copolymers, 2033C, 3549C, 562P
Random crosslinking, 2354P
Rare earth, 642C
Rate constants, 2435C
Rate constants of elementary reactions, 2945C
Ratio of propagation rate coefficient to termination rate coefficient, 1064C
Reaction-diffusion mechanism, 120C
Reaction intermediates, 1058C
Reaction kinetics, 1952C
Reaction temperature, 4556C
Reactive processing, 3950C
Reactivity ratios, 9C, 544C, 564C, 1064C, 1184C, 1243C, 1756C, 3634C, 562P, 2004P
Recovery process, 2646P
Recrystallization, 1962C, 2411P
Recycling, 76C, 2276C, 2637C, 4053C
Reduction, 1912C
Reductive amination, 3622C
Refractive index, 1395C, 4217C, 1513P
Refractive-index change, 2800P
Reinforcement, 2860P
Relative humidity, 1P
Relaxation, 201P, 545P, 772P, 1110P, 1601P, 2431P
Relaxation mechanisms, 1154P
Relaxation processes, 1869P
Relaxation times, 572P
Renewable, 451C
Renewable resources, 451C, 1504C, 4158C, 2364P
Renormalization group, 375P
Residual entropy, 1245P
Resins, 2329C, 2689C, 2702C, 488P, 572P
Retarder, 2772C
Reverse atom transfer polymerization, 2199C
Reverse atom transfer radical polymerization, 3350C, 3823C
Reversible, 2219P
Reversible addition fragmentation chain transfer (RAFT), 19C, 1058C, 2956C, 4032C, 4180C
Reversible addition–fragmentation chain-transfer (RAFT) polymerization, 4498C
Reversible swelling and shrinking, 1112C
Reworkable, 1796C
Rheological properties, 3950C
Rheology, 3292C, 3335C, 375P, 679P, 802P, 1434P, 1768P, 1804P, 1985P, 2395P, 2552P
Rigid-rod, 1760P
Rigid-rod polymers, 1904P
Ring chain, 1425P
Ring opening polymerization, 1929C
Ring polymer, 1425P, 1582P
Ring-opening polymerization, 70C, 70C, 409C, 864C, 1047C, 1142C, 1267C, 1539C, 1698C, 1749C, 1983C, 2049C, 2158C, 2190C, 2264C, 2286C, 2884C, 2895C, 3434C, 3443C, 4167C, 4356C, 4421C, 4550C, 714P
Ring-opening reaction, 1912C
ROMP, 2373C, 2895C
Room temperature, 2693P
Rotational correlation time, 424P
Rotational-isomeric-state (RIS) model, 105P
Round-robin experiment, 905P
Rouse model, 1038P
Rubber, 358P
Rubbery polymer, 1706C
Ruthenium, 2895C
Ruthenium complexes, 617C, 1937C, 1972C

Saccharides, 4158C
Salicylaldamine, 2842C
Salicylideneaniline, 2458C
Salting-out, 1945C
Salt-monomer method, 2648C
Sanchez-Lacombe model, 602P
SAXS, 2245C, 255P, 831P, 1087P, 1189P, 1626P, 1644P, 1727P, 2612P, 2624P
Scanning electron microscopy (SEM), 2065P
Scanning thermal microscopy (SThM), 284P
Science, 269C
Scratching, 585P, 1530P
Secondary relaxations, 1154P
Second-harmonic generation, 2868C
Seed polymerization, 874C
Segment distribution, 2107P
Segmental dynamics, 2463P
Segmented polyurethanes, 486C
Selectivity, 3068C
Self-assembly, 1C, 179C, 222C, 3161C, 4020C, 1777P
Self-associate, 1426C
Self-consistent field theory, 1777P
Self-organization, 216P
Self-polyaddition, 4053C
Semibatch emulsion polymerization, 2878C
Semibatch reactor, 2394C
Semicrystalline polydodecamide, 2208P
Semicrystalline polymers, 236P
Sensors, 738C, 1831C, 1490P, 2745P
Separation of DNA, 1405C
Separation of polymers, 3153C
Separation techniques, 2587P
Sequence length distributions, 840P
Sequence lengths, 840P
Sequential anionic polymerization, 1476C
Sessile drop, 2137P
Shear, 2086P
Shear-controlled orientation injection molding (SCORIM), 1828P
Shear-induced crystallization, 2842P
Shear thinning, 1038P
Shear yield behavior, 1804P
Shell crosslinked polymer, 3068C
Short chain branching distribution, 4426C
Side chain, 1764C
Side-chain crystallization, 2073P
Silane, 976C
Silane comonomers, 1303C
Silanization, 1405C
Silica particle, 4228C
Silicas, 26C, 2937C, 3542C, 19P
Silicones, 3120C, 4013C, 2780P
Silver, 1813P
Silylcarbamate, 1236C
Simulated mass spectra, 923C
Single-step swelling, 1342C
Sisal fibers, 1214P
Size exclusion chromatography, 2166C
Slow and fast probe dynamics, 415P
Small-angle neutron scattering, 387P
Small-angle neutron scattering (SANS), 466P
Smectic, 293C
Soft domains, 2526C
Sol—gel, 2237P
Solid phase surfaces, 4180C
Solid polymer electrolyte, 706P
Solid-state extrusion, 95P
Solid state NMR, 2575C
Solid-state NMR, 1142P, 2199P
Solid-state polymerization, 393C, 1293C, 2648C, 245P
Solid-state structure, 95P, 992P, 2714P
Solid-state topochemical crosspolymerization, 2354P
Solubility, 55C, 344C, 524C, 947C, 1016C, 1572C, 1781C, 1790C, 2564C, 2601C, 2656C, 2810C, 3012C, 3815C, 4053C
Solubility parameter, 2248P
Solubility properties, 1995P

Soluble, 2556C
Soluble-conducting polymer, 983C
Soluble polyamide, 3497C
Soluble polyimides, 3804C
Solution, 2495C, 890P, 1425P
Solution ^{13}C NMR, 1962C
Solution-blending, 1407P, 2065P
Solution polymerization, 1103C
Solution process, 2702P
Solution properties, 624C, 3835C, 4493C, 181P, 375P, 878P, 1038P, 1400P, 2119P, 2130P, 2259P, 2807P
Solvation, 601C, 2537C
Solvator displacement, 2537C
Solvent effect, 2427C
Solvent-induced crystallization, 1444P
Solvent resistance, 2583C, 2151P
Sorbed water, 460P
Sorption, 602P
Soybean, 2324P
Spacer arm, 770C
Spatially heterogeneous dynamics, 2463P
Spectral simulations, 424P
Spectroscopy, 2256C, 4065C, 201P, 1316P, 1813P
Spherical $MgCl_2$ supports, 3112C
Spherical Ziegler–Natta catalysts, 3112C
Spherulites, 124P, 1354P, 1719P, 1835P
Spin coating, 1742C, 3327C, 2825P
Spin diffusion, 1026P
Spiro ortho ester groups, 1293C
Spirobifluorene, 262C, 3615C
Spiroinitiator, 1047C
Split tear, 2526C
Squaric acid, 2648C
Stabilization, 2478C, 2537C, 3312C
Stable atomic isotopes, 923C
Standard free energies of fusion, 840P
Stable free-radical polymerization (SFRP), 2025C
Star block copolymers, 439C
Star polymers, 334C, 633C, 1127C, 1972C, 2245C, 2884C, 3662C, 3858C, 4498C, 1704P
Star-shaped poly(D,L-lactic acid-*alt*-glycolic acid)-*b*-poly(L-lactic acid), 409C
Star-shaped polylactones, 1047C
Statistical thermodynamics, 43P
Step growth polymerizations, 171C
Step-growth polymerization, 3046C, 3711C
Stereoblock, 840P
Stereoisomeric polymer, 385C
Stereoregular polymers, 2458C
Stereoregular poly(propylene) (PP), 840P
Stereoregularity, 3938C
Stereospecific polymerization, 2496C, 4477C
Stereospecific polymers, 965C, 1838C
Steric effect, 836C
Stern–Volmer quenching constant, 1831C
Stiffness, 1869P, 2449P, 2728P
Stimuli-sensitive polymers, 399C, 1945C, 134P, 2339P
Stochastic modeling, 2292P
Storage temperature, 948P
Strain, 105P, 236P, 1975P
Strain rate, 460P
Strain recovery, 236P
Strength, 2343P
Stress, 1P
Stress distribution, 10P
Stress-intensity factor, 1P
Stress-strain, 2526C
Structural relaxation, 210P, 2463P
Structure, 642C, 755C, 983C, 1005C, 2487C, 2750C, 365P, 1201P, 1269P, 1281P
Structure–property relations, 423C, 947C, 3711C, 3771C, 4038C, 4045C, 4117C, 4193C, 4256C, 4266C, 216P, 52P, 401P, 507P, 794P, 1254P, 1316P, 1503P, 1828P, 2164P, 2343P, 2539P
Stryrylpyridinium borate salts, 1433C
Styrene, 269C, 591C, 642C, 650C, 1608C, 1652C, 1756C, 2033C, 2101C, 2158C, 2449C, 2495C, 2772C, 3360C, 3592C, 1046P
Styrene copolymers, 142P
Styrene ionomers, 831P
Styrene–methacrylate copolymer, 1288P
Styrene-methyl methacrylate copolymer, 562P
Styrene-*n*-butyl methacrylate copolymers, 2750C
Styrenes, 2134C
Submicrometer-size range, 1625C
Substituent distribution, 4167C
Substituents, 4024C, 4556C
Substituted polyacetylene, 1075C
Sulfobetaines, 2303P
Sulfonated polybenzimidazole, 3703C
Sulfonation, 496C
Sulfonation, proton-conducting membranes, 591C
Sulfones, 496C
Sulfonic acid, 496C
Sulfur-containing polymer, 1321C
Sulfur mustard, 1821P
Sunlight, 3171C
Supported borane, 3240C
Supports, 874C, 1892C, 2513C, 2979C
Supramolecular assembly, 192C
Supramolecular structures, 4020C
Surface analysis, 95C
Surface-complexation theory, 488P
Surface energy, 2248P
Surface functionalization, 3350C
Surface modification, 26C, 719C, 2583C
Surface-reactivity assay, 770C
Surface resistance, 980P
Surfaces, 719C, 1200C, 1342C, 1868C, 1885C, 2917C, 3191C, 3256C, 82P, 1727P, 2137P
Surface wet chemistry, 770C
Surfactant migration, 2994C
Surfactants, 1552C, 2819C, 3734C, 3967C
Surfmer, 2994C
Surlyn, 2833P
Suspension polymerization, 3079C
Suzuki polycondensation (SPC), 1167C
Swelling, 1028C, 1342C, 1261P, 1995P
Synchrotron radiation, 657P
Synchrotron X-ray scattering, 1931P
Syndiotactic, 612C, 2979C
Syndiotactic polypropylene, 128C
Syndiotactic polystyrene, 885C, 3416C, 176P, 530P, 736P, 1626P
Syndiotacticity-rich poly(vinyl alcohol) (PVA), 1103C
Synthesis, 1293C, 1321C, 1366C, 1395C, 1433C, 1594C, 1689C, 1749C, 1796C, 1876C, 2487C, 2656C, 2729C, 3012C, 3120C, 3182C, 3392C, 3562C, 3579C, 3974C, 4020C, 4038C, 4493C, 4563C, 2130P
Synthesis kinetics, 156C
Synthesis routes, 1154P

Tack, 545P, 2395P
Tacticity, 2415C, 2496C, 3944C, 4513C
Telechelics, 2350C, 2719C, 3103C, 4485C
Telomerization, 3743C
TEM, 1808C, 1087P, 1626P, 1719P, 1913P, 2065P, 2641P, 2661P, 2860P
Temperature cycling experiment, 210P
Temperature dependence, 854P
Temperature-dependent swelling, 1112C
Temperature effect, 831P
Temperature-induced separation (TIPS), 878P

Temperature-modulated differential scanning calorimetry (TMDSC), 1223P, 2219P
Templates, 3161C
Tensile behavior, 2018P
Tensile modulus, 755P
Tensile properties, 1790C
Tensile strength, 802P
Tensile test, 460P
Tension, 2780P
Ternary, 1425P
Terrestrial isotopic abundances, 923C
tert-Butyl groups, 229C
Tertiary amine, 4045C
Tetraalkylammonium salt, 901C
Tetrabutylammonium salts, 2184C
Tetrachlorosilane, 1519C
(Tetracyanocyclopropyl)phenoxyethyl acrylate, 379C
Tetracyanodithiin, 210C
Tetracyanoethylene, 210C
Tetracyanoethylene oxide, 210C
Tetraflurophthalic acid, 3959C
Tetrahydrofuran (THF), 1103C
Tetraimide dicarboxylic acid, 1092C
Tetramethyl-bis(ether anhydride), 2556C
Tetramethylethylenediamine, 3823C
Tetramethylpolycarbonate, 1288P
TGA, 369C
Theoretical modeling, 755P
Theory, 3264C, 2164P, 2343P
Thermal analysis, 1477P
Thermal behavior, 852C, 1790C, 2624P
Thermal degradation, 3055C
Thermal expansion, 1095P
Thermal latency, 2689C, 2702C
Thermal lens, 1949P
Thermal properties, 262C, 369C, 947C, 983C, 1456C, 1527C, 1583C, 1712C, 1764C, 1781C, 1796C, 1962C, 2329C, 2556C, 2564C, 2601C, 2626C, 2648C, 2656C, 2810C, 3012C, 3027C, 3497C, 3615C, 3703C, 3711C, 3815C, 3959C, 4053C, 4077C, 4141C, 4281C, 134P, 1013P, 1056P, 1189P, 1307P, 1354P, 1690P, 1893P, 1949P
Thermal reaction, 351C
Thermal stability, 55C, 110C, 379C, 1016C, 1293C, 1572C, 3644C, 4297C
Thermal studies, 2256C
Thermal treatment, 1644P
Thermally degradable, 1796C
Thermally induced cis–trans isomerization, 1962C
Thermochemistry, 3592C
Thermodynamics, 171C, 836C, 1665C, 181P, 290P, 401P, 1071P, 1383P, 1425P, 1704P, 2343P
Thermogram, 1425P
Thermogravimetric analysis (TGA), 359C, 1498C, 1742C, 3692C, 3221C, 4065C
Thermomechanical properties, 670P
Thermoplastic elastomers, 2065P
Thermoplastics, 4485C, 460P
Thermoresponsive property, 4228C
Thermosensitive microgels, 1808C
Thermosets, 88C, 1334C, 2689C, 2702C, 3504C, 4084C, 4256C, 922P
Thermotropic copoly(ester amides), 1775C
Thermotropic liquid crystal, 293C
Thin-film/electrode interfaces, 1103P
Thin films, 222C, 1173C, 1560C, 3284C, 1464P, 1850P, 2170P, 2343P, 2641P, 2745P, 2817P
Thin-film transistor, 3327C
Thiobarbiturate, 731C
Thiocyanate, 601C
Thiol–ene photopolymerization, 2583C
Thiophene functional maleimide monomer, 995C
Thiophosphate, 1795P
Thiosugar polymer, 965C
Thixotropic loop, 1804P
Three-component polymerization, 1236C
Threshold voltage, 1760P
Time-resolved ESR spectroscopy, 269C
Tin octoate, 2884C
Tin tetrachloride, 2449C
Titanium dioxide, 657P
Titanocene catalysts, 1421C
Titanocene(II), 2663C
TM_{110}-mode cavity, 269C
Tool–Narayanaswamy–Moynihan model, 2027P
Toughness, 1869P, 2086P
Track-etched membrane, 770C
Trans–gauche conformational change, 1026P
Transesterification, 1858C, 1893P, 2570P
Transetherification, 4463C
Transformations, 2116C
Transition metal catalysts, 1972C
Transition metal chemistry, 1075C, 2458C, 3604C, 4302C, 4530C
Transition moment angle, 1940P
Transition oscillation, 1026P
Transition temperature, 424P
Transition-metal catalysts, 633C, 1937C, 2245C
Transitions, 890P
Translational diffusion, 2463P
Transmission electromicroscopy (TEM), 2406C
Transmittance, 216P
Transparency, 110C, 1572C, 1583C
Transport properties, 964P
Triarylsulfonium salts, 3465C
Triazole (TAZ), 1122C
Triblock copolymers, 439C, 2025C, 2545C
Trichloroacetic acid, 2449C
Trichloromethyl silane, 1519C
Tricontinuous, 1209C
Tricyclononene, 2842C
Triethylamine, 3796C
Trifluoroethylene-rich domains, 1026P
2,3,3-trifluoroprop-2-enol, 3634C
Triglycerides, 451C
Trimer, 1366C
Trimesoyl chloride, 2151P
Trimethoxy(phenyl)silane, 286C
Trimethylene carbonate, 4356C
Trimethylsilylated bis-*o*-aminophenol, 1790C
Triphenylamine (TPA), 1122C
Triphenylamine unit, 2810C, 3815C
Triphenylphosphine, 3086C
Triple ions, 2101C
1,3,5-Tris(4-aminophenoxy)-benzene, 3804C
1,1,1-tris(4-hydroxyphenyl)-ethane, 2967C
Tropone, 3927C
Twist defect, 593P
Two-dimensional (2D) NMR spectroscopy, 2225C, 2225C
Two-dimensional chromatography, 2884C
Two-dimensional Fourier transform infrared (2D FTIR), 649P
Two-photon absorption, 2800P
Two-stage reaction, 4024C

Ultimate properties, 2018P
Ultrafiltration, 2587P
Ultrahigh molecular weight polyethylene (UHMWPE), 1013P
Ultraviolet curing, 4236C
Underfill materials, 1796C
Uniaxial orientation, 1201P
UNIFAC, 1046P
Unloading, 772P
Unperturbed chain dimensions, 1768P

Unsaturation, 1142C
Unsymmetrical, 3489C
Urethane linkage, 2310C
UV irradiation, 4045C
UV-visible spectroscopy, 2108C
UV-vis spectroscopy, 251C, 496C, 707C, 707C, 1742C, 2360C, 3847C, 3927C, 4493C

Vacuum plasma, 95C
Valerolactone, 1983C
Vapor pressure, 1425P
Vasopressin, 923C
Vermiculite, 2860P
Vinyl acetate, 573C, 1243C, 1594C, 3001C
Vinyl benzoate, 317C
Vinyl ethers, 2134C, 2171C, 3938C, 4002C, 4053C
Vinyl ferrocene, 1868C
Vinyl monomer, 269C
Vinyl oligooxyethylene acetate, 2171C
Vinyl pivalate (VPi), 1103C
Vinyl pyrrolidinone, 694C
Vinyl thiocyanatoacetate, 573C
Vinylbenzyl chloride, 591C
Vinylidene chloride, 939P, 948P
Vinylidene fluoride, 3634C
Vinylidene fluoride-rich, 1026P
Vinyloxirane, 2487C
4-Vinylpyridine, 4404C
1-Vinyl-2-pyrrolidone, 26C
Vinylsilane, 26C
Vinyltitanium, 2663C
Vinyl-type polynorbornene, 1421C
Viscoelastic, 545P, 772P
Viscoelastic properties, 3335C, 236P, 375P, 1371P, 1503P, 2018P, 2050P, 2208P
Viscoelasticity, 236P, 1013P
Viscometry, 562P
Viscosity, 1476C, 2015C, 2464C, 290P, 375P, 1038P, 1071P, 1490P, 2119P, 2728P
Visible, 3171C
Vistoelastic properties, 809C
Vitrification, 3757C
Vogel, 3757C
Voids, 1754P, 2516P
Volatile organic compound (VOC), 3171C
Vulcanizate, 358P

Wall slip, 303P
Water, 980P, 2772P
Water absorption, 2994C
Water clusters, 181P
Water diffusion, 181P
Water permeability, 52P
Water solubility, 181P
Waterborne, 3171C
Waterborne coatings, 3037C
Waterborne dispersions, 972P
Water-initiated latent hardener, 971C
Water-soluble photoinitiators, 1504C
Water-soluble polymers, 731C, 1945C, 2340C, 2427C, 4333C, 2339P, 2587P
Waxes, 878P
WAXS, 4117C, 1539P, 1644P
Weight-loss temperature, 416C
Wheat, 2324P
Whitening, 657P
Wide-angle X-ray diffraction (WAXD), 1189P, 1571P, 2354P, 2624P
Williams–Landel–Ferry (WLF) equation, 2018P
Wittig polycondensation, 3927C
Work of adhesion, 545P, 772P

^{129}Xe NMR, 1965P
XPS, 719C
XPS, 3570C, 82P, 1957P, 2871P
X-ray, 293C, 1818C, 2170P, 2523P, 2685P
X-ray diffraction (XRD), 495P, 1095P, 1477P, 1590P, 2065P
X-ray microfluorescence analysis, 657P
X-ray photoelectron spectroscopy, 770C
X-ray scattering, 691P, 1919P

Yield, 2646P
Young's modulus, 460P, 840P

Zero-order release, 1171P
Zero-valent metal deposition, 748C
Ziegler-Natta polymerization, 1353C, 3086C
Zipping effect, 2073P
Zirconium acetylacetonate, 1379C, 3129C
Zirconium chloride, 1379C
Zirconocene, 1892C, 1892C
Zr loading, 1892C